

**CENTER FOR DRUG EVALUATION AND
RESEARCH**

APPLICATION NUMBER:

211340Orig1s000

PROPRIETARY NAME REVIEW(S)

PROPRIETARY NAME REVIEW

Division of Medication Error Prevention and Analysis (DMEPA)
Office of Medication Error Prevention and Risk Management (OMEPRM)
Office of Surveillance and Epidemiology (OSE)
Center for Drug Evaluation and Research (CDER)

***** This document contains proprietary information that cannot be released to the public*****

Date of This Review:	June 17, 2019
Application Type and Number:	NDA 211340
Product Name and Strength:	Katerzia (amlodipine) Oral Suspension, 1 mg/mL
Product Type:	Single Ingredient Product
Rx or OTC:	Prescription (Rx)
Applicant/Sponsor Name:	Silvergate Pharmaceuticals Inc. (Silvergate)
Panorama #:	2019-30432704
DMEPA Safety Evaluator:	Sarah Thomas, PharmD
DMEPA Team Leader:	Chi-Ming (Alice) Tu, PharmD, BCPS

Contents

1	INTRODUCTION	1
1.1	Regulatory History	1
1.2	Product Information	1
2	RESULTS.....	2
2.1	Misbranding Assessment	2
2.2	Safety Assessment.....	2
3	CONCLUSION	4
3.1	Comments to the Applicant/Sponsor	4
4	REFERENCES	5
	APPENDICES	6

1 INTRODUCTION

This review evaluates the proposed proprietary name, Katerzia, from a safety and misbranding perspective. The sources and methods used to evaluate the proposed proprietary name are outlined in the reference section and Appendix A respectively. Silvergate did not submit an external name study for this proposed proprietary name.

1.1 REGULATORY HISTORY

Silvergate previously submitted the proposed proprietary name, (b) (4), under IND 116485 on March 26, 2018 with an amendment received on April 11, 2018 and under NDA 211340 on September 14, 2018. However, the Division of Medication Error Prevention and Analysis (DMEPA) found the name, (b) (4), unacceptable due to orthographic and phonetic similarities and shared product characteristics with the proprietary name, (b) (4) on September 21, 2018.^a

Thus, Silvergate subsequently submitted the name, (b) (4), for review on December 3, 2018 under NDA 211340. However, the Division of Medication Error Prevention and Analysis (DMEPA) found the name, (b) (4), unacceptable due to orthographic similarities and shared product characteristics with the pending proposed proprietary name, (b) (4), and due to orthographic similarity and shared product characteristics with the proprietary name, Tolsura, on February 27, 2019.^b

Thus, Silvergate submitted the name, Katerzia, for review on March 29, 2019 under NDA 211340.

1.2 PRODUCT INFORMATION

The following product information is provided in the proprietary name submission received on March 29, 2019.

- Intended Pronunciation: \kə-'ter-zē-ə\
- Active Ingredient: amlodipine
- Indication of Use: Calcium-channel blocker for the treatment of hypertension and coronary artery disease
- Route of Administration: Oral
- Dosage Form: Oral Suspension
- Strength: 1 mg/mL
- Dose and Frequency:
 - **Adults:**
 - *Hypertension:*

^aThomas, S. Proprietary Name Review for (b) (4) (IND 116485 and NDA 211340). Silver Spring (MD): FDA, CDER, OSE, DMEPA (US); 2018 SEPT 21. (Panorama No. 2018-21843454 and 2018-25919624)

^bThomas, S. Proprietary Name Review for (b) (4) (NDA 211340). Silver Spring (MD): FDA, CDER, OSE, DMEPA (US); 2019 FEB 27. (Panorama No. 2018-27739069)

- The usual initial dose is 5 mg orally once daily, and the maximum dose is 10 mg orally once daily.
- Small, fragile, or elderly patients, or patients with hepatic insufficiency may be started on 2.5 mg orally once daily.
- When adding (b) (4) to other antihypertensive therapy, use a dose of 2.5 mg orally once daily.
- Adjust dosage according to blood pressure goals. In general, wait 7 to 14 days between titration steps. Titrate more rapidly, however, if clinically warranted, provided the patient is assessed frequently.
- *Angina:*
 - The recommended dose for chronic stable or vasospastic angina is 5 mg to 10 mg orally once daily, with the lower dose suggested in the elderly and in patients with hepatic insufficiency.
- *Coronary artery disease:*
 - The recommended dose range is 5 mg to 10 mg orally once daily.
- **Children (ages 6 years to 17 years):**
 - *Hypertension:* 2.5 mg to 5 mg orally once daily. Doses in excess of 5 mg daily have not been studied in the pediatric population.
- How Supplied: 150 mL in a 185-cc high-density polyethylene (HPDE) bottle with a child-resistant cap with a tamper-evident seal.
- Storage: Store refrigerated (2°C to 8 °C/36°F to 46°F). Avoid freezing and excessive heat.
- Reference Listed Drug/Reference Product: Norvasc tablets (NDA 019787)

2 RESULTS

The following sections provide information obtained and considered in the overall evaluation of the proposed proprietary name, Katerzia.

2.1 MISBRANDING ASSESSMENT

The Office of Prescription Drug Promotion (OPDP) determined that Katerzia would not misbrand the proposed product. The Division of Medication Error Prevention and Analysis (DMEPA) and the Division of Cardiovascular and Renal Products (DCRP) concurred with the findings of OPDP's assessment for Katerzia.

2.2 SAFETY ASSESSMENT

The following aspects were considered in the safety evaluation of the proposed proprietary name, Katerzia.

2.2.1 *United States Adopted Names (USAN) Search*

There is no USAN stem present in the proposed proprietary name^c.

^c USAN stem search conducted on April 16, 2019.

2.2.2 Components of the Proposed Proprietary Name

Silvergate did not provide a derivation or intended meaning for the proposed proprietary name, Katerzia, in their submission. This proprietary name is comprised of a single word that does not contain any components (i.e. a modifier, route of administration, dosage form, etc.) that are misleading or can contribute to medication error.

2.2.3 Comments from Other Review Disciplines at Initial Review

In response to the OSE, April 17, 2019 e-mail, the Division of Cardiovascular and Renal Products (DCRP) did not forward any comments or concerns relating to Katerzia at the initial phase of the review.

2.2.4 FDA Name Simulation Studies

Sixty practitioners participated in DMEPA's prescription studies for Katerzia. The responses did not overlap with any currently marketed products nor did the responses sound or look similar to any currently marketed products or any products in the pipeline. Appendix B contains the results from the verbal and written prescription studies.

2.2.5 Phonetic and Orthographic Computer Analysis (POCA) Search Results

Our POCA search^d identified 75 names with a combined phonetic and orthographic score of $\geq 55\%$ or an individual phonetic or orthographic score $\geq 70\%$. These names are included in Table 1 below.

2.2.6 Names Retrieved for Review Organized by Name Pair Similarity

Table 1 lists the number of names retrieved from our POCA search. These name pairs are organized as highly similar, moderately similar or low similarity for further evaluation.

Table 1. Names Retrieved for Review Organized by Name Pair Similarity	
Similarity Category	Number of Names
Highly similar name pair: combined match percentage score $\geq 70\%$	1
Moderately similar name pair: combined match percentage score $\geq 55\%$ to $\leq 69\%$	68
Low similarity name pair: combined match percentage score $\leq 54\%$	6

^d POCA search conducted on April 12, 2019 in version 4.3.

2.2.7 Safety Analysis of Names with Potential Orthographic, Spelling, and Phonetic Similarities

Our analysis of the 75 names contained in Table 1 determined none of the names will pose a risk for confusion with Katerzia as described in Appendices C through H.

2.2.8 Communication of DMEPA's Analysis at Midpoint of Review

DMEPA communicated our findings to the Division of Cardiovascular and Renal Products (DCRP) via e-mail on June 10, 2019. At that time we also requested additional information or concerns that could inform our review. Per e-mail correspondence from the Division of Cardiovascular and Renal Products (DCRP) on June 17, 2019, they stated no additional concerns with the proposed proprietary name, Katerzia.

3 CONCLUSION

The proposed proprietary name, Katerzia, is acceptable.

If you have any questions or need clarifications, please contact Wana Manitpisitkul, OSE project manager, at 240-402-4156.

3.1 COMMENTS TO SILVERGATE PHARMACEUTICALS INC.

We have completed our review of the proposed proprietary name, Katerzia, and have concluded that this name is acceptable.

If any of the proposed product characteristics as stated in your submission, received on March 29, 2019, are altered prior to approval of the marketing application, the name must be resubmitted for review.

4 REFERENCES

1. USAN Stems (<https://www.ama-assn.org/about/united-states-adopted-names-approved-stems>)

USAN Stems List contains all the recognized USAN stems.

2. *Phonetic and Orthographic Computer Analysis (POCA)*

POCA is a system that FDA designed. As part of the name similarity assessment, POCA is used to evaluate proposed names via a phonetic and orthographic algorithm. The proposed proprietary name is converted into its phonemic representation before it runs through the phonetic algorithm. Likewise, an orthographic algorithm exists that operates in a similar fashion. POCA is publicly accessible.

Drugs@FDA

Drugs@FDA is an FDA Web site that contains most of the drug products approved in the United States since 1939. The majority of labels, approval letters, reviews, and other information are available for drug products approved from 1998 to the present. Drugs@FDA contains official information about FDA-approved *brand name* and *generic drugs*; *therapeutic biological products*, *prescription* and *over-the-counter* human drugs; and *discontinued drugs* (see Drugs @ FDA Glossary of Terms, available at <http://www.fda.gov/Drugs/InformationOnDrugs/ucm079436.htm#ther biological>).

RxNorm

RxNorm contains the names of prescription and many OTC drugs available in the United States. RxNorm includes generic and branded:

- Clinical drugs – pharmaceutical products given to (or taken by) a patient with therapeutic or diagnostic intent
- Drug packs – packs that contain multiple drugs, or drugs designed to be administered in a specified sequence

Radiopharmaceuticals, contrast media, food, dietary supplements, and medical devices, such as bandages and crutches, are all out of scope for RxNorm (<http://www.nlm.nih.gov/research/umls/rxnorm/overview.html>).

Division of Medication Errors Prevention and Analysis proprietary name consultation requests

This is a list of proposed and pending names that is generated by the Division of Medication Error Prevention and Analysis from the Access database/tracking system.

APPENDICES

Appendix A

FDA's Proprietary Name Risk Assessment evaluates proposed proprietary names for misbranding and safety concerns.

1. **Misbranding Assessment:** For prescription drug products, OPDP assesses the name for misbranding concerns. For over-the-counter (OTC) drug products, the misbranding assessment of the proposed name is conducted by DNDP. OPDP or DNDP evaluates proposed proprietary names to determine if the name is false or misleading, such as by making misrepresentations with respect to safety or efficacy. For example, a fanciful proprietary name may misbrand a product by suggesting that it has some unique effectiveness or composition when it does not (21 CFR 201.10(c)(3)). OPDP or DNDP provides their opinion to DMEPA for consideration in the overall acceptability of the proposed proprietary name.
2. **Safety Assessment:** The safety assessment is conducted by DMEPA, and includes the following:
 - a. Preliminary Assessment: We consider inclusion of USAN stems or other characteristics that when incorporated into a proprietary name may cause or contribute to medication errors (i.e., dosing interval, dosage form/route of administration, medical or product name abbreviations, names that include or suggest the composition of the drug product, etc.) See prescreening checklist below in Table 2*. DMEPA defines a medication error as any preventable event that may cause or lead to inappropriate medication use or patient harm while the medication is in the control of the health care professional, patient, or consumer.^e

^e National Coordinating Council for Medication Error Reporting and Prevention.
<http://www.nccmerp.org/aboutMedErrors.html>. Last accessed 10/11/2007.

***Table 2- Prescreening Checklist for Proposed Proprietary Name**

	Answer the questions in the checklist below. Affirmative answers to any of these questions indicate a potential area of concern that should be carefully evaluated as described in this guidance.
Y/N	Is the proposed name obviously similar in spelling and pronunciation to other names?
	Proprietary names should not be similar in spelling or pronunciation to proprietary names, established names, or ingredients of other products.
Y/N	Are there inert or inactive ingredients referenced in the proprietary name?
	Proprietary names should not incorporate any reference to an inert or inactive ingredient in a way that might create an impression that the ingredient's value is greater than its true functional role in the formulation (21 CFR 201.10(c)(4)).
Y/N	Does the proprietary name include combinations of active ingredients?
	Proprietary names of fixed combination drug products should not include or suggest the name of one or more, but not all, of its active ingredients (see 21 CFR 201.6(b)).
Y/N	Is there a United States Adopted Name (USAN) stem in the proprietary name?
	Proprietary names should not incorporate a USAN stem in the position that USAN designates for the stem.
Y/N	Is this proprietary name used for another product that does not share at least one common active ingredient?
	Drug products that do not contain at least one common active ingredient should not use the same (root) proprietary name.
Y/N	Is this a proprietary name of a discontinued product?
	Proprietary names should not use the proprietary name of a discontinued product if that discontinued drug product does not contain the same active ingredients.

- b. Phonetic and Orthographic Computer Analysis (POCA): Following the preliminary screening of the proposed proprietary name, DMEPA staff evaluates the proposed name against potentially similar names. In order to identify names with potential similarity to the proposed proprietary name, DMEPA enters the proposed proprietary name in POCA and queries the name against the following drug reference databases, Drugs@fda, CernerRxNorm, and names in the review pipeline using a 55% threshold in POCA. DMEPA reviews the combined orthographic and phonetic matches and group the names into one of the following three categories:
- Highly similar pair: combined match percentage score $\geq 70\%$.
 - Moderately similar pair: combined match percentage score $\geq 55\%$ to $\leq 69\%$.

- Low similarity: combined match percentage score $\leq 54\%$.

Using the criteria outlined in the check list (Table 3-5) that corresponds to each of the three categories (highly similar pair, moderately similar pair, and low similarity), DMEPA evaluates the name pairs to determine the acceptability or non-acceptability of a proposed proprietary name. The intent of these checklists is to increase the transparency and predictability of the safety determination of whether a proposed name is vulnerable to confusion from a look-alike or sound-alike perspective. Each bullet below corresponds to the name similarity category cross-references the respective table that addresses criteria that DMEPA uses to determine whether a name presents a safety concern from a look-alike or sound-alike perspective.

- For highly similar names, differences in product characteristics often cannot mitigate the risk of a medication error, including product differences such as strength and dose. Thus, proposed proprietary names that have a combined score of ≥ 70 percent are at risk for a look-alike sound-alike confusion which is an area of concern (See Table 3).
- Moderately similar names are further evaluated to identify the presence of attributes that are known to cause name confusion.
 - Name attributes: We note that the beginning of the drug name plays a significant role in contributing to confusion. Additionally, drug name pairs that start with the same first letter and contain a shared letter string of at least 3 letters in both names are major contributing factor in the confusion of drug names^f. We evaluate all moderately similar names retrieved from POCA to identify the above attributes. These names are further evaluated to identify overlapping or similar strengths or doses.
 - Product attributes: Moderately similar names of products that have overlapping or similar strengths or doses represent an area for concern for FDA. The dose and strength information is often located in close proximity to the drug name itself on prescriptions and medication orders, and the information can be an important factor that either increases or decreases the potential for confusion between similarly named drug pairs. The ability of other product characteristics to mitigate confusion (e.g., route, frequency, dosage form) may be limited when the strength or dose overlaps. DMEPA reviews such names further, to determine whether sufficient differences exist to prevent confusion. (See Table 4).
- Names with low similarity that have no overlap or similarity in strength and dose are generally acceptable (See Table 5) unless there are data to suggest that the name might be vulnerable to confusion (e.g., prescription simulation study suggests that the name is likely to be misinterpreted as a marketed product). In these instances, we would reassign a low similarity name to the moderate similarity category and review according to the moderately similar name pair checklist.

^f Shah, M, Merchant, L, Characteristics That May Help in the Identification of Potentially Confusing Proprietary Drug Names. Therapeutic Innovation & Regulatory Science, September 2016

- c. FDA Prescription Simulation Studies: DMEPA staff also conducts a prescription simulation studies using FDA health care professionals.

Three separate studies are conducted within the Centers of the FDA for the proposed proprietary name to determine the degree of confusion of the proposed proprietary name with marketed U.S. drug names (proprietary and established) due to similarity in visual appearance with handwritten prescriptions or verbal pronunciation of the drug name. The studies employ healthcare professionals (pharmacists, physicians, and nurses), and attempts to simulate the prescription ordering process. The primary Safety Evaluator uses the results to identify orthographic or phonetic vulnerability of the proposed name to be misinterpreted by healthcare practitioners.

In order to evaluate the potential for misinterpretation of the proposed proprietary name in handwriting and verbal communication of the name, inpatient medication orders and/or outpatient prescriptions are written, each consisting of a combination of marketed and unapproved drug products, including the proposed name. These orders are optically scanned and one prescription is delivered to a random sample of participating health professionals via e-mail. In addition, a verbal prescription is recorded on voice mail. The voice mail messages are then sent to a random sample of the participating health professionals for their interpretations and review. After receiving either the written or verbal prescription orders, the participants record their interpretations of the orders which are recorded electronically.

- d. Comments from Other Review Disciplines: DMEPA requests the Office of New Drugs (OND) and/or Office of Generic Drugs (OGD), ONDQA or OBP for their comments or concerns with the proposed proprietary name, ask for any clinical issues that may impact the DMEPA review during the initial phase of the name review. Additionally, when applicable, at the same time DMEPA requests concurrence/non-concurrence with OPDP's decision on the name. The primary Safety Evaluator addresses any comments or concerns in the safety evaluator's assessment.

The OND/OGD Regulatory Division is contacted a second time following our analysis of the proposed proprietary name. At this point, DMEPA conveys their decision to accept or reject the name. The OND or OGD Regulatory Division is requested to provide any further information that might inform DMEPA's final decision on the proposed name.

Additionally, other review disciplines opinions such as ONDQA or OBP may be considered depending on the proposed proprietary name.

When provided, DMEPA considers external proprietary name studies conducted by or for the Applicant/Sponsor and incorporates the findings of these studies into the overall risk assessment.

The DMEPA primary reviewer assigned to evaluate the proposed proprietary name is responsible for considering the collective findings, and provides an overall risk assessment of the proposed proprietary name.

Table 3. Highly Similar Name Pair Checklist (i.e., combined Orthographic and Phonetic score is $\geq 70\%$).

Answer the questions in the checklist below. Affirmative answers to some of these questions suggest that the pattern of orthographic or phonetic differences in the names may render the names less likely to confusion, provided that the pair does not share a common strength or dose.			
<u>Orthographic Checklist</u>		<u>Phonetic Checklist</u>	
Y/N	Do the names begin with different first letters? <i>Note that even when names begin with different first letters, certain letters may be confused with each other when scripted.</i>	Y/N	Do the names have different number of syllables?
Y/N	Are the lengths of the names dissimilar* when scripted? <i>*FDA considers the length of names different if the names differ by two or more letters.</i>	Y/N	Do the names have different syllabic stresses?
Y/N	Considering variations in scripting of some letters (such as z and f), is there a different number or placement of upstroke/downstroke letters present in the names?	Y/N	Do the syllables have different phonologic processes, such as vowel reduction, assimilation, or deletion?
Y/N	Is there different number or placement of cross-stroke or dotted letters present in the names?	Y/N	Across a range of dialects, are the names consistently pronounced differently?
Y/N	Do the infixes of the name appear dissimilar when scripted?		
Y/N	Do the suffixes of the names appear dissimilar when scripted?		

Table 4: Moderately Similar Name Pair Checklist (i.e., combined score is $\geq 55\%$ to $\leq 69\%$).

Step 1	Review the DOSAGE AND ADMINISTRATION and HOW SUPPLIED/STORAGE AND HANDLING sections of the prescribing information (or for OTC drugs refer to the Drug Facts label) to determine if strengths and doses of the name pair overlap or are very similar. Different strengths and doses for products whose names are moderately similar may decrease the risk of confusion between the moderately similar name pairs. Name pairs that have overlapping or similar strengths or doses have a higher potential for confusion and should be evaluated further (see Step 2). Because the strength or dose could be used to express an order or prescription for a particular drug product, overlap in one or both of these components would be reason for further evaluation. For single strength products, also consider circumstances where the strength may not be expressed. For any i.e. drug products comprised of more than one active ingredient, consider whether the strength or dose may be expressed using only one of the components. To determine whether the strengths or doses are similar to your proposed product, consider the following list of factors that may increase confusion: • Alternative expressions of dose: 5 mL may be listed in the prescribing information, but the dose may be expressed in metric weight (e.g., 500 mg) or in non-metric units (e.g., 1 tsp, 1 tablet/capsule). Similarly, a strength or dose of 1000 mg may be expressed, in practice, as 1 g, or vice versa. • Trailing or deleting zeros: 10 mg is similar in appearance to 100 mg which may potentiate confusion between a name pair with moderate similarity. • Similar sounding doses: 15 mg is similar in sound to 50 mg
Step 2	Answer the questions in the checklist below. Affirmative answers to some of these questions suggest that the pattern of orthographic or phonetic differences in the names may reduce the likelihood of confusion for moderately similar names <u>with</u> overlapping or similar strengths or doses.



	Orthographic Checklist (Y/N to each question) - Do the names begin with different first letters? Note that even when names begin with different first letters, certain letters may be confused with each other when scripted. - Are the lengths of the names dissimilar* when scripted? *FDA considers the length of names different if the names differ by two or more letters. - Considering variations in scripting of some letters (such as z and f), is there a different number or placement of upstroke/downstroke letters present in the names? - Is there different number or placement of cross-stroke or dotted letters present in the names? - Do the infixes of the name appear dissimilar when scripted? - Do the suffixes of the names appear dissimilar when scripted?	Phonetic Checklist (Y/N to each question) - Do the names have different number of syllables? - Do the names have different syllabic stresses? - Do the syllables have different phonologic processes, such vowel reduction, assimilation, or deletion? - Across a range of dialects, are the names consistently pronounced differently?
--	--	---

Table 5: Low Similarity Name Pair Checklist (i.e., combined score is $\leq 54\%$).

Names with low similarity are generally acceptable unless there are data to suggest that the name might be vulnerable to confusion (e.g., prescription simulation study suggests that the name is likely to be misinterpreted as a marketed product). In these instances, we would reassign a low similarity name to the moderate similarity category and review according to the moderately similar name pair checklist.

Appendix B: Prescription Simulation Samples and Results

Figure 1. Katerzia Study (Conducted on April 12, 2019)

Handwritten Medication Order/Prescription	Verbal Prescription
Medication Order: 	Katerzia Take 5 mL by mouth daily
Outpatient Prescription: 	QS

FDA Prescription Simulation Responses (Aggregate Report)

Study Name: Katerzia

As of Date 4/26/2019

221 People Received Study
60 People Responded

Study Name: Katerzia

Total	20	21	19	
INTERPRETATION	OUTPATIENT	VOICE	INPATIENT	TOTAL
CATERZIA	0	1	0	1
CATURZIA	0	1	0	1
CURTIZIA	0	1	0	1
CUTERSIA	0	1	0	1
CUTERZIA	0	1	0	1
CUTORZIA	0	1	0	1
CUTURZIA	0	1	0	1
KATARSIA	0	1	0	1
KATERAIA	0	0	1	1
KATERIA	0	0	2	2
KATERRIA	0	0	1	1
KATERUA	0	0	1	1
KATERZIA	20	2	14	36
KATTERZIA	0	1	0	1
KATURSIA	0	1	0	1
KATURZIA	0	3	0	3
KETORAZEA	0	1	0	1
KURTAZIA	0	1	0	1
PETERZIA	0	2	0	2
QUETERZIA	0	1	0	1
QUTARZIA	0	1	0	1

Appendix C: Highly Similar Names (e.g., combined POCA score is $\geq 70\%$)

No.	Proposed name: Katerzia Established name: amlodipine Dosage form: Oral Suspension Strength(s): 1 mg/mL Usual Dose: 2.5 mg to 10 mg orally once daily	POCA Score (%)	Orthographic and/or phonetic differences in the names sufficient to prevent confusion Other prevention of failure mode expected to minimize the risk of confusion between these two names.
1.	Katerzia***	100	This name is the subject of this review.

Appendix D: Moderately Similar Names (e.g., combined POCA score is $\geq 55\%$ to $\leq 69\%$) with no overlap or numerical similarity in Strength and/or Dose

No.	Name	POCA Score (%)
	N/A	

Appendix E: Moderately Similar Names (e.g., combined POCA score is $\geq 55\%$ to $\leq 69\%$) with overlap or numerical similarity in Strength and/or Dose

No.	Proposed name: Katerzia Established name: amlodipine Dosage form: Oral Suspension Strength(s): 1 mg/mL Usual Dose: 2.5 mg to 10 mg orally once daily	POCA Score (%)	Prevention of Failure Mode In the conditions outlined below, the following combination of factors, are expected to minimize the risk of confusion between these two names
2.	Aftera	54	This name pair has sufficient orthographic and phonetic differences.
3.	Atelvia	66	This name pair has sufficient orthographic and phonetic differences.
4.	(b) (4)	56	This name pair has sufficient orthographic and phonetic differences.
5.	Esoterica	56	This name pair has sufficient orthographic and phonetic differences.
6.	Kaletra	58	This name pair has sufficient orthographic and phonetic differences.
7.	Kariva	58	This name pair has sufficient orthographic and phonetic differences.
8.	(b) (4)	60	This name pair has sufficient orthographic and phonetic differences.
9.	Keep Alert	55	This name pair has sufficient orthographic and phonetic differences.
10.	Kevzara	56	This name pair has sufficient orthographic and phonetic differences.
11.	Keytruda	58	This name pair has sufficient orthographic and phonetic differences.

No.	Proposed name: Katerzia Established name: amlodipine Dosage form: Oral Suspension Strength(s): 1 mg/mL Usual Dose: 2.5 mg to 10 mg orally once daily	POCA Score (%)	Prevention of Failure Mode In the conditions outlined below, the following combination of factors, are expected to minimize the risk of confusion between these two names
12.	Khedeza	55	This name pair has sufficient orthographic and phonetic differences.
13.	Kinerase	56	This name pair has sufficient orthographic and phonetic differences.
14.	Koate Dvi	65	This name pair has sufficient orthographic and phonetic differences.
15.	Natazia	65	This name pair has sufficient orthographic and phonetic differences. Specifically, the beginning letters (K vs. N) provide sufficient orthographic differentiation in the prefix of the name. The first and second syllables of this name pair sound different.
16.	Strattera	59	This name pair has sufficient orthographic and phonetic differences.
17.	(b) (4)	56	This name pair has sufficient orthographic and phonetic differences.
18.	(b) (4)	58	This name pair has sufficient orthographic and phonetic differences.
19.	Trazimera	54	This name pair has sufficient orthographic and phonetic differences.
20.	Triaz	49	This name pair has sufficient orthographic and phonetic differences.
21.	Viberzi	58	This name pair has sufficient orthographic and phonetic differences.

Appendix F: Low Similarity Names (e.g., combined POCA score is $\leq 54\%$)

No.	Name	POCA Score (%)
	N/A	

Appendix G: Names not likely to be confused or not used in usual practice settings for the reasons described.

No.	Name	POCA Score (%)	Failure preventions
22.	(b) (4)	63	Proposed proprietary name found unacceptable by DMEPA on December 9, 2011 (OSE RCM#: 2011-1122 and 2011-1123). ANDA 202795 approved under established names, Naphazoline Hydrochloride and Pheniramine Maleate.
23.	Atreza	64	Brand discontinued with no generic equivalents available per Micromedex Redbook database.
24.	Kera-42	50	Name identified in RxNorm database. Unable to find product characteristics in commonly used drug databases.
25.	Ketanserin	55	International product marketed in Mexico, Italy, and other countries per Micromedex Tox and Drug Product Lookup database.
26.	Ketathesia	63	Veterinary product per DailyMed database.
27.	Keta-Thesia	63	Name identified in RxNorm database. Unable to find product characteristics in commonly used drug databases.
28.	Ketotard	56	International product marketed in the United Kingdom per Micromedex Tox and Drug Product Lookup database.
29.	Kiditard	55	International product marketed in the United Kingdom and the Netherlands per Micromedex Tox and Drug Product Lookup database.
30.	(b) (4)	60	Proposed proprietary name submitted for review on May 13, 2016 under ANDA 205630. However, due to similarity with another proprietary name, Lupin withdrew the proposed proprietary name on June 23, 2016. ANDA 205630 is approved under the established name norgestimate and ethinyl estradiol.
31.	Quaternium-14	58	International product marketed in Italy per Micromedex Tox and Drug Product Lookup database.
32.	Quaternium-15	58	Name identified in RxNorm database and is an active ingredient used for compounding per Micromedex Redbook database. Unable to find product characteristics in commonly used drug databases.
33.	Quaternium-18	58	Name identified in RxNorm database. Unable to find product characteristics in commonly used drug databases.

No.	Name	POCA Score (%)	Failure preventions
34.	Quaternium-22	58	Name identified in RxNorm database. Unable to find product characteristics in commonly used drug databases.
35.	Quaternium-24	58	Name identified in RxNorm database and per Micromedex, is a quaternary ammonium compound used as an antiseptic. Unable to find product characteristics in commonly used drug databases.
36.	Quaternium-27	58	Name identified in RxNorm database. Unable to find product characteristics in commonly used drug databases.
37.	Quaternium-33	58	Proposed name is the established name of an active ingredient in an animal veterinary drug per DailyMed database.
38.	Quaternium-52	58	Name identified in RxNorm database. Unable to find product characteristics in commonly used drug databases.
39.	Quaternium-53	58	Name identified in RxNorm database. Unable to find product characteristics in commonly used drug databases.
40.	Quaternium-82	58	Name identified in RxNorm database. Unable to find product characteristics in commonly used drug databases.
41.	Quaternium-91	58	Name identified in RxNorm database. Unable to find product characteristics in commonly used drug databases.
42.	Rezira	49	Brand discontinued with no generic equivalents available per Micromedex Redbook database.
43.	Tartrazine	57	Name identified in RxNorm database. Unable to find product characteristics in commonly used drug databases. Per Google search, "tartrazine is a synthetic lemon yellow azo dye primarily used as a food coloring."
44.	Terak	49	Brand discontinued with no generic equivalents available per Micromedex Redbook database.
45.	(b) (4)	67	Proposed proprietary name submitted for review on January 18, 2016 under ANDA 205588. However, Lupin withdrew the proposed proprietary name on January 22, 2016. ANDA 205588 is approved under the established name norgestimate and ethinyl estradiol.

Appendix H: Names not likely to be confused due to absence of attributes that are known to cause name confusion^g.

No.	Name	POCA Score (%)
46.	Akurza	59
47.	(b) (4)	58
48.	Biktarvy	56
49.	Cartia	60
50.	Catarase	60
51.	(b) (4)	62
52.	Factor Vii	58
53.	Factor Viia	58
54.	Hetrazan	55
55.	Hiserpia	60
56.	(b) (4)	56
57.	(b) (4)	66
58.	(b) (4)	56
59.	Portrazza	56
60.	Procardia	56
61.	Qutenza	58
62.	(b) (4)	56
63.	Servira	56
64.	(b) (4)	56
65.	Taztia	55
66.	Tekturna	60
67.	Tepadina	55
68.	(b) (4)	55
69.	(b) (4)	58
70.	Tetra 500	57
71.	Tetrazepam	59
72.	Tripedia	59
73.	Tudorza	62
74.	(b) (4)	56
75.	(b) (4)	55

^g Shah, M, Merchant, L, Chan, I, and Taylor, K. Characteristics That May Help in the Identification of Potentially Confusing Proprietary Drug Names. Therapeutic Innovation & Regulatory Science, September 2016

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

SARAH E THOMAS
06/17/2019 06:56:30 PM

CHI-MING TU
06/18/2019 08:43:09 AM

PROPRIETARY NAME REVIEW

Division of Medication Error Prevention and Analysis (DMEPA)
Office of Medication Error Prevention and Risk Management (OMEPRM)
Office of Surveillance and Epidemiology (OSE)
Center for Drug Evaluation and Research (CDER)

***** This document contains proprietary information that cannot be released to the public*****

Date of This Review:	February 27, 2019
Application Type and Number:	NDA 211340
Product Name and Strength:	(b) (4) (amlodipine) oral suspension, 1 mg/mL
Product Type:	Single Ingredient Product
Rx or OTC:	Prescription (Rx)
Applicant/Sponsor Name:	Silvergate Pharmaceuticals, Inc. (Silvergate)
Panorama #:	2018-27739069
DMEPA Safety Evaluator:	Sarah Thomas, PharmD
DMEPA Team Leader:	Chi-Ming (Alice) Tu, PharmD, BCPS
DMEPA Deputy Director:	Danielle Harris, PharmD, BCPS

30 Page(s) has been Withheld in Full as b4 (CCI/TS) immediately following this page

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

SARAH E THOMAS
02/27/2019 02:37:27 PM

CHI-MING TU
02/27/2019 02:54:42 PM

DANIELLE M HARRIS
02/27/2019 03:00:43 PM

PROPRIETARY NAME REVIEW

Division of Medication Error Prevention and Analysis (DMEPA)
Office of Medication Error Prevention and Risk Management (OMEPRM)
Office of Surveillance and Epidemiology (OSE)
Center for Drug Evaluation and Research (CDER)

***** This document contains proprietary information that cannot be released to the public*****

Date of This Review:	September 21, 2018
Application Type and Number:	IND 116485 and NDA 211340
Product Name and Strength:	(b) (4) (amlodipine) oral suspension, 1 mg/mL
Product Type:	Single-Ingredient Product
Rx or OTC:	Rx
Applicant/Sponsor Name:	Silvergate Pharmaceuticals, Inc.
Panorama #:	2018-21843454 and 2018-25919624
DMEPA Safety Evaluator:	Sarah Thomas, PharmD
DMEPA Team Leader:	Sevan Kolejian, PharmD, MBA
DMEPA Deputy Director:	Danielle Harris, PharmD, BCPS

28 Page(s) has been Withheld in Full as b4 (CCI/TS) immediately following this page

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

SARAH E THOMAS
09/21/2018

SEVAN H KOLEJIAN
09/21/2018

DANIELLE M HARRIS
09/21/2018