CENTER FOR DRUG EVALUATION AND RESEARCH

APPLICATION NUMBER:

211488Orig1s000

PROPRIETARY NAME REVIEW(S)

PROPRIETARY NAME REVIEW

Division of Medication Error Prevention and Analysis (DMEPA)

Office of Medication Error Prevention and Risk Management (OMEPRM)

Office of Surveillance and Epidemiology (OSE)

Center for Drug Evaluation and Research (CDER)

*** This document contains proprietary information that cannot be released to the public***

Date of This Review: October 23, 2020

Application Type and Number: NDA 211488

Product Name and Strength: Camcevi (leuprolide) injectable suspension,

42 mg/syringe (48 mg leuprolide mesylate)

Product Type: Combination Product (Drug-Device)

Rx or OTC: Prescription (Rx)

Applicant/Sponsor Name: Foresee Pharmaceuticals Co LTD (Foresee

Pharmaceuticals)

Panorama #: 2020-41677317

DMEPA Safety Evaluator: Sarah Thomas, PharmD

DMEPA Team Leader: Ashleigh Lowery, PharmD, BCCCP

Contents

1 INT	RODUCTION	1
1.1	Regulatory History	1
	Product Information	
	SULTS	
	Misbranding Assessment	
	Safety Assessment	
	NCLUSION	
3.1	Comments to Foresee Pharmaceuticals Co LTD	3
	FERENCES	
APPENI	DICES	5

1 INTRODUCTION

This review evaluates the proposed proprietary name, Camcevi, from a safety and misbranding perspective. The sources and methods used to evaluate the proposed proprietary name are outlined in the reference section and Appendix A respectively. Foresee Pharmaceuticals submitted an external name study, conducted by Foresee Pharmaceuticals, for this proposed proprietary name. This study was previously submitted in the July 24, 2018 proprietary name submission under IND 103206 and reviewed by DMEPA.

1.1 REGULATORY HISTORY

Foresee Pharmaceuticals previously submitted the proposed proprietary name, Camcevi*** on July 24, 2018. We found the name, Camcevi*** acceptable on December 14, 2018 under IND 103206.^a

As a part of the July 27, 2020 NDA 211488 resubmission, Foresee Pharmaceuticals submitted a request for proprietary name review for Camcevi***.

1.2 PRODUCT INFORMATION

The following product information is provided in the proprietary name submission received on July 27, 2020 and amendment received on September 21, 2020.

- Intended Pronunciation: kam-SHE-vee
- Active Ingredient: leuprolide
- Indication of Use: palliative treatment of advanced prostate cancer
- Route of Administration: subcutaneous
- Dosage Form: injectable suspension
- Strength^b: 42 mg/syringe (48 mg leuprolide mesylate)
- Dose and Frequency: 42 mg (48 mg leuprolide mesylate) or 1 prefilled syringe subcutaneously every 6 months
- How Supplied: kit containing a prefilled, ready-to-use sterile syringe for subcutaneous injection
- Storage: Store at 35.6–46.4°F (2–8°C). Protect from light by storing in the original package until time of use. Do not freeze or shake.
- Reference Listed Drug/Reference Product: Lupron (leuprolide acetate), NDA 019010

^a Gao, T. Proprietary Name Review for Camcevi*** (IND 103206). Silver Spring (MD): FDA, CDER, OSE, DMEPA (US); 2018 DEC 14. Panorama No. 2018-24729510.

^b Both 42 mg (leuprolide) and 48 mg (leuprolide mesylate) strengths were considered for the purposes of the name review as the final strength presentation is still under agency discussion.

2 RESULTS

The following sections provide information obtained and considered in the overall evaluation of the proposed proprietary name, Camcevi.

2.1 MISBRANDING ASSESSMENT

The Office of Prescription Drug Promotion (OPDP) determined that Camcevi would not misbrand the proposed product. The Division of Medication Error Prevention and Analysis (DMEPA) and the Division of Oncology 1 (DO1) concurred with the findings of OPDP's assessment for Camcevi.

2.2 SAFETY ASSESSMENT

The following aspects were considered in the safety evaluation of the proposed proprietary name, Camcevi.

2.2.1 United States Adopted Names (USAN) Search

There is no USAN stem present in the proposed proprietary name^c.

2.2.2 Components of the Proposed Proprietary Name

Foresee Pharmaceuticals did not provide a derivation or intended meaning for the proposed proprietary name, Camcevi, in their submission. This proprietary name is comprised of a single word that does not contain any components (i.e. a modifier, route of administration, dosage form, etc.) that are misleading or can contribute to medication error.

2.2.3 Comments from Other Review Disciplines at Initial Review

In response to the OSE, August 10, 2020 e-mail, the Division of Oncology 1 (DO1) did not forward any comments or concerns relating to Camcevi at the initial phase of the review.

2.2.4 FDA Name Simulation Studies

Eighty-four practitioners participated in DMEPA's prescription studies for Camcevi. The responses did not overlap with any currently marketed products nor did the responses sound or look similar to any currently marketed products or any products in the pipeline. Appendix B contains the results from the prescription simulation studies.

2.2.5 Phonetic and Orthographic Computer Analysis (POCA) Search Results

Our POCA search^d identified 76 names with the combined score of \geq 55% or individual orthographic or phonetic score of \geq 70%. We had identified and evaluated some of the names in our previous proprietary name review. We re-evaluated the previously identified names of concern considering the most recent DMEPA prescription study results for Camcevi, any lessons learned from recent post-marketing experience, and the changes in product characteristics, which all may have altered our previous conclusion regarding the acceptability of the name. We agree

^c USAN stem search conducted on August 5, 2020.

^d POCA search conducted on August 5, 2020 in version 4.4.

with the findings from our previous review for the names evaluated previously. Therefore, we identified 6 names not previously analyzed. These names are included in Table 1 below.

2.2.6 Names Retrieved for Review Organized by Name Pair Similarity

Table 1 lists the number of names retrieved from our POCA search. These name pairs are organized as highly similar, moderately similar or low similarity for further evaluation.

Table 1. Names Retrieved for Review Organized by Name Pair Similarity			
Similarity Category	Number of Names		
Highly similar name pair: combined match percentage score ≥70%	0		
Moderately similar name pair: combined match percentage score ≥55% to ≤ 69%	5		
Low similarity name pair: combined match percentage score ≤54%	1		

2.2.7 Safety Analysis of Names with Potential Orthographic, Spelling, and Phonetic Similarities

Our analysis of the 6 names contained in Table 1 determined none of the names will pose a risk for confusion with Camcevi as described in Appendices C through H.

2.2.8 Communication of DMEPA's Analysis at Midpoint of Review

DMEPA communicated our findings to the Division of Oncology 1 (DO1) via e-mail on October 19, 2020. At that time we also requested additional information or concerns that could inform our review. Per e-mail correspondence from the Division of Oncology 1 (DO1) on October 19, 2020, they stated no additional concerns with the proposed proprietary name, Camcevi.

3 CONCLUSION

The proposed proprietary name, Camcevi, is acceptable.

If you have any questions or need clarifications, please contact Frances Fahnbulleh, OSE project manager, at 301-796-0942.

3.1 COMMENTS TO FORESEE PHARMACEUTICALS CO LTD

We have completed our review of the proposed proprietary name, Camcevi, and have concluded that this name is acceptable.

If any of the proposed product characteristics as stated in your submission, received on July 27, 2020 and amendment received on September 21, 2020, are altered prior to approval of the marketing application, the name must be resubmitted for review.

4 REFERENCES

USAN Stems (<u>https://www.ama-assn.org/about/united-states-adopted-names-approved-stems</u>)
 USAN Stems List contains all the recognized USAN stems.

2. Phonetic and Orthographic Computer Analysis (POCA)

POCA is a system that FDA designed. As part of the name similarity assessment, POCA is used to evaluate proposed names via a phonetic and orthographic algorithm. The proposed proprietary name is converted into its phonemic representation before it runs through the phonetic algorithm. Likewise, an orthographic algorithm exists that operates in a similar fashion. POCA is publicly accessible.

Drugs@FDA

Drugs@FDA is an FDA Web site that contains most of the drug products approved in the United States since 1939. The majority of labels, approval letters, reviews, and other information are available for drug products approved from 1998 to the present. Drugs@FDA contains official information about FDA-approved *brand name* and *generic drugs*; *therapeutic biological products*, *prescription* and *over-the-counter* human drugs; and *discontinued drugs* (see Drugs @ FDA Glossary of Terms, available at http://www.fda.gov/Drugs/InformationOnDrugs/ucm079436.htm#ther-biological).

RxNorm

RxNorm contains the names of prescription and many OTC drugs available in the United States. RxNorm includes generic and branded:

- Clinical drugs pharmaceutical products given to (or taken by) a patient with therapeutic or diagnostic intent
- Drug packs packs that contain multiple drugs, or drugs designed to be administered in a specified sequence

Radiopharmaceuticals, contrast media, food, dietary supplements, and medical devices, such as bandages and crutches, are all out of scope for RxNorm (http://www.nlm.nih.gov/research/umls/rxnorm/overview.html).

Division of Medication Errors Prevention and Analysis proprietary name consultation requests

This is a list of proposed and pending names that is generated by the Division of Medication Error Prevention and Analysis from the Access database/tracking system.

APPENDICES

Appendix A

FDA's Proprietary Name Risk Assessment evaluates proposed proprietary names for misbranding and safety concerns.

- 1. **Misbranding Assessment**: For prescription drug products, OPDP assesses the name for misbranding concerns. For over-the-counter (OTC) drug products, the misbranding assessment of the proposed name is conducted by DNDP. OPDP or DNDP evaluates proposed proprietary names to determine if the name is false or misleading, such as by making misrepresentations with respect to safety or efficacy. For example, a fanciful proprietary name may misbrand a product by suggesting that it has some unique effectiveness or composition when it does not (21 CFR 201.10(c)(3)). OPDP or DNDP provides their opinion to DMEPA for consideration in the overall acceptability of the proposed proprietary name.
- 2. **Safety Assessment**: The safety assessment is conducted by DMEPA, and includes the following:
- a. Preliminary Assessment: We consider inclusion of USAN stems or other characteristics that when incorporated into a proprietary name may cause or contribute to medication errors (i.e., dosing interval, dosage form/route of administration, medical or product name abbreviations, names that include or suggest the composition of the drug product, etc.) See prescreening checklist below in Table 2*. DMEPA defines a medication error as any preventable event that may cause or lead to inappropriate medication use or patient harm while the medication is in the control of the health care professional, patient, or consumer. ^e

5

^e National Coordinating Council for Medication Error Reporting and Prevention. http://www.nccmerp.org/aboutMedErrors.html. Last accessed 10/11/2007.

*Table 2- Prescreening Checklist for Proposed Proprietary Name

	Answer the questions in the checklist below. Affirmative answers to any of these questions indicate a potential area of concern that should be carefully evaluated as described in this guidance.
Y/N	Is the proposed name obviously similar in spelling and pronunciation to other names?
	Proprietary names should not be similar in spelling or pronunciation to proprietary names, established names, or ingredients of other products.
Y/N	Are there inert or inactive ingredients referenced in the proprietary name?
	Proprietary names should not incorporate any reference to an inert or inactive ingredient in a way that might create an impression that the ingredient's value is greater than its true functional role in the formulation (21 CFR 201.10(c)(4)).
Y/N	Does the proprietary name include combinations of active ingredients?
	Proprietary names of fixed combination drug products should not include or suggest the name of one or more, but not all, of its active ingredients (see 21 CFR 201.6(b)).
Y/N	Is there a United States Adopted Name (USAN) stem in the proprietary name?
	Proprietary names should not incorporate a USAN stem in the position that USAN designates for the stem.
Y/N	Is this proprietary name used for another product that does not share at least one common active ingredient?
	Drug products that do not contain at least one common active ingredient should not use the same (root) proprietary name.
Y/N	Is this a proprietary name of a discontinued product?
	Proprietary names should not use the proprietary name of a discontinued product if that discontinued drug product does not contain the same active ingredients.

- b. Phonetic and Orthographic Computer Analysis (POCA): Following the preliminary screening of the proposed proprietary name, DMEPA staff evaluates the proposed name against potentially similar names. In order to identify names with potential similarity to the proposed proprietary name, DMEPA enters the proposed proprietary name in POCA and queries the name against the following drug reference databases, Drugs@fda, CernerRxNorm, and names in the review pipeline using a 55% threshold in POCA. DMEPA reviews the combined orthographic and phonetic matches and group the names into one of the following three categories:
 - Highly similar pair: combined match percentage score \geq 70%.
 - Moderately similar pair: combined match percentage score \geq 55% to \leq 69%.
 - Low similarity: combined match percentage score ≤54%.

Using the criteria outlined in the check list (Table 3-5) that corresponds to each of the three categories (highly similar pair, moderately similar pair, and low similarity), DMEPA evaluates the name pairs to determine the acceptability or non-acceptability of a proposed proprietary name. The intent of these checklists is to increase the transparency and predictability of the safety determination of whether a proposed name is vulnerable to confusion from a look-alike or sound-alike perspective. Each bullet below corresponds to the name similarity category cross-references the respective table that addresses criteria that DMEPA uses to determine whether a name presents a safety concern from a look-alike or sound-alike perspective.

- For highly similar names, differences in product characteristics often cannot mitigate the risk of a medication error, including product differences such as strength and dose. Thus, proposed proprietary names that have a combined score of ≥ 70 percent are at risk for a look-alike sound-alike confusion which is an area of concern (See Table 3).
- Moderately similar names are further evaluated to identify the presence of attributes that are known to cause name confusion.
 - Name attributes: We note that the beginning of the drug name plays a significant role in contributing to confusion. Additionally, drug name pairs that start with the same first letter and contain a shared letter string of at least 3 letters in both names are major contributing factor in the confusion of drug names. We evaluate all moderately similar names retrieved from POCA to identify the above attributes. These names are further evaluated to identify overlapping or similar strengths or doses.
 - Product attributes: Moderately similar names of products that have overlapping or similar strengths or doses represent an area for concern for FDA. The dose and strength information is often located in close proximity to the drug name itself on prescriptions and medication orders, and the information can be an important factor that either increases or decreases the potential for confusion between similarly named drug pairs. The ability of other product characteristics to mitigate confusion (e.g., route, frequency, dosage form) may be limited when the strength or dose overlaps. DMEPA reviews such names further, to determine whether sufficient differences exist to prevent confusion. (See Table 4).
- Names with low similarity that have no overlap or similarity in strength and dose are generally acceptable (See Table 5) unless there are data to suggest that the name might be vulnerable to confusion (e.g., prescription simulation study suggests that the name is likely to be misinterpreted as a marketed product). In these instances, we would reassign a low similarity name to the moderate similarity category and review according to the moderately similar name pair checklist.

^f Shah, M, Merchant, L, Characteristics That May Help in the Identification of Potentially Confusing Proprietary Drug Names. Therapeutic Innovation & Regulatory Science, September 2016

c. FDA Prescription Simulation Studies: DMEPA staff also conducts a prescription simulation studies using FDA health care professionals.

Four separate studies are conducted within the Centers of the FDA for the proposed proprietary name to determine the degree of confusion of the proposed proprietary name with marketed U.S. drug names (proprietary and established) due to similarity in visual appearance with handwritten prescriptions, verbal pronunciation of the drug name or during computerized provider order entry. The studies employ healthcare professionals (pharmacists, physicians, and nurses), and attempts to simulate the prescription ordering process. The primary Safety Evaluator uses the results to identify vulnerability of the proposed name to be misinterpreted by healthcare practitioners during written, verbal, or electronic prescribing.

In order to evaluate the potential for misinterpretation of the proposed proprietary name during written, verbal, or electronic prescribing of the name, written inpatient medication orders, written outpatient prescriptions, verbal orders, and electronic orders are simulated, each consisting of a combination of marketed and unapproved drug products, including the proposed name.

d. Comments from Other Review Disciplines: DMEPA requests the Office of New Drugs (OND) and/or Office of Generic Drugs (OGD), ONDQA or OBP for their comments or concerns with the proposed proprietary name, ask for any clinical issues that may impact the DMEPA review during the initial phase of the name review. Additionally, when applicable, at the same time DMEPA requests concurrence/non-concurrence with OPDP's decision on the name. The primary Safety Evaluator addresses any comments or concerns in the safety evaluator's assessment.

The OND/OGD Regulatory Division is contacted a second time following our analysis of the proposed proprietary name. At this point, DMEPA conveys their decision to accept or reject the name. The OND or OGD Regulatory Division is requested to provide any further information that might inform DMEPA's final decision on the proposed name.

Additionally, other review disciplines opinions such as ONDQA or OBP may be considered depending on the proposed proprietary name.

When provided, DMEPA considers external proprietary name studies conducted by or for the Applicant/Sponsor and incorporates the findings of these studies into the overall risk assessment.

The DMEPA primary reviewer assigned to evaluate the proposed proprietary name is responsible for considering the collective findings, and provides an overall risk assessment of the proposed proprietary name.

Table 3. Highly Similar Name Pair Checklist (i.e., combined Orthographic and Phonetic score is $\geq 70\%$).

Answer the questions in the checklist below. Affirmative answers to some of these questions suggest that the pattern of orthographic or phonetic differences in the names may render the names less likely to confusion, provided that the pair does not share a common strength or dose.

Orthographic Checklist		Phonetic Checklist	
Y/N	Do the names begin with different first letters?	Y/N	Do the names have different number of syllables?
	Note that even when names begin with different first letters, certain letters may be confused with each other when scripted.		
Y/N	Are the lengths of the names dissimilar* when scripted?	Y/N	Do the names have different syllabic stresses?
	*FDA considers the length of names different if the names differ by two or more letters.		
Y/N	Considering variations in scripting of some letters (such as <i>z</i> and <i>f</i>), is there a different number or placement of upstroke/downstroke letters present in the names?	Y/N	Do the syllables have different phonologic processes, such vowel reduction, assimilation, or deletion?
Y/N	Is there different number or placement of cross-stroke or dotted letters present in the names?	Y/N	Across a range of dialects, are the names consistently pronounced differently?
Y/N	Do the infixes of the name appear dissimilar when scripted?		
Y/N	Do the suffixes of the names appear dissimilar when scripted?		

Table 4: Moderately Similar Name Pair Checklist (i.e., combined score is $\geq 55\%$ to $\leq 69\%$).

Step 1 Review the DOSAGE AND ADMINISTRATION and HOW SUPPLIED/STORAGE AND HANDLING sections of the prescribing information (or for OTC drugs refer to the Drug Facts label) to determine if strengths and doses of the name pair overlap or are very similar. Different strengths and doses for products whose names are moderately similar may decrease the risk of confusion between the moderately similar name pairs. Name pairs that have overlapping or similar strengths or doses have a higher potential for confusion and should be evaluated further (see Step 2). Because the strength or dose could be used to express an order or prescription for a particular drug product, overlap in one or both of these components would be reason for further evaluation.

For single strength products, also consider circumstances where the strength may not be expressed.

For any i.e. drug products comprised of more than one active ingredient, consider whether the strength or dose may be expressed using only one of the components.

To determine whether the strengths or doses are similar to your proposed product, consider the following list of factors that may increase confusion:

- Alternative expressions of dose: 5 mL may be listed in the prescribing information, but the dose may be expressed in metric weight (e.g., 500 mg) or in non-metric units (e.g., 1 tsp, 1 tablet/capsule). Similarly, a strength or dose of 1000 mg may be expressed, in practice, as 1 g, or vice versa.
- Trailing or deleting zeros: 10 mg is similar in appearance to 100 mg which may potentiate confusion between a name pair with moderate similarity.
- Similar sounding doses: 15 mg is similar in sound to 50 mg

Step 2 Answer the questions in the checklist below. Affirmative answers to some of these questions suggest that the pattern of orthographic or phonetic differences in the names may reduce the likelihood of confusion for moderately similar names with overlapping or similar strengths or doses.

Orthographic Checklist (Y/N to each question)

- Do the names begin with different first letters?
 - Note that even when names begin with different first letters, certain letters may be confused with each other when scripted.
- Are the lengths of the names dissimilar* when scripted?
 *FDA considers the length of names
 - *FDA considers the length of names different if the names differ by two or more letters.
- Considering variations in scripting of some letters (such as *z* and *f*), is there a different number or placement of upstroke/downstroke letters present in the names?
- Is there different number or placement of cross-stroke or dotted letters present in the names?
- Do the infixes of the name appear dissimilar when scripted?
- Do the suffixes of the names appear dissimilar when scripted?

Phonetic Checklist (Y/N to each question)

- Do the names have different number of syllables?
- Do the names have different syllabic stresses?
- Do the syllables have different phonologic processes, such vowel reduction, assimilation, or deletion?
- Across a range of dialects, are the names consistently pronounced differently?

Table 5: Low Similarity Name Pair Checklist (i.e., combined score is ≤54%).

Names with low similarity are generally acceptable unless there are data to suggest that the name might be vulnerable to confusion (e.g., prescription simulation study suggests that the name is likely to be misinterpreted as a marketed product). In these instances, we would reassign a low similarity name to the moderate similarity category and review according to the moderately similar name pair checklist.

Appendix B: Prescription Simulation Samples and Results

Figure 1. Camcevi Study (Conducted on August 11, 2020)

Handwritten Medication Order/Prescription	Verbal Prescription			
Medication Order:	Camcevi			
Campolii 49me subcutaneously every	Bring to clinic			
Camceri 42mg subcutaneously every	Dispense number one			
Outpatient Prescription:				
Patient				
1-800-FDA-1088 Refill(s): Dr				
DEA No Address Telephone				
CPOE Study Sample (displayed as sans-serif, 12-point, bold font)				
Camcevi				

FDA Prescription Simulation Responses (Aggregate Report)

Study Name: Camcevi

As of Date 8/26/2020

207 People Received Study

84 People Responded

Study Name: Camcevi

Total 30 18 14 22

INTERPRETATION	OUTPATIENT	CPOE	VOICE	INPATIENT	TOTAL
CAMCEIR	3	0	0	0	3

CAMCERI	1	0	0	0	1
CAMCEVI	25	18	0	22	65
CAMEEVI	1	0	0	0	1
CAMSEVEE	0	0	1	0	1
CAMSEVI	0	0	1	0	1
CAMSEVY	0	0	4	0	4
CANSAVY	0	0	1	0	1
HAMSEVY	0	0	2	0	2
HANSAVY	0	0	1	0	1
KAMSEVI	0	0	1	0	1
TAMSAVYI	0	0	1	0	1
TAMSEVIE	0	0	1	0	1
TAMSEVY	0	0	1	0	1

Appendix C: Highly Similar Names (e.g., combined POCA score is ≥70%)

No.	Proposed name: Camcevi	POCA	Orthographic and/or phonetic
	Established name: leuprolide	Score (%)	differences in the names sufficient to
	Dosage form: injectable		prevent confusion
	suspension		
	Strength(s): 42 mg/syringe (48		Other prevention of failure mode
	mg leuprolide mesylate)		expected to minimize the risk of
	Usual Dose: 42 mg (48 mg		confusion between these two names.
	leuprolide mesylate) or 1		
	prefilled syringe		
	subcutaneously every 6 months		
	N/A		

Appendix D: Moderately Similar Names (e.g., combined POCA score is \geq 55% to \leq 69%) with no overlap or numerical similarity in Strength and/or Dose

No.	Name	POCA
		Score (%)
1.	Camphor, (-)-	58

Appendix E: Moderately Similar Names (e.g., combined POCA score is \geq 55% to \leq 69%) with overlap or numerical similarity in Strength and/or Dose

No.	Proposed name: Camcevi	POCA	Prevention of Failure Mode
	Established name: leuprolide	Score (%)	
	Dosage form: injectable		In the conditions outlined below, the
	suspension		following combination of factors, are
	Strength(s): 42 mg/syringe (48		expected to minimize the risk of
	mg leuprolide mesylate)		confusion between these two names
	Usual Dose: 42 mg (48 mg		
	leuprolide mesylate) or 1		
	prefilled syringe		
	subcutaneously every 6 months		
2.	Activice	49; O 70	This name pair has sufficient
			orthographic and phonetic differences.
3.	(b) (4) ***	57	This name pair has sufficient
			orthographic and phonetic differences.
4.	Padcev	67	This name pair has sufficient
			orthographic and phonetic differences.

Appendix F: Low Similarity Names (e.g., combined POCA score is ≤54%)

No.	Name	POCA
		Score (%)
	N/A	

Appendix G: Names not likely to be confused or not used in usual practice settings for the reasons described.

No.	Name	POCA Score (%)	Failure preventions
5.	(b) (4) ***	59; P 82	(b) (4)

Appendix H: Names not likely to be confused due to absence of attributes that are known to cause name confusion^g.

No.	Name	POCA	
		Score (%)	
6.	Imcivree***	64	

^g Shah, M, Merchant, L, Chan, I, and Taylor, K. Characteristics That May Help in the Identification of Potentially Confusing Proprietary Drug Names. Therapeutic Innovation & Regulatory Science, September 2016

This is a representation of an electronic record that was signed
electronically. Following this are manifestations of any and all
electronic signatures for this electronic record.

/s/ -----

ASHLEIGH V LOWERY on behalf of SARAH E THOMAS 10/23/2020 09:25:41 AM

ASHLEIGH V LOWERY 10/23/2020 09:25:50 AM