

CENTER FOR DRUG EVALUATION AND RESEARCH

Approval Package for:

APPLICATION NUMBER:

218010Orig1s000

Trade Name: iDose TR

Generic or Proper Name: Travoprost intraocular implant

Sponsor: Glaukos Corporation

Approval Date: December 13th, 2023

Indication: For reduction of elevated intraocular pressure in open-angle glaucoma or ocular hypertension

CENTER FOR DRUG EVALUATION AND RESEARCH

218010Orig1s000

CONTENTS

Reviews / Information Included in this NDA Review.

Approval Letter	X
Other Action Letters	
Labeling	X
REMS	
Summary Review	X
Officer/Employee List	X
Office Director Memo	
Cross Discipline Team Leader Review	
Clinical Review(s)	X
Product Quality Review(s)	X
Non-Clinical Review(s)	X
Statistical Review(s)	X
Clinical Microbiology / Virology Review(s)	
Clinical Pharmacology Review(s)	X
Other Reviews	X
Risk Assessment and Risk Mitigation Review(s)	
Proprietary Name Review(s)	X
Administrative/Correspondence Document(s)	X

**CENTER FOR DRUG EVALUATION AND
RESEARCH**

APPLICATION NUMBER:

218010Orig1s000

APPROVAL LETTER



NDA 218010

NDA APPROVAL

Glaukos Corporation
Attention: Tomas Navratil, Ph.D.
Chief Development Officer
One Glaukos Way
Aliso Viejo, CA 92656

Dear Dr. Navratil:

Please refer to your new drug application (NDA) dated February 22, 2023, received February 22, 2023, and your amendments, submitted pursuant to section 505(b)(2) of the Federal Food, Drug, and Cosmetic Act (FDCA) for iDose TR (travoprost intraocular implant). This NDA provides for the use of iDose TR (travoprost intraocular implant) for reduction of elevated intraocular pressure in open-angle glaucoma or ocular hypertension.

APPROVAL & LABELING

We have completed our review of this application, as amended. It is approved, effective on the date of this letter, for use as recommended in the enclosed agreed-upon labeling.

CONTENT OF LABELING

As soon as possible, but no later than 14 days from the date of this letter, submit the content of labeling [21 CFR 314.50(l)] in structured product labeling (SPL) format using the FDA automated drug registration and listing system (eLIST), as described at FDA.gov.¹ Content of labeling must be identical to the enclosed labeling text for the Prescribing Information as well as annual reportable changes not included in the enclosed labeling. Information on submitting SPL files using eLIST may be found in the guidance for industry *SPL Standard for Content of Labeling Technical Qs and As*.²

The SPL will be accessible via publicly available labeling repositories.

CARTON AND CONTAINER LABELING

Submit final printed carton and container labeling that are identical to the enclosed carton and container labeling, as soon as they are available, but no more than 30 days after they are printed. Please submit these labeling electronically according to the guidance for industry *SPL Standard for Content of Labeling Technical Qs & As*. For administrative purposes, designate this submission "**Final Printed Carton and**

¹ <http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm>

² We update guidances periodically. For the most recent version of a guidance, check the FDA Guidance Documents Database <https://www.fda.gov/RegulatoryInformation/Guidances/default.htm>.

Container Labeling for approved NDA 218010.” Approval of this submission by FDA is not required before the labeling is used.

DATING PERIOD

Based on the stability data submitted to date, the expiry dating period for iDose TR (travoprost intraocular implant) shall be 24 months from the date of manufacture when stored at 2°C to 25°C .

REQUIRED PEDIATRIC ASSESSMENTS

Under the Pediatric Research Equity Act (PREA) (21 U.S.C. 355c), all applications for new active ingredients (which includes new salts and new fixed combinations), new indications, new dosage forms, new dosing regimens, or new routes of administration are required to contain an assessment of the safety and effectiveness of the product for the claimed indication in pediatric patients unless this requirement is waived, deferred, or inapplicable.

We are waiving the pediatric studies requirement for this application because necessary studies are impossible or highly impracticable because the number of pediatric patients is so small or is geographically dispersed .

PROMOTIONAL MATERIALS

You may request advisory comments on proposed introductory advertising and promotional labeling. For information about submitting promotional materials, see the final guidance for industry *Providing Regulatory Submissions in Electronic and Non-Electronic Format—Promotional Labeling and Advertising Materials for Human Prescription Drugs*.³

As required under 21 CFR 314.81(b)(3)(i), you must submit final promotional materials, and the Prescribing Information, at the time of initial dissemination or publication, accompanied by a Form FDA 2253. Form FDA 2253 is available at FDA.gov.⁴ Information and Instructions for completing the form can be found at FDA.gov.⁵

REPORTING REQUIREMENTS

We remind you that you must comply with reporting requirements for an approved NDA (21 CFR 314.80 and 314.81).

Your product is a Part 3 combination product (21 CFR 3.2(e)); therefore, you must also comply with postmarketing safety reporting requirements for an approved combination

³ For the most recent version of a guidance, check the FDA guidance web page at

<https://www.fda.gov/media/128163/download>.

⁴ <http://www.fda.gov/downloads/AboutFDA/ReportsManualsForms/Forms/UCM083570.pdf>

⁵ <http://www.fda.gov/downloads/AboutFDA/ReportsManualsForms/Forms/UCM375154.pdf>

product (21 CFR 4, Subpart B). Additional information on combination product postmarketing safety reporting is available at FDA.gov.⁶

COMPENDIAL STANDARDS

A drug with a name recognized in the official United States Pharmacopeia or official National Formulary (USP-NF) generally must comply with the compendial standards for strength, quality, and purity, unless the difference in strength, quality, or purity is plainly stated on its label (see FD&C Act § 501(b), 21 USC 351(b)). FDA typically cannot share application-specific information contained in submitted regulatory filings with third parties, which includes USP-NF. To help ensure that a drug continues to comply with compendial standards, application holders may work directly with USP-NF to revise official USP monographs. More information on the USP-NF is available on USP's website⁷.

If you have any questions, call Lois Almoza, MS, Senior Regulatory Health Project Manager, at (240) 402-5146.

Sincerely,

{See appended electronic signature page}

Wiley A. Chambers, MD
Director
Division of Ophthalmology
Office of Specialty Medicine
Office of New Drugs
Center for Drug Evaluation and
Research

ENCLOSURES:

- Content of Labeling
 - o Prescribing Information
 - o Carton and Container Labeling

⁶ <https://www.fda.gov/combination-products/guidance-regulatory-information/postmarketing-safety-reporting-combination-products>

⁷ <https://www.uspnf.com/>

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

WILEY A CHAMBERS
12/13/2023 02:54:11 PM