

**CENTER FOR DRUG EVALUATION AND  
RESEARCH**

*APPLICATION NUMBER:*

**761333Orig1s000**

**PROPRIETARY NAME REVIEW(S)**

---

**SUFFIX REVIEW FOR NONPROPRIETARY NAME**

Division of Medication Error Prevention and Analysis 2 (DMEPA 2)  
Office of Medication Error Prevention and Risk Management (OMEPRM)  
Office of Surveillance and Epidemiology (OSE)  
Center for Drug Evaluation and Research (CDER)

**\*\*\* This document contains proprietary information that cannot be released to the public\*\*\***

---

|                                            |                                                              |
|--------------------------------------------|--------------------------------------------------------------|
| <b>Date of This Review:</b>                | 12/14/2023                                                   |
| <b>Responsible OND Division:</b>           | select Division                                              |
| <b>Application Type and Number:</b>        | IND 124853<br>BLA 761333                                     |
| <b>Product Name and Strength:</b>          | Bkemv (eculizumab-aeeb) injection<br>300 mg/30 mL (10 mg/mL) |
| <b>Product Type:</b>                       | Single Ingredient Product                                    |
| <b>Applicant/Sponsor Name:</b>             | Amgen Inc. (Amgen)                                           |
| <b>FDA Received Date:</b>                  | April 26, 2022 (IND)<br>February 28, 2023 (BLA)              |
| <b>Nexus NPNS ID #:</b>                    | 2022-174 (IND)<br>2023-173 (BLA)                             |
| <b>DMAMES Biologics Suffix Specialist:</b> | Carlos M Mena-Grillasca, BS Pharm                            |
| <b>DMEPA 2 Deputy Director:</b>            | Chi-Ming (Alice) Tu, PharmD                                  |

---

## 1 PURPOSE OF REVIEW

This review summarizes our evaluation of the four-letter suffixes proposed by Amgen for inclusion in the nonproprietary name and communicates our recommendation for the nonproprietary name for BLA 761333.

## 2 ASSESSMENT OF THE NONPROPRIETARY NAME

On February 28, 2023, Amgen submitted a list of 10 suffixes, in their order of preference, to be used in the nonproprietary name of their product<sup>a</sup>. Table 1 presents a list of suffixes submitted by Amgen:

| Table 1. Suffixes submitted by Amgen*** |         |
|-----------------------------------------|---------|
| 1.                                      | aeeb    |
| 2.                                      | (b) (4) |
| 3.                                      |         |
| 4.                                      |         |
| 5.                                      |         |
| 6.                                      |         |
| 7.                                      |         |
| 8.                                      |         |
| 9.                                      |         |
| 10.                                     |         |

We reviewed Amgen's proposed suffixes in the order of preference listed by Amgen, along with the supporting data they submitted, using the principles described in the applicable guidance.<sup>b</sup>

---

<sup>a</sup> Request for Nonproprietary Name Suffix Review. Thousand Oaks (CA): Amgen Inc.; 2023 Feb 28. Available from: <\\CDSESUB1\EVSPROD\bla761333\0001\m1\us\nonproprietary-suffix-review.pdf>

<sup>b</sup> Guidance for Industry: Nonproprietary Naming of Biological Products. 2017. Available from: <http://www.fda.gov/downloads/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/UCM459987.pdf>

## **2.1   eculizumab-aeeb**

Amgen's first proposed suffix, -aeeb, is comprised of 3 distinct letters (a, e, b).

We determined that the proposed suffix -aeeb, is not too similar to any other products' suffix designation, does not look similar to the names of other currently marketed products, that the suffix is devoid of meaning, does not include any abbreviations that could be misinterpreted, and does not make any misrepresentations with respect to safety or efficacy of this product.

## **3       COMMUNICATION OF DMEPA 2 ANALYSIS**

These findings were shared with OPDP. On December 12, 2023, OPDP did not identify any concerns that would render this proposed suffix unacceptable. DMEPA 1 or 2 also communicated our findings to the select Division on December 14, 2023.

## **4       CONCLUSION**

We find Amgen's proposed suffix -aeeb acceptable and recommend the nonproprietary name be revised throughout the draft labels and labeling to eculizumab-aeeb. DMEPA 2 will communicate our findings to the Applicant via letter.

### **4.1   Recommendations for Amgen Inc.**

We find the nonproprietary name, eculizumab-aeeb, conditionally acceptable for your proposed product. Should your 351(k) BLA be approved during this review cycle, eculizumab-aeeb will be the proper name designated in the license. You should revise your proposed labels and labeling accordingly and submit the revised labels and labeling to your BLA for our review. However, please be advised that if your application receives a complete response, the acceptability of your proposed suffix will be re-evaluated when you respond to the deficiencies. If we find your suffix unacceptable upon our re-evaluation, we will inform you of our findings.

-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

CARLOS M MENA-GRILLASCA  
12/14/2023 09:04:53 AM

CHI-MING TU  
12/14/2023 10:52:07 AM

---

## PROPRIETARY NAME REVIEW

Division of Medication Error Prevention and Analysis 2 (DMEPA 2)  
Office of Medication Error Prevention and Risk Management (OMEPRM)  
Office of Surveillance and Epidemiology (OSE)  
Center for Drug Evaluation and Research (CDER)

**\*\*\* This document contains proprietary information that cannot be released to the public\*\*\***

---

|                                     |                                                                          |
|-------------------------------------|--------------------------------------------------------------------------|
| <b>Date of This Review:</b>         | April 17, 2023                                                           |
| <b>Application Type and Number:</b> | BLA 761333                                                               |
| <b>Product Name and Strength:</b>   | Bkemv (eculizumab-xxxx <sup>a</sup> ) Injection, 300 mg/30 mL (10 mg/mL) |
| <b>Product Type:</b>                | Single Ingredient Product                                                |
| <b>Rx or OTC:</b>                   | Prescription (Rx)                                                        |
| <b>Applicant/Sponsor Name:</b>      | Amgen Inc. (Amgen)                                                       |
| <b>PNR ID #:</b>                    | 2023-1044725022                                                          |
| <b>DMEPA 2 Safety Evaluator:</b>    | Sue Black, PharmD                                                        |
| <b>DMEPA 2 Team Leader:</b>         | Hina Mehta, PharmD                                                       |
| <b>DMEPA 2 Deputy Director:</b>     | Chi-Ming (Alice) Tu, PharmD, BCPS                                        |

---

---

<sup>a</sup> The non-proprietary name suffix for this product has not yet been determined; therefore, the placeholder eculizumab-xxxx is used throughout this review to refer to the non-proprietary name and suffix for this product.

## Contents

|     |                                         |   |
|-----|-----------------------------------------|---|
| 1   | INTRODUCTION .....                      | 1 |
| 1.1 | Regulatory History .....                | 1 |
| 1.2 | Product Information .....               | 1 |
| 2   | RESULTS.....                            | 2 |
| 2.1 | Misbranding Assessment .....            | 2 |
| 2.2 | Safety Assessment.....                  | 2 |
| 3   | CONCLUSION .....                        | 4 |
| 3.1 | Comments to the Applicant/Sponsor ..... | 4 |
| 4   | REFERENCES .....                        | 5 |
|     | APPENDICES .....                        | 6 |

# 1 INTRODUCTION

This review evaluates the proposed proprietary name, Bkembv, from a safety and misbranding perspective. The sources and methods used to evaluate the proposed proprietary name are outlined in the reference section and Appendix A, respectively. Amgen submitted an external name study, conducted internally, for this proposed proprietary name. The submitted external name study was previously reviewed under IND 124853 (see Section 1.1 below).

## 1.1 REGULATORY HISTORY

Amgen previously submitted under IND 124853 the proposed proprietary name, (b) (4) on May 23, 2020. However, we found the name, (b) (4) unacceptable due to orthographic similarities and overlapping product characteristics with another pending name on September 14, 2020.<sup>b</sup>

Thus, on June 30, 2021, Amgen submitted the name, Bkembv, for review under IND 124853, which was found conditionally acceptable on November 30, 2021<sup>c</sup>.

Amgen resubmitted the name, Bkembv, for review under BLA 761333 on February 28, 2023.

## 1.2 PRODUCT INFORMATION

The following product information is provided in the proprietary name submission and Prescribing Information<sup>d</sup> received on February 28, 2023.

- Intended Pronunciation: bee-KEM-vee
- Nonproprietary Name: eculizumab-xxxx
- Indication of Use: The proposed indication is treatment of paroxysmal nocturnal hemoglobinuria (PNH) to reduce hemolysis and atypical hemolytic uremic syndrome (aHUS) to inhibit complement-mediated thrombotic microangiopathy.
- Route of Administration: Intravenous infusion
- Dosage Form: Injection
- Strength: 300 mg/30 mL (10 mg/mL)
- Dose and Frequency:
  - For patients 18 years of age and older:

---

<sup>b</sup> DeGraw, S. Proprietary Name Review for (b) (4) (IND 124853). Silver Spring (MD): FDA, CDER, OSE, DMEPA (US); 2020 SEP 14. PNR ID No. 2020-38709396.

<sup>c</sup> Karpow, C. Proprietary Name Review for Bkembv (IND 124853). Silver Spring (MD): FDA, CDER, OSE, DMEPA 2 (US); 2021 NOV 30. PNR ID No. 2021-1044724044.

<sup>d</sup> Draft Prescribing Information (BLA 761333) and Proposed Proprietary Name Request. Thousand Oaks (CA): Amgen Inc.; 2023 FEB 28. Available from: [\\CDSESUB1\EVSPROD\bla761333\0001\m1\us\draft-labeling-text-uspi.pdf](#) and [\\CDSESUB1\EVSPROD\bla761333\0001\m1\us\proprietary-tradename-review.pdf](#).

- PNH: 600 mg weekly for the first 4 weeks, followed by 900 mg for the fifth dose 1 week later, then 900 mg every 2 weeks thereafter
  - aHUS: 900 mg weekly for the first 4 weeks, followed by 1200 mg for the fifth dose 1 week later, then 1200 mg every 2 weeks thereafter
- For patients less than 18 years of age:

**Table 1: Dosing Recommendations in aHUS Patients Less Than 18 Years of Age**

| Patient Body Weight      | Induction               | Maintenance                                      |
|--------------------------|-------------------------|--------------------------------------------------|
| 40 kg and over           | 900 mg weekly × 4 doses | 1200 mg at week 5;<br>then 1200 mg every 2 weeks |
| 30 kg to less than 40 kg | 600 mg weekly × 2 doses | 900 mg at week 3;<br>then 900 mg every 2 weeks   |
| 20 kg to less than 30 kg | 600 mg weekly × 2 doses | 600 mg at week 3;<br>then 600 mg every 2 weeks   |
| 10 kg to less than 20 kg | 600 mg weekly × 1 dose  | 300 mg at week 2;<br>then 300 mg every 2 weeks   |
| 5 kg to less than 10 kg  | 300 mg weekly × 1 dose  | 300 mg at week 2;<br>then 300 mg every 3 weeks   |

- How Supplied: One 300 mg/30 mL (10 mg/mL) single-dose vial per carton (NDC 55513-180-01).
- Storage: Refrigerate vials at 2°C to 8°C (36°F to 46°F) in the original carton to protect from light until time of use. Vials may be stored in the original carton at controlled room temperature (not more than 25°C (77°F)] for only a single period up to 7 days. Do not freeze. Do not shake.
- Bkembv (eculizumab-xxxx) is a proposed biosimilar to US-licensed Reference Product, Soliris (eculizumab) BLA 125166.

## 2 RESULTS

The following sections provide information obtained and considered in the overall evaluation of the proposed proprietary name, Bkembv.

### 2.1 MISBRANDING ASSESSMENT

The Office of Prescription Drug Promotion (OPDP) determined that Bkembv would not misbrand the proposed product. The Division of Medication Error Prevention and Analysis 2 (DMEPA 2) concurred with the findings of OPDP's assessment for Bkembv. The Division of Non-Malignant Hematology (DNH) concurred with the findings of OPDP's assessment for Bkembv.

### 2.2 SAFETY ASSESSMENT

The following aspects were considered in the safety evaluation of the proposed proprietary name, Bkembv.

#### 2.2.1 United States Adopted Names (USAN) Search

There is no USAN stem present in the proposed proprietary name<sup>e</sup>.

<sup>e</sup> USAN stem search conducted on April 3, 2023.

### **2.2.2 Components of the Proposed Proprietary Name**

Amgen did not provide a derivation or intended meaning for the proposed proprietary name, Bkembv, in their submission. This proprietary name is comprised of a single word that does not contain any components (i.e., a modifier, route of administration, dosage form, etc.) that can contribute to medication error.

### **2.2.3 Comments from Other Review Disciplines at Initial Review**

On March 24, 2023, the Division of Non-Malignant Hematology (DNH) did not forward any comments or concerns relating to Bkembv at the initial phase of the review.

### **2.2.4 FDA Name Simulation Studies**

Ninety-three (93) practitioners participated in DMEPA's prescription studies for Bkembv. One participant in the voice study misinterpreted the proposed proprietary name as Ekambi which is a close phonetic variation to the product Orkambi. We evaluated the name pairs Bkembv and Orkambi further and find there are sufficient orthographic, phonetic and product characteristic differences.

#### **Bkembv vs. Orkambi**

Orthographically, the prefixes ('B' vs. 'Or') and the suffixes ('v' vs. 'bi') of the name pair provide sufficient orthographic differences.

Phonetically, the first syllable ('bee' vs. 'or') sound different.

The FDA's Phonetic and Orthographic Computer Analysis (POCA) program calculated a combined orthographic and phonetic score of 40%, suggesting that there is low similarity between the names.

Additionally, there is no overlap in strength (300 mg/30 mL vs. 100 mg/125 mg, 200 mg/125 mg, 75 mg/94 mg, 100 mg/125 mg, 150 mg/188 mg), dose (300 mg, 600 mg, 900 mg, or 1200 mg vs. 1 packet or 2 tablets), route of administration (intravenous infusion vs. oral), dosage form (injection vs. tablet or oral granules) and frequency (weekly or every 2 weeks vs. every 12 hours) which may provide additional differentiation if included.

We evaluated the name pair in Appendix E.

The remaining responses did not overlap with any currently marketed products nor did the responses sound or look similar to any currently marketed products or any products in the pipeline. Appendix B contains the results from the prescription simulation studies.

### **2.2.5 Phonetic and Orthographic Computer Analysis (POCA) Search Results**

Our POCA search<sup>f</sup> identified six names with the combined score of  $\geq 55\%$  or individual orthographic or phonetic score of  $\geq 70\%$ . We had identified and evaluated some of the names in our previous proprietary name review. We re-evaluated the previously identified names of

---

<sup>f</sup> POCA search conducted on March 30, 2023 in version 5.2.

concern considering any lessons learned from recent post-marketing experience, which may have altered our previous conclusion regarding the acceptability of the name. We note the dosage of the proposed product in this submission included recommendations for aHUS patients less than 18 years of age and supplemental doses in concomitant plasmapheresis or plasma exchange, or fresh frozen plasma infusion whereas the dose previously evaluated was for PNH and aHUS patients 18 years of age and older only (see Section 1.2 and footnote for additional dosing details). All other product characteristics remain the same. We considered these changes during our reevaluation of the previous names, and we agree with the findings from our previous review for the names evaluated previously. Therefore, we identified two names not previously analyzed. These names are included in Table 1 below.

### **2.2.6 Names Retrieved for Review Organized by Name Pair Similarity**

Table 1 lists the number of names retrieved from our POCA search and FDA Prescription Simulation Study. These name pairs are organized as highly similar, moderately similar or low similarity for further evaluation.

| <b>Table 1. Names Retrieved for Review Organized by Name Pair Similarity</b>                |                        |
|---------------------------------------------------------------------------------------------|------------------------|
| <b>Similarity Category</b>                                                                  | <b>Number of Names</b> |
| Highly similar name pair:<br>combined match percentage score $\geq 70\%$                    | 0                      |
| Moderately similar name pair:<br>combined match percentage score $\geq 55\%$ to $\leq 69\%$ | 3                      |
| Low similarity name pair:<br>combined match percentage score $\leq 54\%$                    | 0                      |

### **2.2.7 Safety Analysis of Names with Potential Orthographic, Spelling, and Phonetic Similarities**

Our analysis of the three names contained in Table 1 determined none of the names will pose a risk for confusion with Bkempv as described in Appendices C through H.

### **2.2.8 Communication of DMEPA's Determination**

On April 17, 2023, DMEPA 2 communicated our determination to the Division of Non-Malignant Hematology (DNH).

## **3 CONCLUSION**

The proposed proprietary name, Bkempv, is conditionally acceptable.

If you have any questions or need clarifications, please contact Linda Wu, OSE project manager, at (240) 402-5120.

### **3.1 COMMENTS TO AMGEN INC.**

We have completed our review of the proposed proprietary name, Bkemy, and have concluded that this name is conditionally acceptable.

If any of the proposed product characteristics as stated in your submission, received on February 28, 2023 are altered prior to approval of the marketing application, the name must be resubmitted for review.

## 4 REFERENCES

### 1. **USAN Stems** (<https://www.ama-assn.org/about/united-states-adopted-names-approved-stems>)

USAN Stems List contains all the recognized USAN stems.

### 2. **Phonetic and Orthographic Computer Analysis (POCA)**

POCA is a system that FDA designed. As part of the name similarity assessment, POCA is used to evaluate proposed names via a phonetic and orthographic algorithm. The proposed proprietary name is converted into its phonemic representation before it runs through the phonetic algorithm. Likewise, an orthographic algorithm exists that operates in a similar fashion. POCA is publicly accessible.

### **Drugs@FDA**

Drugs@FDA is an FDA Web site that contains most of the drug products approved in the United States since 1939. The majority of labels, approval letters, reviews, and other information are available for drug products approved from 1998 to the present. Drugs@FDA contains official information about FDA-approved *brand name* and *generic drugs*; *therapeutic biological products*, *prescription* and *over-the-counter* human drugs; and *discontinued drugs* (see Drugs @ FDA Glossary of Terms, available at [http://www.fda.gov/Drugs/InformationOnDrugs/ucm079436.htm#ther\\_biological](http://www.fda.gov/Drugs/InformationOnDrugs/ucm079436.htm#ther_biological)).

### **RxNorm**

RxNorm contains the names of prescription and many OTC drugs available in the United States. RxNorm includes generic and branded:

- Clinical drugs – pharmaceutical products given to (or taken by) a patient with therapeutic or diagnostic intent
- Drug packs – packs that contain multiple drugs, or drugs designed to be administered in a specified sequence

Radiopharmaceuticals, contrast media, food, dietary supplements, and medical devices, such as bandages and crutches, are all out of scope for RxNorm

(<http://www.nlm.nih.gov/research/umls/rxnorm/overview.html>).

### **Division of Medication Errors Prevention and Analysis proprietary name consultation requests**

This is a list of proposed and pending names that is generated by the Division of Medication Error Prevention and Analysis from the Access database/tracking system.

## APPENDICES

### Appendix A

FDA's Proprietary Name Risk Assessment evaluates proposed proprietary names for misbranding and safety concerns.

1. **Misbranding Assessment:** For prescription drug products, OPDP assesses the name for misbranding concerns. For over-the-counter (OTC) drug products, the misbranding assessment of the proposed name is conducted by DNDP. OPDP or DNDP evaluates proposed proprietary names to determine if the name is false or misleading, such as by making misrepresentations with respect to safety or efficacy. For example, a fanciful proprietary name may misbrand a product by suggesting that it has some unique effectiveness or composition when it does not (21 CFR 201.10(c)(3)). OPDP or DNDP provides their opinion to DMEPA for consideration in the overall acceptability of the proposed proprietary name.
2. **Safety Assessment:** The safety assessment is conducted by DMEPA, and includes the following:
  - a. Preliminary Assessment: We consider inclusion of USAN stems or other characteristics that when incorporated into a proprietary name may cause or contribute to medication errors (i.e., dosing interval, dosage form/route of administration, medical or product name abbreviations, names that include or suggest the composition of the drug product, etc.) See prescreening checklist below in Table 2\*. DMEPA defines a medication error as any preventable event that may cause or lead to inappropriate medication use or patient harm while the medication is in the control of the health care professional, patient, or consumer. <sup>g</sup>

---

<sup>g</sup> National Coordinating Council for Medication Error Reporting and Prevention. <https://www.nccmerp.org/about-medication-errors> Last accessed 10/05/2020.

**\*Table 2- Prescreening Checklist for Proposed Proprietary Name**

|            |                                                                                                                                                                                                                                                   |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|            | Answer the questions in the checklist below. Affirmative answers to any of these questions indicate a potential area of concern that should be carefully evaluated as described in this guidance.                                                 |
| <b>Y/N</b> | <b>Is the proposed name obviously similar in spelling and pronunciation to other names?</b>                                                                                                                                                       |
|            | Proprietary names should not be similar in spelling or pronunciation to proprietary names, established names, or ingredients of other products.                                                                                                   |
| <b>Y/N</b> | <b>Are there inert or inactive ingredients referenced in the proprietary name?</b>                                                                                                                                                                |
|            | Proprietary names should not incorporate any reference to an inert or inactive ingredient in a way that might create an impression that the ingredient's value is greater than its true functional role in the formulation (21 CFR 201.10(c)(4)). |
| <b>Y/N</b> | <b>Does the proprietary name include combinations of active ingredients?</b>                                                                                                                                                                      |
|            | Proprietary names of fixed combination drug products should not include or suggest the name of one or more, but not all, of its active ingredients (see 21 CFR 201.6(b)).                                                                         |
| <b>Y/N</b> | <b>Is there a United States Adopted Name (USAN) stem in the proprietary name?</b>                                                                                                                                                                 |
|            | Proprietary names should not incorporate a USAN stem in the position that USAN designates for the stem.                                                                                                                                           |
| <b>Y/N</b> | <b>Is this proprietary name used for another product that does not share at least one common active ingredient?</b>                                                                                                                               |
|            | Drug products that do not contain at least one common active ingredient should not use the same (root) proprietary name.                                                                                                                          |
| <b>Y/N</b> | <b>Is this a proprietary name of a discontinued product?</b>                                                                                                                                                                                      |
|            | Proprietary names should not use the proprietary name of a discontinued product if that discontinued drug product does not contain the same active ingredients.                                                                                   |

- b. Phonetic and Orthographic Computer Analysis (POCA): Following the preliminary screening of the proposed proprietary name, DMEPA staff evaluates the proposed name against potentially similar names. In order to identify names with potential similarity to the proposed proprietary name, DMEPA enters the proposed proprietary name in POCA and queries the name against the following drug reference databases, Drugs@FDA, Cerner RxNorm, and names in the review pipeline using a 55% threshold in POCA. DMEPA reviews the combined orthographic and phonetic matches and group the names into one of the following three categories:
- Highly similar pair: combined match percentage score  $\geq 70\%$ .
  - Moderately similar pair: combined match percentage score  $\geq 55\%$  to  $\leq 69\%$ .

- Low similarity: combined match percentage score  $\leq 54\%$ .

Using the criteria outlined in the check list (Table 3-5) that corresponds to each of the three categories (highly similar pair, moderately similar pair, and low similarity), DMEPA evaluates the name pairs to determine the acceptability or non-acceptability of a proposed proprietary name. The intent of these checklists is to increase the transparency and predictability of the safety determination of whether a proposed name is vulnerable to confusion from a look-alike or sound-alike perspective. Each bullet below corresponds to the name similarity category cross-references the respective table that addresses criteria that DMEPA uses to determine whether a name presents a safety concern from a look-alike or sound-alike perspective.

- For highly similar names, differences in product characteristics often cannot mitigate the risk of a medication error, including product differences such as strength and dose. Thus, proposed proprietary names that have a combined score of  $\geq 70$  percent are at risk for a look-alike sound-alike confusion which is an area of concern (See Table 3).
- Moderately similar names are further evaluated to identify the presence of attributes that are known to cause name confusion.
  - Name attributes: We note that the beginning of the drug name plays a significant role in contributing to confusion. Additionally, drug name pairs that start with the same first letter and contain a shared letter string of at least 3 letters in both names are major contributing factor in the confusion of drug names<sup>h</sup>. We evaluate all moderately similar names retrieved from POCA to identify the above attributes. These names are further evaluated to identify overlapping or similar strengths or doses.
  - Product attributes: Moderately similar names of products that have overlapping or similar strengths or doses represent an area for concern for FDA. The dose and strength information is often located in close proximity to the drug name itself on prescriptions and medication orders, and the information can be an important factor that either increases or decreases the potential for confusion between similarly named drug pairs. The ability of other product characteristics to mitigate confusion (e.g., route, frequency, dosage form) may be limited when the strength or dose overlaps. DMEPA reviews such names further, to determine whether sufficient differences exist to prevent confusion. (See Table 4).
- Names with low similarity that have no overlap or similarity in strength and dose are generally acceptable (See Table 5) unless there are data to suggest that the name might be vulnerable to confusion (e.g., prescription simulation study suggests that the name is likely to be misinterpreted as a marketed product). In these instances, we would reassign

---

<sup>h</sup> Shah, M, Merchant, L, Characteristics That May Help in the Identification of Potentially Confusing Proprietary Drug Names. Therapeutic Innovation & Regulatory Science, September 2016

a low similarity name to the moderate similarity category and review according to the moderately similar name pair checklist.

- c. FDA Prescription Simulation Studies: DMEPA staff also conducts a prescription simulation studies using FDA health care professionals.

Four separate studies are conducted within the Centers of the FDA for the proposed proprietary name to determine the degree of confusion of the proposed proprietary name with marketed U.S. drug names (proprietary and established) due to similarity in visual appearance with handwritten prescriptions, verbal pronunciation of the drug name or during computerized provider order entry. The studies employ healthcare professionals (pharmacists, physicians, and nurses), and attempts to simulate the prescription ordering process. The primary Safety Evaluator uses the results to identify vulnerability of the proposed name to be misinterpreted by healthcare practitioners during written, verbal, or electronic prescribing.

In order to evaluate the potential for misinterpretation of the proposed proprietary name during written, verbal, or electronic prescribing of the name, written inpatient medication orders, written outpatient prescriptions, verbal orders, and electronic orders are simulated, each consisting of a combination of marketed and unapproved drug products, including the proposed name.

- d. Comments from Other Review Disciplines: DMEPA requests the Office of New Drugs (OND) and/or Office of Generic Drugs (OGD), ONDQA or OBP for their comments or concerns with the proposed proprietary name, ask for any clinical issues that may impact the DMEPA review during the initial phase of the name review. Additionally, when applicable, at the same time DMEPA requests concurrence/non-concurrence with OPDP's decision on the name. The primary Safety Evaluator addresses any comments or concerns in the safety evaluator's assessment.

The OND/OGD Regulatory Division is contacted a second time following our analysis of the proposed proprietary name. At this point, DMEPA conveys their decision to accept or reject the name.

Additionally, other review disciplines opinions such as ONDQA or OBP may be considered depending on the proposed proprietary name.

When provided, DMEPA considers external proprietary name studies conducted by or for the Applicant/Sponsor and incorporates the findings of these studies into the overall risk assessment.

The DMEPA primary reviewer assigned to evaluate the proposed proprietary name is responsible for considering the collective findings, and provides an overall risk assessment of the proposed proprietary name.

**Table 3. Highly Similar Name Pair Checklist (i.e., combined Orthographic and Phonetic score is  $\geq 70\%$ ).**

| <p>Answer the questions in the checklist below. Affirmative answers to some of these questions suggest that the pattern of orthographic or phonetic differences in the names may render the names less likely to confusion, provided that the pair does not share a common strength or dose.</p> |                                                                                                                                                                                                    |                           |                                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|------------------------------------------------------------------------------------------------------------------|
| <u>Orthographic Checklist</u>                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                    | <u>Phonetic Checklist</u> |                                                                                                                  |
| <b>Y/N</b>                                                                                                                                                                                                                                                                                       | <p>Do the names begin with different first letters?</p> <p><i>Note that even when names begin with different first letters, certain letters may be confused with each other when scripted.</i></p> | <b>Y/N</b>                | <p>Do the names have different number of syllables?</p>                                                          |
| <b>Y/N</b>                                                                                                                                                                                                                                                                                       | <p>Are the lengths of the names dissimilar* when scripted?</p> <p><i>*FDA considers the length of names different if the names differ by two or more letters.</i></p>                              | <b>Y/N</b>                | <p>Do the names have different syllabic stresses?</p>                                                            |
| <b>Y/N</b>                                                                                                                                                                                                                                                                                       | <p>Considering variations in scripting of some letters (such as z and f), is there a different number or placement of upstroke/downstroke letters present in the names?</p>                        | <b>Y/N</b>                | <p>Do the syllables have different phonologic processes, such as vowel reduction, assimilation, or deletion?</p> |
| <b>Y/N</b>                                                                                                                                                                                                                                                                                       | <p>Is there different number or placement of cross-stroke or dotted letters present in the names?</p>                                                                                              | <b>Y/N</b>                | <p>Across a range of dialects, are the names consistently pronounced differently?</p>                            |
| <b>Y/N</b>                                                                                                                                                                                                                                                                                       | <p>Do the infixes of the name appear dissimilar when scripted?</p>                                                                                                                                 |                           |                                                                                                                  |
| <b>Y/N</b>                                                                                                                                                                                                                                                                                       | <p>Do the suffixes of the names appear dissimilar when scripted?</p>                                                                                                                               |                           |                                                                                                                  |

**Table 4: Moderately Similar Name Pair Checklist (i.e., combined score is  $\geq 55\%$  to  $\leq 69\%$ ).**

|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Step 1 | <p>Review the DOSAGE AND ADMINISTRATION and HOW SUPPLIED/STORAGE AND HANDLING sections of the prescribing information (or for OTC drugs refer to the Drug Facts label) to determine if strengths and doses of the name pair overlap or are very similar. Different strengths and doses for products whose names are moderately similar may decrease the risk of confusion between the moderately similar name pairs. Name pairs that have overlapping or similar strengths or doses have a higher potential for confusion and should be evaluated further (see Step 2). Because the strength or dose could be used to express an order or prescription for a particular drug product, overlap in one or both of these components would be reason for further evaluation.</p> <p>For single strength products, also consider circumstances where the strength may not be expressed.</p> <p>For any i.e., drug products comprised of more than one active ingredient, consider whether the strength or dose may be expressed using only one of the components.</p> <p>To determine whether the strengths or doses are similar to your proposed product, consider the following list of factors that may increase confusion:</p> <ul style="list-style-type: none"> <li>• Alternative expressions of dose: 5 mL may be listed in the prescribing information, but the dose may be expressed in metric weight (e.g., 500 mg) or in non-metric units (e.g., 1 tsp, 1 tablet/capsule). Similarly, a strength or dose of 1000 mg may be expressed, in practice, as 1 g, or vice versa.</li> <li>• Trailing or deleting zeros: 10 mg is similar in appearance to 100 mg which may potentiate confusion between a name pair with moderate similarity.</li> <li>• Similar sounding doses: 15 mg is similar in sound to 50 mg</li> </ul> |
| Step 2 | <p>Answer the questions in the checklist below. Affirmative answers to some of these questions suggest that the pattern of orthographic or phonetic differences in the names may reduce the likelihood of confusion for moderately similar names <b><u>with</u></b> overlapping or similar strengths or doses.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |



|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <p>Orthographic Checklist (Y/N to each question)</p> <ul style="list-style-type: none"> <li>Do the names begin with different first letters?<br/>Note that even when names begin with different first letters, certain letters may be confused with each other when scripted.</li> <li>Are the lengths of the names dissimilar* when scripted?<br/>*FDA considers the length of names different if the names differ by two or more letters.</li> <li>Considering variations in scripting of some letters (such as z and f), is there a different number or placement of upstroke/downstroke letters present in the names?</li> <li>Is there different number or placement of cross-stroke or dotted letters present in the names?</li> <li>Do the infixes of the name appear dissimilar when scripted?</li> <li>Do the suffixes of the names appear dissimilar when scripted?</li> </ul> | <p>Phonetic Checklist (Y/N to each question)</p> <ul style="list-style-type: none"> <li>Do the names have different number of syllables?</li> <li>Do the names have different syllabic stresses?</li> <li>Do the syllables have different phonologic processes, such vowel reduction, assimilation, or deletion?</li> <li>Across a range of dialects, are the names consistently pronounced differently?</li> </ul> |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Table 5: Low Similarity Name Pair Checklist (i.e., combined score is  $\leq 54\%$ ).**

Names with low similarity are generally acceptable unless there are data to suggest that the name might be vulnerable to confusion (e.g., prescription simulation study suggests that the name is likely to be misinterpreted as a marketed product). In these instances, we would reassign a low similarity name to the moderate similarity category and review according to the moderately similar name pair checklist.

## Appendix B: Prescription Simulation Samples and Results

**Figure 1. Bkemv Study (Conducted on March 10, 2023)**

| Handwritten Medication Order/Prescription                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Verbal Prescription                                                                                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <p data-bbox="191 394 430 426"><u>Medication Order:</u></p> <div data-bbox="191 443 1008 541"></div> <p data-bbox="191 562 500 594"><u>Outpatient Prescription:</u></p> <div data-bbox="191 611 678 835"></div> <p data-bbox="191 867 1079 909"><b>CPOE Study Sample (displayed as sans-serif, 12-point, bold font)</b></p> <p data-bbox="191 930 289 961"><b>Bkemv</b></p> | <p data-bbox="1157 394 1255 426">Bkemv</p> <p data-bbox="1157 447 1344 478">Bring to clinic</p> <p data-bbox="1157 499 1320 531">Dispense 12</p> |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                  |

**FDA Prescription Simulation Responses (Aggregate Report)****Study Name: Bkembv**

As of Date 4/3/2023

258 People Received

Study

93 People Responded

Study Name: Bkembv

| <b>Total</b>          | <b>23</b>        | <b>25</b>   | <b>20</b>    | <b>25</b>         |              |
|-----------------------|------------------|-------------|--------------|-------------------|--------------|
| <b>INTERPRETATION</b> | <b>INPATIENT</b> | <b>CPOE</b> | <b>VOICE</b> | <b>OUTPATIENT</b> | <b>TOTAL</b> |
| B KEMV                | 0                | 0           | 0            | 1                 | 1            |
| BEAKEMVY              | 0                | 0           | 1            | 0                 | 1            |
| BECAMVY               | 0                | 0           | 1            | 0                 | 1            |
| BECHEMVI              | 0                | 0           | 1            | 0                 | 1            |
| BEECHEMVEE            | 0                | 0           | 1            | 0                 | 1            |
| BEEKEMVY              | 0                | 0           | 1            | 0                 | 1            |
| BEKEMVE               | 0                | 0           | 1            | 0                 | 1            |
| BEKEMVI               | 0                | 0           | 4            | 0                 | 4            |
| BEKEMVY               | 0                | 0           | 2            | 0                 | 2            |
| BKEMI                 | 0                | 0           | 0            | 1                 | 1            |
| BKEMO                 | 1                | 0           | 0            | 0                 | 1            |
| BKEMU                 | 5                | 0           | 0            | 0                 | 5            |
| BKEMV                 | 12               | 25          | 0            | 22                | 59           |
| BKEMVY                | 0                | 0           | 1            | 0                 | 1            |
| BKEMW                 | 2                | 0           | 0            | 0                 | 2            |
| BKENU                 | 1                | 0           | 0            | 0                 | 1            |
| BKENV                 | 0                | 0           | 0            | 1                 | 1            |
| BKENW                 | 1                | 0           | 0            | 0                 | 1            |
| BKEWV                 | 1                | 0           | 0            | 0                 | 1            |
| ECHEMVY               | 0                | 0           | 1            | 0                 | 1            |
| EKAMBI                | 0                | 0           | 1            | 0                 | 1            |
| EKEMVEE               | 0                | 0           | 1            | 0                 | 1            |
| EKEMVI                | 0                | 0           | 2            | 0                 | 2            |
| EKEMVY                | 0                | 0           | 1            | 0                 | 1            |
| YKAMVI                | 0                | 0           | 1            | 0                 | 1            |

**Appendix C:** Highly Similar Names (e.g., combined POCA score is  $\geq 70\%$ ) – N/A

**Appendix D:** Moderately Similar Names (e.g., combined POCA score is  $\geq 55\%$  to  $\leq 69\%$ ) with no overlap or numerical similarity in Strength and/or Dose – N/A

**Appendix E:** Moderately Similar Names (e.g., combined POCA score is  $\geq 55\%$  to  $\leq 69\%$ ) with overlap or numerical similarity in Strength and/or Dose

| No. | <b>Proposed name:</b> Bkerv<br><b>Established name:</b> eculizumab-xxxx<br><b>Dosage form:</b> Injection<br><b>Strength(s):</b> 300 mg/30 mL (10 mg/mL)<br><b>Usual Dose:</b> PNH: 600 mg weekly for the first 4 weeks, followed by 900 mg for the fifth dose 1 week later, then 900 mg every 2 weeks thereafter;<br>aHUS: 900 mg weekly for the first 4 weeks, followed by 1,200 mg for the fifth dose 1 week later, then 1,200 mg every 2 weeks thereafter. | POCA Score (%) | <b>Prevention of Failure Mode</b><br><br><b>In the conditions outlined below, the following combination of factors, are expected to minimize the risk of confusion between these two names</b> |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.  | (b) (4)                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 58             | (b) (4)                                                                                                                                                                                        |

|    |           |    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|----|-----------|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    |           |    | (b) (4)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 2. | Xdemvy*** | 57 | This name pair has sufficient orthographic and phonetic differences                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 3. | Orkambi   | 40 | <p>Orthographically, the prefixes ('B' vs. 'Or') and the suffixes ('v' vs. 'bi') of the name pair provide sufficient orthographic differences.</p> <p>Phonetically, the first syllable ('bee' vs. 'or') sound different.</p> <p>The FDA's Phonetic and Orthographic Computer Analysis (POCA) program calculated a combined orthographic and phonetic score of 40%, suggesting that there is low similarity between the names.</p> <p>Additionally, there is no overlap in strength (300 mg/30 mL vs. 100 mg/125 mg, 200 mg/125 mg, 75 mg/94 mg, 100 mg/125 mg, 150 mg/188 mg), dose (300 mg, 600 mg, 900 mg, or 1200 mg vs. 1 packet or 2 tablets), route of administration (intravenous infusion vs. oral), dosage form (injection vs. tablet or oral granules) and frequency (weekly or every 2 weeks vs. every 12 hours) which may provide additional differentiation if included.</p> |

**Appendix F:** Low Similarity Names (e.g., combined POCA score is  $\leq 54\%$ ) – N/A

**Appendix G:** Names not likely to be confused or not used in usual practice settings for the

reasons described. – N/A

**Appendix H:** Names not likely to be confused due to absence of attributes that are known to cause name confusion<sup>i</sup>. – N/A

---

<sup>i</sup> Shah, M, Merchant, L, Chan, I, and Taylor, K. Characteristics That May Help in the Identification of Potentially Confusing Proprietary Drug Names. Therapeutic Innovation & Regulatory Science, September 2016

-----  
**This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.**  
-----

/s/  
-----

SUE L BLACK  
04/17/2023 03:05:29 PM

HINA S MEHTA  
04/17/2023 03:18:28 PM

CHI-MING TU  
04/17/2023 03:54:32 PM