

CENTER FOR DRUG EVALUATION AND RESEARCH

Approval Package for:

APPLICATION NUMBER:

761436Orig2s000

Trade Name: Bosaya injection and Aukelso injection

***Generic or
Proper Name:*** denosumab-kyqq

Sponsor: Biocon Biologics Inc.

Approval Dates: October 29, 2025

Indication: Bosaya is indicated for:

- Treatment of postmenopausal women with osteoporosis at high risk for fracture defined as a history of osteoporotic fracture, or multiple risk factors for fracture; or patients who have failed or are intolerant to other available osteoporosis therapy. In postmenopausal women with osteoporosis, denosumab reduces the incidence of vertebral, nonvertebral, and hip fractures.
- Treatment to increase bone mass in men with osteoporosis at high risk for fracture, defined as a history of osteoporotic fracture, or multiple risk factors for fracture; or patients who have failed or are intolerant to other available osteoporosis therapy.
- Treatment of glucocorticoid-induced osteoporosis in men and women at high risk of fracture who are either initiating or continuing systemic glucocorticoids in a daily dosage equivalent to 7.5 mg or greater of prednisone and expected to remain on glucocorticoids for at least 6 months. High risk of fracture is

defined as a history of osteoporotic fracture, multiple risk factors for fracture, or patients who have failed or are intolerant to other available osteoporosis therapy.

- Treatment to increase bone mass in men at high risk for fracture receiving androgen deprivation therapy for nonmetastatic prostate cancer. In these patients denosumab also reduced the incidence of vertebral fractures.
- Treatment to increase bone mass in women at high risk for fracture receiving adjuvant aromatase inhibitor therapy for breast cancer.

Aukelso is indicated for:

- Prevention of skeletal-related events in patients with multiple myeloma and in patients with bone metastases from solid tumors.
- Treatment of adults and skeletally mature adolescents with giant cell tumor of bone that is unresectable or where surgical resection is likely to result in severe morbidity.
- Treatment of hypercalcemia of malignancy refractory to bisphosphonate therapy

CENTER FOR DRUG EVALUATION AND RESEARCH

761436Orig2s000

CONTENTS

Reviews / Information Included in this NDA Review.

Approval Letter	X
Other Action Letters	X
Labeling	X
REMS	X
Officer/Employee List	X
Multidiscipline Review(s) • Summary Review • Clinical • Non-Clinical • Statistical • Clinical Pharmacology	X
Product Quality Review(s)	X
Clinical Microbiology / Virology Review(s)	
Other Reviews	X
Risk Assessment and Risk Mitigation Review(s)	X
Proprietary Name Review(s)	X
Administrative/Correspondence Document(s)	X

CENTER FOR DRUG EVALUATION AND RESEARCH

APPLICATION NUMBER:

761436Orig2s000

APPROVAL LETTER



BLA 761436/Original 2

BLA APPROVAL

Biocon Biologics, Inc.
Attention: Arlene Wolny
Head of GRA
245 Main St, 2nd Floor
Cambridge, MA 02142

Dear Arlene Wolny:

Please refer to your biologics license application (BLA) received September 16, 2024, and your amendments, under section 351(k) of the Public Health Service Act for Bosaya (denosumab-kyqq) injection and Aukelso (denosumab-kyqq) injection.

We acknowledge receipt of your amendment dated September 17, 2025, which constituted a request for approval following our September 16, 2025, provisional determination letter.

BLA 761436 initially provided for:

- Bosaya (denosumab-kyqq) injection 60 mg/mL for subcutaneous use in a single-dose prefilled syringe as biosimilar to and interchangeable with US-Prolia (denosumab) injection 60 mg/mL for subcutaneous use in a single-dose prefilled syringe, and
- Aukelso (denosumab-kyqq) injection 120 mg/1.7 mL (70 mg/mL) for subcutaneous use in a single-dose vial as biosimilar to and interchangeable with US-Xgeva (denosumab) injection 120 mg/1.7 mL (70 mg/mL) for subcutaneous use in a single-dose vial.

For administrative purposes, we have designated BLA 761436 as follows:

- BLA 761436/Original 1 – biosimilarity
- BLA 761436/Original 2 – interchangeability

The subject of this action letter is BLA 761436/Original 2. A separate action letter was issued for BLA 761436/Original 1 on September 16, 2025.

LICENSING

We have approved your BLA 761436/Original 2 for Bosaya (denosumab-kyqq) and Aukelso (denosumab-kyqq) as interchangeable biosimilar products effective this date. You are hereby authorized to introduce or deliver for introduction into interstate

commerce, Bosaya and Aukelso under your existing Department of Health and Human Services U.S. License No. 2324.

Bosaya is indicated for:

- Treatment of postmenopausal women with osteoporosis at high risk for fracture defined as a history of osteoporotic fracture, or multiple risk factors for fracture; or patients who have failed or are intolerant to other available osteoporosis therapy. In postmenopausal women with osteoporosis, denosumab reduces the incidence of vertebral, nonvertebral, and hip fractures.
- Treatment to increase bone mass in men with osteoporosis at high risk for fracture, defined as a history of osteoporotic fracture, or multiple risk factors for fracture; or patients who have failed or are intolerant to other available osteoporosis therapy.
- Treatment of glucocorticoid-induced osteoporosis in men and women at high risk of fracture who are either initiating or continuing systemic glucocorticoids in a daily dosage equivalent to 7.5 mg or greater of prednisone and expected to remain on glucocorticoids for at least 6 months. High risk of fracture is defined as a history of osteoporotic fracture, multiple risk factors for fracture, or patients who have failed or are intolerant to other available osteoporosis therapy.
- Treatment to increase bone mass in men at high risk for fracture receiving androgen deprivation therapy for nonmetastatic prostate cancer. In these patients denosumab also reduced the incidence of vertebral fractures.
- Treatment to increase bone mass in women at high risk for fracture receiving adjuvant aromatase inhibitor therapy for breast cancer.

Aukelso is indicated for:

- Prevention of skeletal-related events in patients with multiple myeloma and in patients with bone metastases from solid tumors.
- Treatment of adults and skeletally mature adolescents with giant cell tumor of bone that is unresectable or where surgical resection is likely to result in severe morbidity.
- Treatment of hypercalcemia of malignancy refractory to bisphosphonate therapy.

MANUFACTURING LOCATIONS

For information regarding approved manufacturing locations, see the Manufacturing Locations section of the correspondence for BLA 761436/Original 1 dated September 16, 2025.

FDA LOT RELEASE

For information regarding FDA lot release, see the FDA Lot Release section of the correspondence for BLA 761436/Original 1 dated September 16, 2025.

U.S. Food and Drug Administration
Silver Spring, MD 20993
www.fda.gov

APPROVAL AND LABELING

We have completed our review of this application, as amended. It is approved, effective on the date of this letter, for use as recommended in the enclosed agreed-upon labeling.

CONTENT OF LABELING

As soon as possible, but no later than 14 days from the date of this letter, submit, via the FDA automated drug registration and listing system (eLIST), the content of labeling [21 CFR 601.14(b)] in structured product labeling (SPL) format, as described at FDA.gov.¹ Content of labeling must be identical to the enclosed labeling (text for the Prescribing Information and Medication Guide). Information on submitting SPL files using eLIST may be found in the guidance for industry *SPL Standard for Content of Labeling Technical Qs and As*.²

The SPL will be accessible via publicly available labeling repositories.

REQUIRED PEDIATRIC ASSESSMENTS

Under the Pediatric Research Equity Act (PREA) (21 U.S.C. 355c), all applications for new active ingredients (which includes new salts and new fixed combinations), new indications, new dosage forms, new dosing regimens, or new routes of administration are required to contain an assessment of the safety and effectiveness of the product for the claimed indication(s) in pediatric patients unless this requirement is waived, deferred, or inapplicable.

At this time, we have determined that no pediatric studies will be required under PREA for BLA 761436/Original 2.

POSTMARKETING COMMITMENTS NOT SUBJECT TO THE REPORTING REQUIREMENTS UNDER SECTION 506B

We remind you of your postmarketing commitments:

- | | |
|--------|--|
| 4889-1 | To implement appropriate positive controls for the container closure integrity test (CCIT) method for Bmab 1000 pre-filled syringe (PFS) to provide the assurance that these positive controls are not subjected to potential leaks larger than the intended breach size of ≤ 20 micrometer diameter. |
|--------|--|

¹ <http://www.fda.gov/ForIndustry/DataStandards/StructuredProductLabeling/default.htm>

² We update guidances periodically. For the most recent version of a guidance, check the FDA Guidance Documents Database at <https://www.fda.gov/RegulatoryInformation/Guidances/default.htm>.

The timetable you submitted on August 15, 2025, states that you will conduct this study according to the following schedule:

Final report submission: 12/2025

Submit clinical protocols to your IND 153805 for this product. Submit nonclinical and chemistry, manufacturing, and controls protocols and all postmarketing final reports to this BLA. In addition, under 21 CFR 601.70 you should include a status summary of each commitment in your annual progress report of postmarketing studies to this BLA. The status summary should include expected summary completion and final report submission dates, any changes in plans since the last annual report, and, for clinical studies/trials, number of patients/subjects entered into each study/trial. All submissions, including supplements, relating to these postmarketing commitments should be prominently labeled **“Postmarketing Commitment Protocol,” “Postmarketing Commitment Final Report,”** or **“Postmarketing Commitment Correspondence.”**

RISK EVALUATION AND MITIGATION STRATEGY REQUIREMENTS

The REMS for Bosaya was originally approved on September 16, 2025. The REMS consists of a communication plan and a timetable for submission of assessments of the REMS.

Your approved REMS is appended to this letter.

The timetable for submission of assessments of the REMS remains the same as that approved on September 16, 2025.

There are no changes to the REMS assessment plan described in our September 16, 2025 letter.

We remind you that in addition to the REMS assessments submitted according to the timetable in the approved REMS, you must include an adequate rationale to support a proposed REMS modification for the addition, modification, or removal of any goal or element of the REMS, as described in section 505-1(g)(4) of the FDCA.

We also remind you that you must submit a REMS assessment when you submit a supplemental application for a new indication for use as described in section 505-1(g)(2)(A). This assessment should include:

- a) An evaluation of how the benefit-risk profile will or will not change with the new indication;

- b) A determination of the implications of a change in the benefit-risk profile for the current REMS;
- c) *If the new, proposed indication for use introduces unexpected risks:* A description of those risks and an evaluation of whether those risks can be appropriately managed with the currently approved REMS.
- d) *If a REMS assessment was submitted in the 18 months prior to submission of the supplemental application for a new indication for use:* A statement about whether the REMS was meeting its goals at the time of the last assessment and if any modifications of the REMS have been proposed since that assessment.
- e) *If a REMS assessment has not been submitted in the 18 months prior to submission of the supplemental application for a new indication for use:* Provision of as many of the currently listed assessment plan items as is feasible.
- f) *If you propose a REMS modification based on a change in the benefit-risk profile or because of the new indication of use, submit an adequate rationale to support the modification, including:* Provision of the reason(s) why the proposed REMS modification is necessary, the potential effect on the serious risk(s) for which the REMS was required, on patient access to the drug, and/or on the burden on the health care delivery system; and other appropriate evidence or data to support the proposed change. Additionally, include any changes to the assessment plan necessary to assess the proposed modified REMS. *If you are not proposing a REMS modification, provide a rationale for why the REMS does not need to be modified.*

Prominently identify any submission containing the REMS assessments or proposed modifications of the REMS with the following wording in bold capital letters at the top of the first page of the submission as appropriate:

BLA 761436 REMS ASSESSMENT

or

**NEW SUPPLEMENT FOR BLA 761436
CHANGES BEING EFFECTED IN 30 DAYS
PROPOSED MINOR REMS MODIFICATION**

or

**NEW SUPPLEMENT FOR BLA 761436
PRIOR APPROVAL SUPPLEMENT
PROPOSED MAJOR REMS MODIFICATION**

or

**NEW SUPPLEMENT FOR BLA 761436
PRIOR APPROVAL SUPPLEMENT
PROPOSED REMS MODIFICATIONS DUE TO SAFETY LABELING
CHANGES SUBMITTED IN SUPPLEMENT XXX**

or

**NEW SUPPLEMENT (NEW INDICATION FOR USE)
FOR BLA 761436
REMS ASSESSMENT
PROPOSED REMS MODIFICATION (if included)**

Should you choose to submit a REMS revision, prominently identify the submission containing the REMS revisions with the following wording in bold capital letters at the top of the first page of the submission:

REMS REVISION FOR BLA 761436

To facilitate review of your submission, we request that you submit your proposed modified REMS and other REMS-related materials in Microsoft Word format. If certain documents, such as enrollment forms, are only in PDF format, they may be submitted as such, but the preference is to include as many as possible in Word format.

SUBMISSION OF REMS DOCUMENT IN SPL FORMAT

As a reminder, if you have not submitted the REMS document in Structured Product Labeling (SPL) format using the FDA automated drug registration and listing system (eLIST), do so within 14 days from the date of this letter. Content of the REMS document must be identical to the approved REMS document. The SPL will be publicly available.

Information on submitting REMS in SPL format may be found in the guidance for industry *Providing Regulatory Submission in Electronic Format – Content of the Risk Evaluation and Mitigation Strategies Document Using Structured Product Labeling*.

For additional information on submitting REMS in SPL format, please email FDAREMSwebsite@fda.hhs.gov.

PROMOTIONAL MATERIALS

You may request advisory comments on proposed introductory advertising and promotional labeling. For information about submitting promotional materials, see the

U.S. Food and Drug Administration
Silver Spring, MD 20993
www.fda.gov

final guidance for industry *Providing Regulatory Submissions in Electronic and Non-Electronic Format-Promotional Labeling and Advertising Materials for Human Prescription Drugs*.³

You must submit final promotional materials and Prescribing Information, accompanied by a Form FDA 2253, at the time of initial dissemination or publication [21 CFR 601.12(f)(4)]. Form FDA 2253 is available at FDA.gov.⁴ Information and Instructions for completing the form can be found at FDA.gov.⁵

REPORTING REQUIREMENTS

You must submit adverse experience reports under the adverse experience reporting requirements for licensed biological products (21 CFR 600.80).

Prominently identify all adverse experience reports as described in 21 CFR 600.80.

You must submit distribution reports under the distribution reporting requirements for licensed biological products (21 CFR 600.81).

You must submit reports of biological product deviations under 21 CFR 600.14. You should promptly identify and investigate all manufacturing deviations, including those associated with processing, testing, packing, labeling, storage, holding and distribution. If the deviation involves a distributed product, may affect the safety, purity, or potency of the product, and meets the other criteria in the regulation, you must submit a report on Form FDA 3486 to:

Food and Drug Administration
Center for Drug Evaluation and Research
Division of Compliance Risk Management and Surveillance
5901-B Ammendale Road
Beltsville, MD 20705-1266

Biological product deviations, sent by courier or overnight mail, should be addressed to:

³ For the most recent version of a guidance, check the FDA guidance web page at <https://www.fda.gov/media/128163/download>.

⁴ <http://www.fda.gov/downloads/AboutFDA/ReportsManualsForms/Forms/UCM083570.pdf>

⁵ <http://www.fda.gov/downloads/AboutFDA/ReportsManualsForms/Forms/UCM375154.pdf>

Food and Drug Administration
Center for Drug Evaluation and Research
Division of Compliance Risk Management and Surveillance
10903 New Hampshire Avenue, Bldg. 51, Room 4207
Silver Spring, MD 20903

Your product is a Part 3 combination product (21 CFR 3.2(e)); therefore, you must also comply with postmarketing safety reporting requirements for an approved combination product (21 CFR 4, Subpart B). Additional information on combination product postmarketing safety reporting is available at FDA.gov.

If you have any questions, contact Chau Nguyen, Regulatory Project Manager at chau.nguyen@fda.hhs.gov or (240)-402-0022.

Sincerely,

{See appended electronic signature page}

Theresa E. Kehoe, MD
Director
Division of General Endocrinology
Office of Cardiology, Hematology,
Endocrinology, and Nephrology
Office of New Drugs
Center for Drug Evaluation and Research
and

{See appended electronic signature page}

Christy Osgood, MD
Supervisory Associate Director
Division of Oncology 1
Office of Oncologic DiseasesOffice of New
Drugs
Center for Drug Evaluation and Research

ENCLOSURES:

Branded Product Labeling

- Content of Labeling
 - Prescribing Information
 - Medication Guide (Bosaya)

Bosaya REMS

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

THERESA E KEHOE
10/29/2025 11:28:24 AM

CHRISTY L OSGOOD
10/29/2025 01:02:00 PM