

**CENTER FOR DRUG EVALUATION AND
RESEARCH**

APPLICATION NUMBER:

218571Orig1s000

PROPRIETARY NAME REVIEW(S)

PROPRIETARY NAME REVIEW

Division of Medication Error Prevention and Analysis 2 (DMEPA 2)
Office of Medication Error Prevention and Risk Management (OMEPRM)
Office of Surveillance and Epidemiology (OSE)
Center for Drug Evaluation and Research (CDER)

*** This document contains proprietary information that cannot be released to the public***

Date of This Review:	August 19, 2025
Application Type and Number:	NDA 218571
Product Name, Dosage Form, and Strength:	Cardamyst (ertripamil) nasal spray, 70 mg per device
Product Type:	Combination Product (Drug-Device)
Rx or OTC:	Prescription (Rx)
Applicant/Sponsor Name:	Milestone Pharmaceuticals USA, Inc. (Milestone)
PNR ID #:	2025-1044726533
DMEPA 2 Safety Evaluator:	Christina Topper, PharmD, BCPS
DMEPA 2 Team Leader:	Nicole Iverson, PharmD, BCPS
DMEPA 2 Associate Director for Nomenclature and Labeling:	Hina Mehta, PharmD

Table of Contents

1	Introduction.....	3
1.1	Regulatory History	3
1.2	Product Information.....	3
2	Discussion	4
2.1	Misbranding Assessment	4
2.2	Safety Assessment	4
2.2.1	United States Adopted Names (USAN) Search	4
2.2.2	Components of the Proposed Proprietary Name	5
2.2.3	Comments from Other Review Disciplines at Initial Review.....	5
2.2.4	FDA Prescription Simulation Studies	5
2.2.5	Phonetic and Orthographic Computer Analysis (POCA) Search Results	5
2.2.6	Names Retrieved for Review Organized by Name Pair Similarity.....	6
2.2.7	Safety Analysis of Names with Potential Orthographic, Spelling, and Phonetic Similarities	6
2.2.8	Communication of DMEPA's Determination	6
3	Conclusion	6
3.1	Comments to Milestone Pharmaceuticals USA, Inc.	6
4	References	6
5	Appendices	8

1 INTRODUCTION

This review evaluates the proposed proprietary name, Cardamyst, from a safety and misbranding perspective. The sources and methods used to evaluate the proposed proprietary name are outlined in the Reference section and Appendix A, respectively. Milestone did not submit an external name study for this proposed proprietary name.

1.1 REGULATORY HISTORY

Milestone previously submitted the proposed proprietary name, Cardamyst under NDA 218571 on December 9, 2021, and we found the name conditionally acceptable on June 2, 2023^a.

Milestone submitted the proposed proprietary name, Cardamyst under NDA 218571 on March 27, 2024, and we found the name conditionally acceptable on June 3, 2024^b.

However, NDA 218571 received a Complete Response letter^c on March 27, 2025 due to issues with product quality.

Thus, Milestone submitted the proposed proprietary name, Cardamyst, for on June 13, 2025 under NDA 218571 as part of the Class 2 resubmission for NDA 218571.

1.2 PRODUCT INFORMATION

The following product information is provided in the proprietary name submission received on June 13, 2025^d

Table 1. Relevant Product Information for Cardamyst	
Intended pronunciation:	kar' da mist
Active ingredient:	ertripamil
Indication:	For the (b) (4) conversion of paroxysmal supraventricular tachycardia (PSVT) episodes to sinus rhythm in adults
Dosage Form:	nasal spray
Strength:	70 mg per device (2 sprays per device of 35 mg each)
Route of administration:	Nasal

^a Kundreskas, J. Proprietary Name Review for Cardamyst (NDA 218571). Silver Spring (MD): FDA, CDER, OSE, DMEPA 2 (US); 2023 JUN 02. PNR ID No. 2021-1044724324.

^b Kundreskas, J. Proprietary Name Review for Cardamyst (NDA 218571). Silver Spring (MD): FDA, CDER, OSE, DMEPA 2 (US); 2024 JUN 03. PNR ID No. 2024-1044725702.

^c Yanoff, L.B. Complete Response (NDA 218571). Silver Spring (MD): FDA, CDER, OND (US); 2025 MAR 27. Available from: <https://darrrts.fda.gov/darrrts/ViewDocument?documentId=090140af807a9eb7>.

^d Request for Proprietary Name Review (Cardamyst NDA 218571). Charlotte (NC): Milestone Pharmaceuticals USA, Inc.; 2025 JUN 13. Available from: <\\CDSESUB1\\EVSPROD\\nda218571\\0040\\m1\\us\\118-proprietary-names\\request-for-proprietary-name-review.pdf>.

Table 1. Relevant Product Information for Cardamyst	
Dose and frequency:	Initial dosage: A dose of 70 mg is administered as two nasal sprays, one spray into each nostril. Each nasal spray device delivers two sprays. The two sprays together contain a total of 70 mg etripamil (35 mg per spray). Repeat dosage (if needed): Should symptoms persist for 10 minutes after administration of CARDAMYST, take a repeat dose of 70 mg administered as two nasal sprays, one spray into each nostril.
How Supplied:	CARDAMYST is supplied in cartons (NDC 83468-070-03) of 2 disposable nasal spray devices contained in a plastic carrying case. Each nasal spray device delivers two sprays containing a total of 70 mg etripamil.
Storage:	Store at 20°C to 25°C (68°F to 77°F), with excursions permitted from 15°C to 30°C (59°F to 86°F) (see USP Controlled Room Temperature). Do not test spray, prime or press the plunger before use. Discard the CARDAMYST device after use.

2 DISCUSSION

The following sections provide information obtained and considered in the overall evaluation of the proposed proprietary name, Cardamyst.

2.1 MISBRANDING ASSESSMENT

The Office of Prescription Drug Promotion (OPDP) determined that Cardamyst would not misbrand the proposed product. The Division of Medication Error Prevention and Analysis 2 (DMEPA 2) concurred with the findings of OPDP's assessment for Cardamyst. The Division of Cardiology and Nephrology (DCN) did not comment on the findings of OPDP's assessment for Cardamyst.

2.2 SAFETY ASSESSMENT

The following aspects were considered in the safety evaluation of the proposed proprietary name, Cardamyst.

2.2.1 UNITED STATES ADOPTED NAMES (USAN) SEARCH

There is no USAN stem present in the proposed proprietary name.^e

^e USAN stem search conducted on June 30, 2025.

2.2.2 COMPONENTS OF THE PROPOSED PROPRIETARY NAME

Milestone did not provide a derivation or intended meaning for the proposed proprietary name, Cardamyst, in their submission. This proprietary name is comprised of a single word that contains the terminal letter string “myst” which evokes the word “mist”. We note that the letter string “myst” appears to imply that this nasal spray device delivers the drug as a “mist”. Although we normally discourage the use of proprietary names that incorporate or suggest a product-specific attribute, such as a dosage form, since the proposed product produces a “spray”, which could be described as a “mist,” the terminal letter string “myst” in the proprietary name is not misleading. Therefore, for the aforementioned reasons, we do not object to the use of the letter string “myst” in this case.

This proprietary name also contains the letter string “AM” which is a medical abbreviation for frequency or time of administration (morning). Although we typically discourage the inclusion of medical abbreviations in proprietary names, we note the location of this letter string embedded within the infix of the proposed name means it is unlikely to be separated from the surrounding letters or to be misunderstood within the context of a prescription and lead to confusion. Therefore, in this case we do not object to the proposed proprietary name based on the inclusion of this medical abbreviation.

Beyond the noted abbreviation, we note that the proposed proprietary name does not contain any additional components that are misleading or can contribute to medication error.

2.2.3 COMMENTS FROM OTHER REVIEW DISCIPLINES AT INITIAL REVIEW

The Division of Cardiology and Nephrology (DCN) did not forward any comments or concerns relating to Cardamyst at the initial phase of the review.

2.2.4 FDA PRESCRIPTION SIMULATION STUDIES

Eighty (n=80) practitioners participated in FDA’s prescription simulation studies for Cardamyst. The responses did not overlap with any currently marketed products nor did the responses sound or look similar to any currently marketed products or any products in the pipeline. Appendix B contains the results from the prescription simulation studies.

2.2.5 PHONETIC AND ORTHOGRAPHIC COMPUTER ANALYSIS (POCA) SEARCH RESULTS

Our POCA search^f identified 159 names with a combined phonetic and orthographic score of $\geq 55\%$ or an individual orthographic or phonetic score of $\geq 70\%$. We had identified and evaluated some of the names in our previous proprietary name review. We re-evaluated the previously identified names of concern considering any lessons learned from recent post-marketing experience, which may have altered our previous conclusion regarding the acceptability of the name. We also evaluated previously identified names taking into account the update in the way the product strength is labeled from 35 mg per spray to 70 mg per device. The amount of drug product in the device was not changed. As noted above the device contains 70 mg (2 sprays of 35 mg each). Our evaluation has not altered our previous conclusion regarding the acceptability

^f POCA search conducted on June 30, 2025 in version 5.13.7.

of the proposed proprietary name, Cardamyst. Therefore, we identified 2 names not previously analyzed. These names are included in Table 2 below.

2.2.6 NAMES RETRIEVED FOR REVIEW ORGANIZED BY NAME PAIR SIMILARITY

Table 2 provides the number of names retrieved from our POCA search. These name pairs are organized as highly similar, moderately similar, or low similarity for further evaluation.

Table 2. Names Retrieved for Review Organized by Name Pair Similarity	
Similarity Category	Number of Names
Highly similar name pair: combined match percentage score $\geq 70\%$	0
Moderately similar name pair: combined match percentage score $\geq 55\%$ to $\leq 69\%$	2
Low similarity name pair: combined match percentage score $\leq 54\%$	0

2.2.7 SAFETY ANALYSIS OF NAMES WITH POTENTIAL ORTHOGRAPHIC, SPELLING, AND PHONETIC SIMILARITIES

Our analysis of the 2 names contained in Table 2 determined none of the names will pose a risk for confusion with Cardamyst as described in Appendices C through H.

2.2.8 COMMUNICATION OF DMEPA'S DETERMINATION

On August 19, 2025, DMEPA 2 communicated our determination to the Division of Cardiology and Nephrology (DCN).

3 CONCLUSION

The proposed proprietary name, Cardamyst, is conditionally acceptable.

3.1 COMMENTS TO MILESTONE PHARMACEUTICALS USA, INC.

We have completed our review of the proposed proprietary name, Cardamyst, and have concluded that this proprietary name is conditionally acceptable.

If any of the proposed product characteristics as stated in your submission, received on June 13, 2025, are altered prior to approval of the marketing application, the proprietary name must be resubmitted for review.

4 REFERENCES

1. *United States Adopted Names (USAN) Stems*

USAN Stems List contains all the recognized USAN stems, available at <https://www.ama-assn.org/about/united-states-adopted-names/united-states-adopted-names-approved-stems>.

2. *Phonetic and Orthographic Computer Analysis (POCA)*

POCA is a system that FDA designed. As part of the name similarity assessment, POCA is used to evaluate proposed names via a phonetic and orthographic algorithm. The proposed proprietary name is converted into its phonemic representation before it runs through the phonetic algorithm. Likewise, an orthographic algorithm exists that operates in a similar fashion. POCA is publicly accessible.

Drugs@FDA

Drugs@FDA is an FDA Web site that contains most of the drug products approved in the United States since 1939. The majority of labels, approval letters, reviews, and other information are available for drug products approved from 1998 to the present. Drugs@FDA contains official information about FDA-approved brand name and generic drugs; therapeutic biological products, prescription and over-the-counter human drugs; and discontinued drugs (see Drugs@FDA Glossary of Terms, available at <https://www.fda.gov/drugs/drug-approvals-and-databases/drugsfda-glossary-terms>).

RxNorm

RxNorm contains the names of prescription and many OTC drugs available in the United States. RxNorm includes generic and branded:

- Clinical drugs – pharmaceutical products given to (or taken by) a patient with therapeutic or diagnostic intent
- Drug packs – packs that contain multiple drugs, or drugs designed to be administered in a specified sequence

Radiopharmaceuticals, contrast media, food, dietary supplements, and medical devices, such as bandages and crutches, are all out of scope for RxNorm (<http://www.nlm.nih.gov/research/umls/rxnorm/overview.html>).

Purple Book

The Purple Book is an online database that contains information about biological products, including biosimilar and interchangeable biological products, licensed (approved) by the FDA under the Public Health Service (PHS) Act. See Purple Book: Lists of Licensed Biological Products with Reference Product Exclusivity and Biosimilarity or Interchangeability Evaluations, available at <https://www.fda.gov/drugs/therapeutic-biologics-applications-bla/purple-book-lists-licensed-biological-products-reference-product-exclusivity-and-biosimilarity-or>.

Division of Medication Errors Prevention and Analysis pending proprietary name requests

This is a list of proposed and pending names that is generated by the Division of Medication Error Prevention and Analysis.

5 APPENDICES

APPENDIX A. FDA'S PROPRIETARY NAME RISK ASSESSMENT EVALUATES PROPOSED PROPRIETARY NAMES FOR MISBRANDING AND SAFETY CONCERNS

1. **Misbranding Assessment:** For prescription drug products, the Office of Prescription Drug Promotion (OPDP) assesses the name for misbranding concerns. For over-the-counter (OTC) drug products, the misbranding assessment of the proposed name is conducted by the Office of Non-Prescription Drugs (ONPD). OPDP or ONPD evaluates proposed proprietary names to determine if the name is false or misleading, such as by making misrepresentations with respect to safety or efficacy. For example, a fanciful proprietary name may misbrand a product by suggesting that it has some unique effectiveness or composition when it does not (21 CFR 201.10(c)(3)). OPDP or ONPD provides their opinion to DMEPA for consideration in the overall acceptability of the proposed proprietary name.
2. **Safety Assessment:** The safety assessment is conducted by DMEPA, and includes the following:
 - a. **Preliminary Assessment:** We consider inclusion of USAN stems or other characteristics that when incorporated into a proprietary name may cause or contribute to medication errors (i.e., dosing interval, dosage form/route of administration, medical or product name abbreviations, names that include or suggest the composition of the drug product, etc.) See prescreening checklist below in Table 3. DMEPA defines a medication error as any preventable event that may cause or lead to inappropriate medication use or patient harm while the medication is in the control of the health care professional, patient, or consumer.⁹

Table 3. Prescreening Checklist for Proposed Proprietary Name	
Answer the questions in the checklist below. Affirmative answers to any of these questions indicate a potential area of concern that should be carefully evaluated as described in this guidance.	
Y/N	Is the proposed name obviously similar in spelling and pronunciation to other names?
	Proprietary names should not be similar in spelling or pronunciation to proprietary names, established names, or ingredients of other products.
Y/N	Are there inert or inactive ingredients referenced in the proprietary name?
	Proprietary names should not incorporate any reference to an inert or inactive ingredient in a way that might create an impression that the ingredient's value is greater than its true functional role in the formulation (21 CFR 201.10(c)(4)).
Y/N	Does the proprietary name include combinations of active ingredients?
	Proprietary names of fixed combination drug products should not include or suggest the name of one or more, but not all, of its active ingredients (see 21 CFR 201.6(b)).
Y/N	Is there a United States Adopted Name (USAN) stem in the proprietary name?
	Proprietary names should not incorporate a USAN stem in the position that USAN designates for the stem.

⁹ National Coordinating Council for Medication Error Reporting and Prevention. <https://www.nccmerp.org/about-medication-errors>. Last accessed 10/05/2020.

Table 3. Prescreening Checklist for Proposed Proprietary Name	
Answer the questions in the checklist below. Affirmative answers to any of these questions indicate a potential area of concern that should be carefully evaluated as described in this guidance.	
Y/N	Is this proprietary name used for another product that does not share at least one common active ingredient?
	Drug products that do not contain at least one common active ingredient should not use the same (root) proprietary name.
Y/N	Is this a proprietary name of a discontinued product?
	Proprietary names should not use the proprietary name of a discontinued product if that discontinued drug product does not contain the same active ingredients.

- b. Phonetic and Orthographic Computer Analysis (POCA): Following the preliminary screening of the proposed proprietary name, DMEPA staff evaluates the proposed name against potentially similar names. In order to identify names with potential similarity to the proposed proprietary name, DMEPA enters the proposed proprietary name in POCA and queries the name against the following drug reference databases, Drugs@FDA, Cerner RxNorm, Purple Book, and names in the review pipeline using a 55% threshold in POCA. DMEPA reviews the combined orthographic and phonetic matches and group the names into one of the following three categories:

- Highly similar pair: combined match percentage score $\geq 70\%$.
- Moderately similar pair: combined match percentage score $\geq 55\%$ to $\leq 69\%$.
- Low similarity: combined match percentage score $\leq 54\%$.

Using the criteria outlined in the check list (Tables 4-6) that corresponds to each of the three categories (highly similar pair, moderately similar pair, and low similarity), DMEPA evaluates the name pairs to determine the acceptability or non-acceptability of a proposed proprietary name. The intent of these checklists is to increase the transparency and predictability of the safety determination of whether a proposed name is vulnerable to confusion from a look-alike or sound-alike perspective. Each bullet below corresponds to the name similarity category that cross-references the respective table that addresses criteria that DMEPA uses to determine whether a name presents a safety concern from a look-alike or sound-alike perspective.

- For highly similar names, differences in product characteristics often cannot mitigate the risk of a medication error, including product differences such as strength and dose. Thus, proposed proprietary names that have a combined score of ≥ 70 percent are at risk for a look-alike sound-alike confusion which is an area of concern (See Table 4).
- Moderately similar names are further evaluated to identify the presence of attributes that are known to cause name confusion.
 - o Name attributes: We note that the beginning of the drug name plays a significant role in contributing to confusion. Additionally, drug name pairs that start with the same first letter and contain a shared letter string of at least 3 letters in both names are major contributing factor in

the confusion of drug names^h. We evaluate all moderately similar names retrieved from POCA to identify the above attributes. These names are further evaluated to identify overlapping or similar strengths or doses.

- o Product attributes: Moderately similar names of products that have overlapping or similar strengths or doses represent an area for concern for FDA. The dose and strength information is often located in close proximity to the drug name itself on prescriptions and medication orders, and the information can be an important factor that either increases or decreases the potential for confusion between similarly named drug pairs. The ability of other product characteristics to mitigate confusion (e.g., route, frequency, dosage form) may be limited when the strength or dose overlaps. DMEPA reviews such names further, to determine whether sufficient differences exist to prevent confusion. (See Table 5).
 - Names with low similarity that have no overlap or similarity in strength and dose are generally acceptable (See Table 6) unless there are data to suggest that the name might be vulnerable to confusion (e.g., prescription simulation study suggests that the name is likely to be misinterpreted as a marketed product). In these instances, we would reassign a low similarity name to the moderate similarity category and review according to the moderately similar name pair checklist.
- c. FDA Prescription Simulation Studies: DMEPA also conducts prescription simulation studies using FDA health care professionals.

Four separate studies are conducted within the Centers of the FDA for the proposed proprietary name to determine the degree of confusion of the proposed proprietary name with marketed U.S. drug names (proprietary and established) due to similarity in visual appearance with handwritten prescriptions, verbal pronunciation of the drug name or during computerized provider order entry. The studies employ healthcare professionals (pharmacists, physicians, and nurses), and attempts to simulate the prescription ordering process. The primary Safety Evaluator uses the results to identify vulnerability of the proposed name to be misinterpreted by healthcare practitioners during written, verbal, or electronic prescribing.

In order to evaluate the potential for misinterpretation of the proposed proprietary name during written, verbal, or electronic prescribing of the name, written inpatient medication orders, written outpatient prescriptions, verbal orders, and electronic orders are simulated, each consisting of a combination of marketed and unapproved drug products, including the proposed name.
- d. Comments from Other Review Disciplines: DMEPA requests the Office of New Drugs (OND), Office of Generic Drugs (OGD), and/or Office of Pharmaceutical Quality (OPQ) for their comments or concerns with the proposed proprietary name and ask for any clinical issues that may impact the DMEPA review during the initial phase of the name review.

^h Shah, M, Merchant, L, Chan, I, and Taylor, K. Characteristics That May Help in the Identification of Potentially Confusing Proprietary Drug Names. Therapeutic Innovation & Regulatory Science, September 2016

Additionally, when applicable, at the same time DMEPA requests concurrence/non-concurrence with OPDP's decision on the name. The primary Safety Evaluator addresses any comments or concerns in the Safety Evaluator's assessment.

The OND/OGD Regulatory Division is contacted a second time following our analysis of the proposed proprietary name. At this point, DMEPA conveys their decision to accept or reject the name.

Additionally, other review disciplines opinions such as OPQ may be considered depending on the proposed proprietary name.

When provided, DMEPA considers external proprietary name studies conducted by or for the Applicant/Sponsor and incorporates the findings of these studies into the overall risk assessment.

The DMEPA primary Safety Evaluator assigned to evaluate the proposed proprietary name is responsible for considering the collective findings and provides an overall risk assessment of the proposed proprietary name.

Table 4. Highly Similar Name Pair Checklist (i.e., combined Orthographic and Phonetic score is $\geq$ 70%).			
Answer the questions in the checklist below. Affirmative answers to some of these questions suggest that the pattern of orthographic or phonetic differences in the names may render the names less likely to confusion, provided that the pair does not share a common strength or dose.			
Orthographic Checklist		Phonetic Checklist	
Y/N	Do the names begin with different first letters? <i>Note that even when names begin with different first letters, certain letters may be confused with each other when scripted.</i>	Y/N	Do the names have different number of syllables?
Y/N	Are the lengths of the names dissimilar* when scripted? <i>*FDA considers the length of names different if the names differ by two or more letters.</i>	Y/N	Do the names have different syllabic stresses?
Y/N	Considering variations in scripting of some letters (such as z and f), is there a different number or placement of upstroke/downstroke letters present in the names?	Y/N	Do the syllables have different phonologic processes, such as vowel reduction, assimilation, or deletion?
Y/N	Is there different number or placement of cross-stroke or dotted letters present in the names?	Y/N	Across a range of dialects, are the names consistently pronounced differently?
Y/N	Do the infixes of the name appear dissimilar when scripted?		

Y/N	Do the suffixes of the names appear dissimilar when scripted?	
-----	---	--

Table 5: Moderately Similar Name Pair Checklist (i.e., combined score is $\geq 55\%$ to $\leq 69\%$).		
Step 1	Review the DOSAGE AND ADMINISTRATION and HOW SUPPLIED/STORAGE AND HANDLING sections of the prescribing information (or for OTC drugs refer to the Drug Facts label) to determine if strengths and doses of the name pair overlap or are very similar. Different strengths and doses for products whose names are moderately similar may decrease the risk of confusion between the moderately similar name pairs. Name pairs that have overlapping or similar strengths or doses have a higher potential for confusion and should be evaluated further (see Step 2). Because the strength or dose could be used to express an order or prescription for a particular drug product, overlap in one or both of these components would be reason for further evaluation. For single strength products, also consider circumstances where the strength may not be expressed. For any i.e., drug products comprised of more than one active ingredient, consider whether the strength or dose may be expressed using only one of the components. To determine whether the strengths or doses are similar to your proposed product, consider the following list of factors that may increase confusion: - Alternative expressions of dose: 5 mL may be listed in the prescribing information, but the dose may be expressed in metric weight (e.g., 500 mg) or in non-metric units (e.g., 1 tsp, 1 tablet/capsule). Similarly, a strength or dose of 1000 mg may be expressed, in practice, as 1 g, or vice versa. - Trailing or deleting zeros: 10 mg is similar in appearance to 100 mg which may potentiate confusion between a name pair with moderate similarity. - Similar sounding doses: 15 mg is similar in sound to 50 mg	
Step 2	Answer the questions in the checklist below. Affirmative answers to some of these questions suggest that the pattern of orthographic or phonetic differences in the names may reduce the likelihood of confusion for moderately similar names with overlapping or similar strengths or doses.	
	Orthographic Checklist (Y/N to each question) - Do the names begin with different first letters? - Note that even when names begin with different first letters, certain letters may be confused with each other when scripted. - Are the lengths of the names dissimilar* when scripted? *FDA considers the length of names different if the names differ by two or more letters. - Considering variations in scripting of some letters (such as z and f), is	Phonetic Checklist (Y/N to each question) - Do the names have different number of syllables? - Do the names have different syllabic stresses? - Do the syllables have different phonologic processes, such as vowel reduction, assimilation, or deletion? - Across a range of dialects, are the names consistently pronounced differently?

Table 5: Moderately Similar Name Pair Checklist (i.e., combined score is $\geq 55\%$ to $\leq 69\%$).



	there a different number or placement of upstroke/downstroke letters present in the names? • Is there different number or placement of cross-stroke or dotted letters present in the names? • Do the infixes of the names appear dissimilar when scripted? • Do the suffixes of the names appear dissimilar when scripted?	
--	---	--

Table 6. Low Similarity Name Pair Checklist (i.e., combined score is $\leq 54\%$).

Names with low similarity are generally acceptable unless there are data to suggest that the name might be vulnerable to confusion (e.g., prescription simulation study suggests that the name is likely to be misinterpreted as a marketed product). In these instances, we would reassign a low similarity name to the moderate similarity category and review according to the moderately similar name pair checklist.

APPENDIX B. PRESCRIPTION SIMULATION SAMPLES AND RESULTS

Figure 1. Cardamyst Study (Conducted on 7/7/2025)

Handwritten Medication Order Prescription	Verbal Prescription
<u>Medication Order:</u>  <u>Outpatient Prescription:</u> 	Cardamyst One spray into each nostril for a total initial dose of 70 mg Dispense 1 carton
CPOE Study Sample (displayed as sans-serif, 12-point, bold font)	
Cardamyst	

FDA Prescription Simulation Responses (Aggregate Report)					
Study Name: Cardamyst					
People Received Study: 160					
People Responded: 80					
Total	22	19	18	21	80
INTERPRETATION	INPATIENT	OUTPATIENT	VOICE	CPOE	TOTAL
CANDAMYST	2	0	0	0	2
CARDAMIST	0	0	7	0	7
CARDAMYST	20	19	5	21	65
CARDEMIST	0	0	3	0	3
CARDIAMIST	0	0	1	0	1
CARDIMIST	0	0	1	0	1
CARDOMIST	0	0	1	0	1

APPENDIX C. HIGHLY SIMILAR NAMES (e.g., combined POCA score is $\geq 70\%$)-N/A

APPENDIX D. MODERATELY SIMILAR NAMES (e.g., combined POCA score is $\geq 55\%$ to $\leq 69\%$) with no overlap or numerical similarity in Strength and/or Dose

No.	Name	POCA Score (%)
1.	(b) (4) ***	56

APPENDIX E. MODERATELY SIMILAR NAMES (e.g., combined POCA score is $\geq 55\%$ to $\leq 69\%$) with overlap or numerical similarity in Strength and/or Dose-N/A

APPENDIX F: LOW SIMILARITY NAMES (e.g., combined POCA score is $\leq 54\%$)-N/A

APPENDIX G. Names not likely to be confused or not used in usual practice settings for the reasons described.-N/A

APPENDIX H. Names not likely to be confused due to absence of attributes that are known to cause name confusionⁱ.

No.	Name	POCA Score (%)
1.	Acoramidis	57

ⁱ Shah, M, Merchant, L, Chan, I, and Taylor, K. Characteristics That May Help in the Identification of Potentially Confusing Proprietary Drug Names. Therapeutic Innovation & Regulatory Science, September 2016

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

CHRISTINA A TOPPER
08/19/2025 12:19:00 PM

NICOLE F IVERSON
08/19/2025 04:28:45 PM

HINA S MEHTA
08/20/2025 10:58:18 AM

PROPRIETARY NAME REVIEW

Division of Medication Error Prevention and Analysis 2 (DMEPA 2)
Office of Medication Error Prevention and Risk Management (OMEPRM)
Office of Surveillance and Epidemiology (OSE)
Center for Drug Evaluation and Research (CDER)

*** This document contains proprietary information that cannot be released to the public***

Date of This Review:	June 3, 2024
Application Type and Number:	NDA 218571
Product Name, Dosage Form, and Strength:	Cardamyst (etripamil) nasal spray, 35 mg per spray
Product Type:	Combination Product (Drug-Device)
Rx or OTC:	Prescription (Rx)
Applicant/Sponsor Name:	Milestone Pharmaceuticals USA, Inc. (Milestone)
PNR ID #:	2024-1044725702
DMEPA 2 Safety Evaluator:	Jody Kundreskas, PharmD
DMEPA 2 Team Leader:	Nicole Iverson, PharmD, BCPS
DMEPA 2 Associate Director for Nomenclature and Labeling:	Hina Mehta, PharmD

Table of Contents

1	INTRODUCTION	3
1.1	REGULATORY HISTORY	3
1.2	PRODUCT INFORMATION	3
2	Discussion	4
2.1	MISBRANDING ASSESSMENT	4
2.2	SAFETY ASSESSMENT	4
2.2.1	United States Adopted Names (USAN) Search	4
2.2.2	Components of the Proposed Proprietary Name	4
2.2.3	Comments from Other Review Disciplines at Initial Review	5
2.2.4	FDA Prescription Simulation Studies	5
2.2.5	Phonetic and Orthographic Computer Analysis (POCA) Search Results	5
2.2.6	Communication of DMEPA's Determination	5
3	CONCLUSION	5
3.1	Comments to Milestone Pharmaceuticals USA, Inc.	5
4	REFERENCES	6
5	APPENDICES	7

1 INTRODUCTION

This review evaluates the proposed proprietary name, Cardamyst, from a safety and misbranding perspective. The sources and methods used to evaluate the proposed proprietary name are outlined in the Reference section and Appendix A, respectively. Milestone did not submit an external name study for this proposed proprietary name.

1.1 REGULATORY HISTORY

Milestone previously submitted the proposed proprietary name, Cardamyst, under IND 114386 on December 9, 2021, and we found the name conditionally acceptable on June 2, 2023.^a

1.2 PRODUCT INFORMATION

The following product information is provided in the proprietary name submission and the prescribing information received on March 27, 2024^{b,c}.

Table 1. Relevant Product Information for Cardamyst	
Intended pronunciation:	kar' da mist
Active ingredient:	etripamil
Indication:	For the (b) (4) conversion of paroxysmal supraventricular tachycardia (PSVT) episodes to sinus rhythm in adults.
Dosage Form:	nasal spray
Strength:	35 mg per spray
Route of administration:	Nasal
Dose and frequency:	Initial dosage: A dose of 70 mg is administered as two 35 mg nasal sprays, one spray into each nostril. Repeat dosage (if needed): Should symptoms persist for (b) (4) 10 minutes after administration, take a repeat dose of 70 mg administered as two 35 mg nasal sprays, one spray into each nostril.

^a Kundreskas, J. Proprietary Name Review for Cardamyst (IND 114386). Silver Spring (MD): FDA, CDER, OSE, DMEPA 2 (US); 2023 JUN 02. PNR ID No. 2021-1044724324.

^b Request for Proprietary Name Review for Cardamyst NDA 218571. Charlotte (NC): Milestone Pharmaceuticals USA, Inc.; 2024 MAR 27. Available from: [\\CDSESUB1\EVSPROD\nda218571\0007\m1\us\118-proprietary-names\request-for-proprietary-name-review.pdf](#).

^c Proposed prescribing information for Cardamyst. Charlotte (NC): Milestone Pharmaceuticals USA, Inc.; 2024 MAR 27. Available from: [\\CDSESUB1\EVSPROD\nda218571\0007\m1\us\114-labeling\draft\labeling\draft-uspi.pdf](#).

Table 1. Relevant Product Information for Cardamyst	
How Supplied:	CARDAMYST is supplied in a (b) (4) disposable unit. Each nasal spray device delivers two sprays of 35 mg, containing a total of 70 mg etripamil. CARDAMYST is supplied in cartons of 2 nasal spray units (NDC 83468-070-02).
Storage:	Store at 15°C to 30°C (59°F to 86°F) (see USP Controlled Room Temperature).

2 DISCUSSION

The following sections provide information obtained and considered in the overall evaluation of the proposed proprietary name, Cardamyst.

2.1 MISBRANDING ASSESSMENT

The Office of Prescription Drug Promotion (OPDP) determined that Cardamyst would not misbrand the proposed product. The Division of Medication Error Prevention and Analysis 2 (DMEPA 2) concurred with the findings of OPDP's assessment for Cardamyst. The Division of Cardiology and Nephrology (DCN) concurred with the findings of OPDP's assessment for Cardamyst.

2.2 SAFETY ASSESSMENT

The following aspects were considered in the safety evaluation of the proposed proprietary name, Cardamyst.

2.2.1 UNITED STATES ADOPTED NAMES (USAN) SEARCH

There is no USAN stem present in the proposed proprietary name.^d

2.2.2 COMPONENTS OF THE PROPOSED PROPRIETARY NAME

Milestone did not provide a derivation or intended meaning for the proposed proprietary name, Cardamyst, in their submission. This proprietary name is comprised of a single word that contains the letter string "AM" which is a medical abbreviation for frequency or time of administration (morning). Although we typically discourage the inclusion of medical abbreviations in proprietary names, we note the location of this letter string embedded within the infix of the proposed name means it is unlikely to be separated from the surrounding letters or to be misunderstood within the context of a prescription and lead to confusion. Therefore, in this case we do not object to the proposed proprietary name based on the inclusion of this medical abbreviation. Cardamyst does not contain any other components (i.e., a modifier, route of administration, dosage form, etc.) that can contribute to medication error.

^d USAN stem search conducted on April 5, 2024.

2.2.3 COMMENTS FROM OTHER REVIEW DISCIPLINES AT INITIAL REVIEW

On April 25, 2024, the Division of Cardiology and Nephrology (DCN) did not forward any comments or concerns relating to Cardamyst at the initial phase of the review.

2.2.4 FDA PRESCRIPTION SIMULATION STUDIES

Ninety-one practitioners participated in DMEPA's prescription simulation studies for Cardamyst. The responses did not overlap with any currently marketed products nor did the responses sound or look similar to any currently marketed products or any products in the pipeline. Appendix B contains the results from the prescription simulation studies.

2.2.5 PHONETIC AND ORTHOGRAPHIC COMPUTER ANALYSIS (POCA) SEARCH RESULTS

Our POCA search^e identified 157 names with a combined score of $\geq 55\%$ or an individual orthographic or phonetic score of $\geq 70\%$. We had identified and evaluated all of the names in our previous proprietary name review. We re-evaluated the previously identified names of concern considering any lessons learned from recent post-marketing experience, which may have altered our previous conclusion regarding the acceptability of the name. We note that none of the product characteristics have changed, and we agree with the findings from our previous review for the names evaluated previously. We did not identify any new names that were not previously analyzed; therefore, we did not identify any names that could pose a risk for confusion with Cardamyst.

2.2.6 COMMUNICATION OF DMEPA'S DETERMINATION

On June 3, 2024, DMEPA 2 communicated our determination to the Division of Cardiology and Nephrology (DCN).

3 CONCLUSION

The proposed proprietary name, Cardamyst, is conditionally acceptable.

If you have any questions or need clarifications, please contact Monique Killen, OSE project manager, at 240-402-1985.

3.1 COMMENTS TO MILESTONE PHARMACEUTICALS USA, INC.

We have completed our review of the proposed proprietary name, Cardamyst, and have concluded that this proprietary name is conditionally acceptable.

If any of the proposed product characteristics as stated in your submission, received on March 27, 2024 are altered prior to approval of the marketing application, the proprietary name must be resubmitted for review.

^e POCA search conducted on April 5, 2024 in version 5.7.

4 REFERENCES

1. *United States Adopted Names (USAN) Stems*

USAN Stems List contains all the recognized USAN stems, available at <https://www.ama-assn.org/about/united-states-adopted-names/united-states-adopted-names-approved-stems>.

2. *Phonetic and Orthographic Computer Analysis (POCA)*

POCA is a system that FDA designed. As part of the name similarity assessment, POCA is used to evaluate proposed names via a phonetic and orthographic algorithm. The proposed proprietary name is converted into its phonemic representation before it runs through the phonetic algorithm. Likewise, an orthographic algorithm exists that operates in a similar fashion. POCA is publicly accessible.

Drugs@FDA

Drugs@FDA is an FDA Web site that contains most of the drug products approved in the United States since 1939. The majority of labels, approval letters, reviews, and other information are available for drug products approved from 1998 to the present. Drugs@FDA contains official information about FDA-approved brand name and generic drugs; therapeutic biological products, prescription and over-the-counter human drugs; and discontinued drugs (see Drugs@FDA Glossary of Terms, available at <https://www.fda.gov/drugs/drug-approvals-and-databases/drugsfda-glossary-terms>).

RxNorm

RxNorm contains the names of prescription and many OTC drugs available in the United States. RxNorm includes generic and branded:

- Clinical drugs – pharmaceutical products given to (or taken by) a patient with therapeutic or diagnostic intent
- Drug packs – packs that contain multiple drugs, or drugs designed to be administered in a specified sequence

Radiopharmaceuticals, contrast media, food, dietary supplements, and medical devices, such as bandages and crutches, are all out of scope for RxNorm (<http://www.nlm.nih.gov/research/umls/rxnorm/overview.html>).

Purple Book

The Purple Book is an online database that contains information about biological products, including biosimilar and interchangeable biological products, licensed (approved) by the FDA under the Public Health Service (PHS) Act. See Purple Book: Lists of Licensed Biological Products with Reference Product Exclusivity and Biosimilarity or Interchangeability Evaluations, available at <https://www.fda.gov/drugs/therapeutic-biologics-applications-bla/purple-book-lists-licensed-biological-products-reference-product-exclusivity-and-biosimilarity-or>.

Division of Medication Errors Prevention and Analysis pending proprietary name requests

This is a list of proposed and pending names that is generated by the Division of Medication Error Prevention and Analysis.

5 APPENDICES

APPENDIX A. FDA'S PROPRIETARY NAME RISK ASSESSMENT EVALUATES PROPOSED PROPRIETARY NAMES FOR MISBRANDING AND SAFETY CONCERNS

1. **Misbranding Assessment:** For prescription drug products, the Office of Prescription Drug Promotion (OPDP) assesses the name for misbranding concerns. For over-the-counter (OTC) drug products, the misbranding assessment of the proposed name is conducted by the Office of Non-Prescription Drugs (ONPD). OPDP or ONPD evaluates proposed proprietary names to determine if the name is false or misleading, such as by making misrepresentations with respect to safety or efficacy. For example, a fanciful proprietary name may misbrand a product by suggesting that it has some unique effectiveness or composition when it does not (21 CFR 201.10(c)(3)). OPDP or ONPD provides their opinion to DMEPA for consideration in the overall acceptability of the proposed proprietary name.
2. **Safety Assessment:** The safety assessment is conducted by DMEPA, and includes the following:
 - a. **Preliminary Assessment:** We consider inclusion of USAN stems or other characteristics that when incorporated into a proprietary name may cause or contribute to medication errors (i.e., dosing interval, dosage form/route of administration, medical or product name abbreviations, names that include or suggest the composition of the drug product, etc.) See prescreening checklist below in Table 3*. DMEPA defines a medication error as any preventable event that may cause or lead to inappropriate medication use or patient harm while the medication is in the control of the health care professional, patient, or consumer.^f

*Table 3. Prescreening Checklist for Proposed Proprietary Name	
Answer the questions in the checklist below. Affirmative answers to any of these questions indicate a potential area of concern that should be carefully evaluated as described in this guidance.	
Y/N	Is the proposed name obviously similar in spelling and pronunciation to other names?
	Proprietary names should not be similar in spelling or pronunciation to proprietary names, established names, or ingredients of other products.
Y/N	Are there inert or inactive ingredients referenced in the proprietary name?
	Proprietary names should not incorporate any reference to an inert or inactive ingredient in a way that might create an impression that the ingredient's value is greater than its true functional role in the formulation (21 CFR 201.10(c)(4)).
Y/N	Does the proprietary name include combinations of active ingredients?
	Proprietary names of fixed combination drug products should not include or suggest the name of one or more, but not all, of its active ingredients (see 21 CFR 201.6(b)).
Y/N	Is there a United States Adopted Name (USAN) stem in the proprietary name?
	Proprietary names should not incorporate a USAN stem in the position that USAN designates for the stem.

^f National Coordinating Council for Medication Error Reporting and Prevention. <https://www.nccmerp.org/about-medication-errors>. Last accessed 10/05/2020.

*Table 3. Prescreening Checklist for Proposed Proprietary Name	
Answer the questions in the checklist below. Affirmative answers to any of these questions indicate a potential area of concern that should be carefully evaluated as described in this guidance.	
Y/N	Is this proprietary name used for another product that does not share at least one common active ingredient?
	Drug products that do not contain at least one common active ingredient should not use the same (root) proprietary name.
Y/N	Is this a proprietary name of a discontinued product?
	Proprietary names should not use the proprietary name of a discontinued product if that discontinued drug product does not contain the same active ingredients.

- b. Phonetic and Orthographic Computer Analysis (POCA): Following the preliminary screening of the proposed proprietary name, DMEPA staff evaluates the proposed name against potentially similar names. In order to identify names with potential similarity to the proposed proprietary name, DMEPA enters the proposed proprietary name in POCA and queries the name against the following drug reference databases, Drugs@FDA, Cerner RxNorm, Purple Book, and names in the review pipeline using a 55% threshold in POCA. DMEPA reviews the combined orthographic and phonetic matches and group the names into one of the following three categories:

- Highly similar pair: combined match percentage score $\geq 70\%$.
- Moderately similar pair: combined match percentage score $\geq 55\%$ to $\leq 69\%$.
- Low similarity: combined match percentage score $\leq 54\%$.

Using the criteria outlined in the check list (Table 4-6) that corresponds to each of the three categories (highly similar pair, moderately similar pair, and low similarity), DMEPA evaluates the name pairs to determine the acceptability or non-acceptability of a proposed proprietary name. The intent of these checklists is to increase the transparency and predictability of the safety determination of whether a proposed name is vulnerable to confusion from a look-alike or sound-alike perspective. Each bullet below corresponds to the name similarity category cross-references the respective table that addresses criteria that DMEPA uses to determine whether a name presents a safety concern from a look-alike or sound-alike perspective.

- For highly similar names, differences in product characteristics often cannot mitigate the risk of a medication error, including product differences such as strength and dose. Thus, proposed proprietary names that have a combined score of ≥ 70 percent are at risk for a look-alike sound-alike confusion which is an area of concern (See Table 4).
- Moderately similar names are further evaluated to identify the presence of attributes that are known to cause name confusion.
 - o Name attributes: We note that the beginning of the drug name plays a significant role in contributing to confusion. Additionally, drug name pairs that start with the same first letter and contain a shared letter string of at least 3 letters in both names are major contributing factor in

the confusion of drug names⁹. We evaluate all moderately similar names retrieved from POCA to identify the above attributes. These names are further evaluated to identify overlapping or similar strengths or doses.

- o Product attributes: Moderately similar names of products that have overlapping or similar strengths or doses represent an area for concern for FDA. The dose and strength information is often located in close proximity to the drug name itself on prescriptions and medication orders, and the information can be an important factor that either increases or decreases the potential for confusion between similarly named drug pairs. The ability of other product characteristics to mitigate confusion (e.g., route, frequency, dosage form) may be limited when the strength or dose overlaps. DMEPA reviews such names further, to determine whether sufficient differences exist to prevent confusion. (See Table 5).
- Names with low similarity that have no overlap or similarity in strength and dose are generally acceptable (See Table 6) unless there are data to suggest that the name might be vulnerable to confusion (e.g., prescription simulation study suggests that the name is likely to be misinterpreted as a marketed product). In these instances, we would reassign a low similarity name to the moderate similarity category and review according to the moderately similar name pair checklist.
- c. FDA Prescription Simulation Studies: DMEPA also conducts prescription simulation studies using FDA health care professionals.

Four separate studies are conducted within the Centers of the FDA for the proposed proprietary name to determine the degree of confusion of the proposed proprietary name with marketed U.S. drug names (proprietary and established) due to similarity in visual appearance with handwritten prescriptions, verbal pronunciation of the drug name or during computerized provider order entry. The studies employ healthcare professionals (pharmacists, physicians, and nurses), and attempts to simulate the prescription ordering process. The primary Safety Evaluator uses the results to identify vulnerability of the proposed name to be misinterpreted by healthcare practitioners during written, verbal, or electronic prescribing.

In order to evaluate the potential for misinterpretation of the proposed proprietary name during written, verbal, or electronic prescribing of the name, written inpatient medication orders, written outpatient prescriptions, verbal orders, and electronic orders are simulated, each consisting of a combination of marketed and unapproved drug products, including the proposed name.
- d. Comments from Other Review Disciplines: DMEPA requests the Office of New Drugs (OND), Office of Generic Drugs (OGD), and/or Office of Pharmaceutical Quality (OPQ) for their comments or concerns with the proposed proprietary name, ask for any clinical issues that may impact the DMEPA review during the initial phase of the name review. Additionally, when applicable, at the same time DMEPA requests concurrence/non-

⁹ Shah, M, Merchant, L, Characteristics That May Help in the Identification of Potentially Confusing Proprietary Drug Names. Therapeutic Innovation & Regulatory Science, September 2016

concurrence with OPDP's decision on the name. The primary Safety Evaluator addresses any comments or concerns in the Safety Evaluator's assessment.

The OND/OGD Regulatory Division is contacted a second time following our analysis of the proposed proprietary name. At this point, DMEPA conveys their decision to accept or reject the name.

Additionally, other review disciplines opinions such as OPQ may be considered depending on the proposed proprietary name.

When provided, DMEPA considers external proprietary name studies conducted by or for the Applicant/Sponsor and incorporates the findings of these studies into the overall risk assessment.

The DMEPA primary Safety Evaluator assigned to evaluate the proposed proprietary name is responsible for considering the collective findings, and provides an overall risk assessment of the proposed proprietary name.

Table 4. Highly Similar Name Pair Checklist (i.e., combined Orthographic and Phonetic score is $\geq$ 70%).			
Answer the questions in the checklist below. Affirmative answers to some of these questions suggest that the pattern of orthographic or phonetic differences in the names may render the names less likely to confusion, provided that the pair does not share a common strength or dose.			
Orthographic Checklist		Phonetic Checklist	
Y/N	Do the names begin with different first letters? <i>Note that even when names begin with different first letters, certain letters may be confused with each other when scripted.</i>	Y/N	Do the names have different number of syllables?
Y/N	Are the lengths of the names dissimilar* when scripted? <i>*FDA considers the length of names different if the names differ by two or more letters.</i>	Y/N	Do the names have different syllabic stresses?
Y/N	Considering variations in scripting of some letters (such as z and f), is there a different number or placement of upstroke/downstroke letters present in the names?	Y/N	Do the syllables have different phonologic processes, such vowel reduction, assimilation, or deletion?
Y/N	Is there different number or placement of cross-stroke or dotted letters present in the names?	Y/N	Across a range of dialects, are the names consistently pronounced differently?
Y/N	Do the infixes of the name appear dissimilar when scripted?		
Y/N	Do the suffixes of the names appear dissimilar when scripted?		

Table 5: Moderately Similar Name Pair Checklist (i.e., combined score is $\geq 55\%$ to $\leq 69\%$).		
Step 1	Review the DOSAGE AND ADMINISTRATION and HOW SUPPLIED/STORAGE AND HANDLING sections of the prescribing information (or for OTC drugs refer to the Drug Facts label) to determine if strengths and doses of the name pair overlap or are very similar. Different strengths and doses for products whose names are moderately similar may decrease the risk of confusion between the moderately similar name pairs. Name pairs that have overlapping or similar strengths or doses have a higher potential for confusion and should be evaluated further (see Step 2). Because the strength or dose could be used to express an order or prescription for a particular drug product, overlap in one or both of these components would be reason for further evaluation. For single strength products, also consider circumstances where the strength may not be expressed. For any i.e., drug products comprised of more than one active ingredient, consider whether the strength or dose may be expressed using only one of the components. To determine whether the strengths or doses are similar to your proposed product, consider the following list of factors that may increase confusion: • Alternative expressions of dose: 5 mL may be listed in the prescribing information, but the dose may be expressed in metric weight (e.g., 500 mg) or in non-metric units (e.g., 1 tsp, 1 tablet/capsule). Similarly, a strength or dose of 1000 mg may be expressed, in practice, as 1 g, or vice versa. • Trailing or deleting zeros: 10 mg is similar in appearance to 100 mg which may potentiate confusion between a name pair with moderate similarity. • Similar sounding doses: 15 mg is similar in sound to 50 mg	
Step 2	Answer the questions in the checklist below. Affirmative answers to some of these questions suggest that the pattern of orthographic or phonetic differences in the names may reduce the likelihood of confusion for moderately similar names with overlapping or similar strengths or doses.	
	Orthographic Checklist (Y/N to each question) • Do the names begin with different first letters? • Note that even when names begin with different first letters, certain letters may be confused with each other when scripted. • Are the lengths of the names dissimilar* when scripted? • *FDA considers the length of names different if the names differ by two or more letters. • Considering variations in scripting of some letters (such as z and f), is there a different number or	Phonetic Checklist (Y/N to each question) • Do the names have different number of syllables? • Do the names have different syllabic stresses? • Do the syllables have different phonologic processes, such vowel reduction, assimilation, or deletion? • Across a range of dialects, are the names consistently pronounced differently?

Table 5: Moderately Similar Name Pair Checklist (i.e., combined score is $\geq 55\%$ to $\leq 69\%$).

	placement of upstroke/downstroke letters present in the names? • Is there different number or placement of cross-stroke or dotted letters present in the names? • Do the infixes of the name appear dissimilar when scripted? • Do the suffixes of the names appear dissimilar when scripted?	
--	--	--

Table 6. Low Similarity Name Pair Checklist (i.e., combined score is $\leq 54\%$).

Names with low similarity are generally acceptable unless there are data to suggest that the name might be vulnerable to confusion (e.g., prescription simulation study suggests that the name is likely to be misinterpreted as a marketed product). In these instances, we would reassign a low similarity name to the moderate similarity category and review according to the moderately similar name pair checklist.

APPENDIX B. PRESCRIPTION SIMULATION SAMPLES AND RESULTS

Figure 1. Cardamyst Study (Conducted on 4/9/2024)

Handwritten Medication Order Prescription	Verbal Prescription
<u>Medication Order:</u> <i>Cardamyst 35mg into each nostril once</i>	Cardamyst 1 spray into each nostril at onset. May repeat dose in 10 minutes one time. Dispense 1 box
<u>Outpatient Prescription:</u> <i>Cardamejet 1 spray into each nostril at onset. May repeat dose in 10 minutes X1. #1 box</i>	
CPOE Study Sample (displayed as sans-serif, 12-point, bold font) Cardamyst	

FDA Prescription Simulation Responses (Aggregate Report)					
Study Name: Cardamyst					
People Received Study: 180					
People Responded: 91					
Total	24	25	19	23	91
INTERPRETATION	INPATIENT	OUTPATIENT	VOICE	CPOE	TOTAL
CAIDAMYST	3	0	0	0	3
CALDAMYST	4	0	0	0	4
CALDOMYST	1	0	0	0	1
CARDAMEJET	0	1	0	0	1
CARDAMIST	0	0	6	0	6
CARDAMYET	0	5	0	0	5
CARDAMYST	12	11	1	23	47
CARDEMIST	0	0	2	0	2

CARDIMIST	0	0	9	0	9
CARDI-MIST	0	0	1	0	1
CARDOMEJET	0	1	0	0	1
CARDOMYST	4	6	0	0	10
CARDYMYST	0	1	0	0	1

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

JODY K KUNDRESKAS
06/03/2024 02:43:42 PM

NICOLE F IVERSON
06/03/2024 10:09:47 PM

HINA S MEHTA
06/05/2024 03:29:43 PM