

**CENTER FOR DRUG EVALUATION AND
RESEARCH**

APPLICATION NUMBER:

219878Orig1s000

PROPRIETARY NAME REVIEW(S)

PROPRIETARY NAME REVIEW

Division of Medication Error Prevention and Analysis 2 (DMEPA 2)
Office of Medication Error Prevention and Risk Management (OMEPRM)
Office of Surveillance and Epidemiology (OSE)
Center for Drug Evaluation and Research (CDER)

*** This document contains proprietary information that cannot be released to the public***

Date of This Review:	December 4, 2025
Application Type and Number:	IND 146112 and NDA 219878
Product Name, Dosage Form, and Strength:	Baxfendy (baxdrostat) tablets, 1 mg and 2 mg
Product Type:	Single Ingredient Product
Rx or OTC:	Prescription (Rx)
Applicant/Sponsor Name:	AstraZeneca Pharmaceuticals LP (AstraZeneca)
PNR ID #:	2025-1044726526 and 2025-1044726722
DMEPA 2 Safety Evaluator:	Jody Kundreskas, PharmD
DMEPA 2 Team Leader:	Nicole Iverson, PharmD, BCPS
DMEPA 2 Associate Director for Nomenclature and Labeling:	Hina Mehta, PharmD

Table of Contents

1	Introduction	3
1.1	Regulatory History	3
1.2	Product Information	3
2	Discussion	4
2.1	Misbranding Assessment	4
2.2	Safety Assessment	4
2.2.1	United States Adopted Names (USAN) Search	4
2.2.2	Components of the Proposed Proprietary Name	5
2.2.3	Comments from Other Review Disciplines at Initial Review	5
2.2.4	FDA Prescription Simulation Studies	5
2.2.5	Phonetic and Orthographic Computer Analysis (POCA) Search Results	6
2.2.6	Names Retrieved for Review Organized by Name Pair Similarity	6
2.2.7	Safety Analysis of Names Identified	6
2.2.8	Communication of DMEPA's Determination	6
3	Conclusion	6
3.1	Comments to AstraZeneca Pharmaceuticals LP	6
4	References	7
5	Appendices	8

1 INTRODUCTION

This review evaluates the proposed proprietary name, Baxfendy, from a safety and misbranding perspective. The sources and methods used to evaluate the proposed proprietary name are outlined in the Reference section and Appendix A, respectively. AstraZeneca submitted an external name study, conducted by (b) (4),^a for this proposed proprietary name.

1.1 REGULATORY HISTORY

AstraZeneca previously submitted the proposed proprietary name, (b) (4) *** under IND 146112 on May 13, 2024. However, on October 8, 2024, AstraZeneca withdrew^b the name

(b) (4) ***.

AstraZeneca then submitted the proposed proprietary name (b) (4) *** under IND 146112 on October 28, 2024. We found the name, (b) (4) *** unacceptable due to orthographic similarities and overlapping product characteristics with the proprietary name, (b) (4).^c

Thus, AstraZeneca submitted the proposed proprietary name, Baxfendy, for review on June 12, 2025 under IND 146112 and on September 19, 2025 under NDA 219878.

1.2 PRODUCT INFORMATION

The following product information is provided in the proprietary name submission received on June 12, 2025 (IND 146112),^d September 19, 2025 (NDA 219878),^e and the Prescribing Information received on September 17, 2025 (NDA 219878).^f

Table 1. Relevant Product Information for Baxfendy	
Intended pronunciation:	bax fen' dee
Active ingredient:	baxdrostat

^a Proprietary Name Safety Summary for Baxfendy. (b) (4); 2025 JUN 12. Available from: [\\CDSESUB1\EVSPROD\ind146112\0181\m1\us\20250610-0181-3rd-proprietary-name-safety-summary-baxfendy.pdf](#).

^b Proprietary Name Withdrawal Request for (b) (4) *** (IND 146112). Wilmington (DE): AstraZeneca Pharmaceuticals LP; 2024 OCT 08. Available from: [\\CDSESUB1\EVSPROD\ind146112\0150\m1\us\20241008-cover-letter-proprietray-name-withdrawal.pdf](#).

^c Kattappuram, R. Proprietary Name Review for (b) (4) *** (IND 146112). Silver Spring (MD): FDA, CDER, OSE, DMEPA 2 (US); 2025 APR 24. PNR ID No. 2025-1044726069.

^d Request for Proprietary Name Review for Baxfendy (IND 146112). Wilmington (DE): AstraZeneca Pharmaceuticals LP; 2025 JUN 12. Available from: [\\CDSESUB1\EVSPROD\ind146112\0181\m1\us\20250612-cover-letter-0181-cl-3rd-proprietary-name-baxfendy.pdf](#).

^e Proprietary Name Safety Summary for Baxfendy. (b) (4); 2025 SEPT 19. Available from: [\\CDSESUB1\EVSPROD\nda219878\0002\m1\us\20250610-0181-3rd-proprietary-name-safety-summary-baxfendy.pdf](#).

^f Prescribing Information for Baxfendy (NDA 219878). Södertälje (Sweden): AstraZeneca AB; 2025 SEP 17. Available from: [\\CDSESUB1\EVSPROD\nda219878\0001\m1\us\annotated-draft-label-baxdrostat-initial-nda.pdf](#).

Table 1. Relevant Product Information for Baxfendy	
Indication:	(b) (4) for the treatment of hypertension, to lower blood pressure in adults who are not adequately controlled on other agents.
Dosage Form:	tablets
Strength:	1 mg and 2 mg
Route of administration:	Oral
Dose and frequency:	2 mg once daily. (b) (4) 1 mg once daily can be considered (b) (4)
How Supplied:	HDPE bottles of 30 tablets, with desiccant and child-resistant closure.
Storage:	Store at 20°C to 25°C (68°F to 77°F); excursions permitted between 15°C and 30°C (59°F and 86°F) [see USP Controlled Room Temperature]. Do not remove desiccant. Protect from moisture.

2 DISCUSSION

The following sections provide information obtained and considered in the overall evaluation of the proposed proprietary name, Baxfendy.

2.1 MISBRANDING ASSESSMENT

The Office of Prescription Drug Promotion (OPDP) determined that Baxfendy would not misbrand the proposed product. The Division of Medication Error Prevention and Analysis 2 (DMEPA 2) concurred with the findings of OPDP's assessment for Baxfendy. The Division of Cardiology and Nephrology (DCN) concurred with the findings of OPDP's assessment for Baxfendy.

2.2 SAFETY ASSESSMENT

The following aspects were considered in the safety evaluation of the proposed proprietary name, Baxfendy.

2.2.1 UNITED STATES ADOPTED NAMES (USAN) SEARCH

There is no USAN stem present in the proposed proprietary name.^g

^g USAN stem search conducted on July 7, 2025.

2.2.2 COMPONENTS OF THE PROPOSED PROPRIETARY NAME

AstraZeneca did not provide a derivation or intended meaning for the proposed proprietary name, Baxfendy, in their submission. This proprietary name is comprised of a single word that does not contain any components that can contribute to medication errors.

2.2.3 COMMENTS FROM OTHER REVIEW DISCIPLINES AT INITIAL REVIEW

The Division of Cardiology and Nephrology (DCN) did not forward any comments or concerns relating to Baxfendy at the initial phase of the review.

2.2.4 FDA PRESCRIPTION SIMULATION STUDIES

Seventy-Nine (79) practitioners participated in FDA's prescription simulation studies for Baxfendy.

One respondent in the Verbal study misinterpreted the proposed proprietary name as "Bacfendi", which is similar to (b) (4) ***. We further evaluated the name pair (Baxfendy vs. (b) (4) ***) below for risk of medication errors.

Orthographically, the ending of the name pairs (dy vs. (b) (4)) differ. Specifically, Baxfendy contains an additional upstroke letter 'd' and ends in the downstroke letter 'y' whereas (b) (4) *** (b) (4), giving these name pairs different shapes when scripted.

Phonetically, the onset of the third syllable (dee vs. (b) (4)) differ when spoken.

The name pair differ in proposed strength (1 mg and 2 mg vs. (b) (4)) where the strength would need to be specified on an order for Baxfendy. Additionally, the name pair differ in dosage form (tablets vs. (b) (4)), route of administration (oral vs. (b) (4)), and frequency (once daily vs. (b) (4)). The aforementioned product characteristics would be clearly communicated/verified in a verbal order. Additionally, (b) (4) (b) (4)

When all of the aforementioned mitigations are considered in totality, we find the risk of name confusion between the name pair is adequately minimized in this case. We placed the name (b) (4) *** in Appendix E.

The remaining responses did not overlap with any currently marketed products, nor did the responses sound or look similar to any currently marketed products or any products in the pipeline. Appendix B contains the results from the prescription simulation studies.

2.2.5 PHONETIC AND ORTHOGRAPHIC COMPUTER ANALYSIS (POCA) SEARCH RESULTS

Our POCA search^h identified 58 names with a combined phonetic and orthographic score of $\geq 55\%$ or an individual phonetic or orthographic score $\geq 70\%$. These names are included in Table 2 below.

2.2.6 NAMES RETRIEVED FOR REVIEW ORGANIZED BY NAME PAIR SIMILARITY

Table 2 provides the number of names retrieved from our POCA search and (b) (4) external study. These name pairs are organized as highly similar, moderately similar, or low similarity for further evaluation.

Table 2. Names Retrieved for Review Organized by Name Pair Similarity	
Similarity Category	Number of Names
Highly similar name pair: combined match percentage score $\geq 70\%$	1
Moderately similar name pair: combined match percentage score $\geq 55\%$ to $\leq 69\%$	55
Low similarity name pair: combined match percentage score $\leq 54\%$	5

2.2.7 SAFETY ANALYSIS OF NAMES IDENTIFIED

Our analysis of the 61 names contained in Table 2 determined none of the names will pose a risk for confusion with Baxfendy as described in Appendices C through H.

2.2.8 COMMUNICATION OF DMEPA'S DETERMINATION

On December 4, 2025, DMEPA 2 communicated our determination to the Division of Cardiology and Nephrology (DCN).

3 CONCLUSION

The proposed proprietary name, Baxfendy, is conditionally acceptable.

3.1 COMMENTS TO ASTRAZENECA PHARMACEUTICALS LP

We have completed our review of the proposed proprietary name, Baxfendy, and have concluded that this proprietary name is conditionally acceptable.

If any of the proposed product characteristics as stated in your submission, received on June 12, 2025, and on September 19, 2025, are altered prior to approval of the marketing application, the proprietary name must be resubmitted for review.

^h POCA search conducted on July 7, 2025 in version 5.13.7.

4 REFERENCES

1. *United States Adopted Names (USAN) Stems*

USAN Stems List contains all the recognized USAN stems, available at <https://www.ama-assn.org/about/united-states-adopted-names/united-states-adopted-names-approved-stems>.

2. *Phonetic and Orthographic Computer Analysis (POCA)*

POCA is a system that FDA designed. As part of the name similarity assessment, POCA is used to evaluate proposed names via a phonetic and orthographic algorithm. The proposed proprietary name is converted into its phonemic representation before it runs through the phonetic algorithm. Likewise, an orthographic algorithm exists that operates in a similar fashion. POCA is publicly accessible.

Drugs@FDA

Drugs@FDA is an FDA Web site that contains most of the drug products approved in the United States since 1939. The majority of labels, approval letters, reviews, and other information are available for drug products approved from 1998 to the present. Drugs@FDA contains official information about FDA-approved brand name and generic drugs; therapeutic biological products, prescription and over-the-counter human drugs; and discontinued drugs (see Drugs@FDA Glossary of Terms, available at <https://www.fda.gov/drugs/drug-approvals-and-databases/drugsfda-glossary-terms>).

RxNorm

RxNorm contains the names of prescription and many OTC drugs available in the United States. RxNorm includes generic and branded:

- Clinical drugs – pharmaceutical products given to (or taken by) a patient with therapeutic or diagnostic intent
- Drug packs – packs that contain multiple drugs, or drugs designed to be administered in a specified sequence

Radiopharmaceuticals, contrast media, food, dietary supplements, and medical devices, such as bandages and crutches, are all out of scope for RxNorm (<http://www.nlm.nih.gov/research/umls/rxnorm/overview.html>).

Purple Book

The Purple Book is an online database that contains information about biological products, including biosimilar and interchangeable biological products, licensed (approved) by the FDA under the Public Health Service (PHS) Act. See Purple Book: Lists of Licensed Biological Products with Reference Product Exclusivity and Biosimilarity or Interchangeability Evaluations, available at <https://www.fda.gov/drugs/therapeutic-biologics-applications-bla/purple-book-lists-licensed-biological-products-reference-product-exclusivity-and-biosimilarity-or>.

Division of Medication Errors Prevention and Analysis pending proprietary name requests

This is a list of proposed and pending names that is generated by the Division of Medication Error Prevention and Analysis.

5 APPENDICES

APPENDIX A. FDA'S PROPRIETARY NAME RISK ASSESSMENT EVALUATES PROPOSED PROPRIETARY NAMES FOR MISBRANDING AND SAFETY CONCERNS

1. **Misbranding Assessment:** For prescription drug products, the Office of Prescription Drug Promotion (OPDP) assesses the name for misbranding concerns. For over-the-counter (OTC) drug products, the misbranding assessment of the proposed name is conducted by the Office of Non-Prescription Drugs (ONPD). OPDP or ONPD evaluates proposed proprietary names to determine if the name is false or misleading, such as by making misrepresentations with respect to safety or efficacy. For example, a fanciful proprietary name may misbrand a product by suggesting that it has some unique effectiveness or composition when it does not (21 CFR 201.10(c)(3)). OPDP or ONPD provides their opinion to DMEPA for consideration in the overall acceptability of the proposed proprietary name.
2. **Safety Assessment:** The safety assessment is conducted by DMEPA, and includes the following:
 - a. **Preliminary Assessment:** We consider inclusion of USAN stems or other characteristics that when incorporated into a proprietary name may cause or contribute to medication errors (i.e., dosing interval, dosage form/route of administration, medical or product name abbreviations, names that include or suggest the composition of the drug product, etc.) See prescreening checklist below in Table 3. DMEPA defines a medication error as any preventable event that may cause or lead to inappropriate medication use or patient harm while the medication is in the control of the health care professional, patient, or consumer.ⁱ

Table 3. Prescreening Checklist for Proposed Proprietary Name	
Answer the questions in the checklist below. Affirmative answers to any of these questions indicate a potential area of concern that should be carefully evaluated as described in this guidance.	
Y/N	Is the proposed name obviously similar in spelling and pronunciation to other names?
	Proprietary names should not be similar in spelling or pronunciation to proprietary names, established names, or ingredients of other products.
Y/N	Are there inert or inactive ingredients referenced in the proprietary name?
	Proprietary names should not incorporate any reference to an inert or inactive ingredient in a way that might create an impression that the ingredient's value is greater than its true functional role in the formulation (21 CFR 201.10(c)(4)).
Y/N	Does the proprietary name include combinations of active ingredients?
	Proprietary names of fixed combination drug products should not include or suggest the name of one or more, but not all, of its active ingredients (see 21 CFR 201.6(b)).
Y/N	Is there a United States Adopted Name (USAN) stem in the proprietary name?
	Proprietary names should not incorporate a USAN stem in the position that USAN designates for the stem.

ⁱ National Coordinating Council for Medication Error Reporting and Prevention. <https://www.nccmerp.org/about-medication-errors>. Last accessed 10/05/2020.

Table 3. Prescreening Checklist for Proposed Proprietary Name	
Answer the questions in the checklist below. Affirmative answers to any of these questions indicate a potential area of concern that should be carefully evaluated as described in this guidance.	
Y/N	Is this proprietary name used for another product that does not share at least one common active ingredient?
	Drug products that do not contain at least one common active ingredient should not use the same (root) proprietary name.
Y/N	Is this a proprietary name of a discontinued product?
	Proprietary names should not use the proprietary name of a discontinued product if that discontinued drug product does not contain the same active ingredients.

- b. Phonetic and Orthographic Computer Analysis (POCA): Following the preliminary screening of the proposed proprietary name, DMEPA staff evaluates the proposed name against potentially similar names. In order to identify names with potential similarity to the proposed proprietary name, DMEPA enters the proposed proprietary name in POCA and queries the name against the following drug reference databases, Drugs@FDA, Cerner RxNorm, Purple Book, and names in the review pipeline using a 55% threshold in POCA. DMEPA reviews the combined orthographic and phonetic matches and group the names into one of the following three categories:

- Highly similar pair: combined match percentage score $\geq 70\%$.
- Moderately similar pair: combined match percentage score $\geq 55\%$ to $\leq 69\%$.
- Low similarity: combined match percentage score $\leq 54\%$.

Using the criteria outlined in the check list (Tables 4-6) that corresponds to each of the three categories (highly similar pair, moderately similar pair, and low similarity), DMEPA evaluates the name pairs to determine the acceptability or non-acceptability of a proposed proprietary name. The intent of these checklists is to increase the transparency and predictability of the safety determination of whether a proposed name is vulnerable to confusion from a look-alike or sound-alike perspective. Each bullet below corresponds to the name similarity category that cross-references the respective table that addresses criteria that DMEPA uses to determine whether a name presents a safety concern from a look-alike or sound-alike perspective.

- For highly similar names, differences in product characteristics often cannot mitigate the risk of a medication error, including product differences such as strength and dose. Thus, proposed proprietary names that have a combined score of ≥ 70 percent are at risk for a look-alike sound-alike confusion which is an area of concern (See Table 4).
- Moderately similar names are further evaluated to identify the presence of attributes that are known to cause name confusion.
 - o Name attributes: We note that the beginning of the drug name plays a significant role in contributing to confusion. Additionally, drug name pairs that start with the same first letter and contain a shared letter string of at least 3 letters in both names are major contributing factor in

the confusion of drug names^j. We evaluate all moderately similar names retrieved from POCA to identify the above attributes. These names are further evaluated to identify overlapping or similar strengths or doses.

- o Product attributes: Moderately similar names of products that have overlapping or similar strengths or doses represent an area for concern for FDA. The dose and strength information is often located in close proximity to the drug name itself on prescriptions and medication orders, and the information can be an important factor that either increases or decreases the potential for confusion between similarly named drug pairs. The ability of other product characteristics to mitigate confusion (e.g., route, frequency, dosage form) may be limited when the strength or dose overlaps. DMEPA reviews such names further, to determine whether sufficient differences exist to prevent confusion. (See Table 5).
 - Names with low similarity that have no overlap or similarity in strength and dose are generally acceptable (See Table 6) unless there are data to suggest that the name might be vulnerable to confusion (e.g., prescription simulation study suggests that the name is likely to be misinterpreted as a marketed product). In these instances, we would reassign a low similarity name to the moderate similarity category and review according to the moderately similar name pair checklist.
- c. FDA Prescription Simulation Studies: DMEPA also conducts prescription simulation studies using FDA health care professionals.

Four separate studies are conducted within the Centers of the FDA for the proposed proprietary name to determine the degree of confusion of the proposed proprietary name with marketed U.S. drug names (proprietary and established) due to similarity in visual appearance with handwritten prescriptions, verbal pronunciation of the drug name or during computerized provider order entry. The studies employ healthcare professionals (pharmacists, physicians, and nurses), and attempts to simulate the prescription ordering process. The primary Safety Evaluator uses the results to identify vulnerability of the proposed name to be misinterpreted by healthcare practitioners during written, verbal, or electronic prescribing.

In order to evaluate the potential for misinterpretation of the proposed proprietary name during written, verbal, or electronic prescribing of the name, written inpatient medication orders, written outpatient prescriptions, verbal orders, and electronic orders are simulated, each consisting of a combination of marketed and unapproved drug products, including the proposed name.
- d. Comments from Other Review Disciplines: DMEPA requests the Office of New Drugs (OND), Office of Generic Drugs (OGD), and/or Office of Pharmaceutical Quality (OPQ) for their comments or concerns with the proposed proprietary name and ask for any clinical issues that may impact the DMEPA review during the initial phase of the name review. Additionally, when applicable, at the same time DMEPA requests concurrence/non-

^j Shah, M, Merchant, L, Chan, I, and Taylor, K. Characteristics That May Help in the Identification of Potentially Confusing Proprietary Drug Names. Therapeutic Innovation & Regulatory Science, September 2016

concurrence with OPDP's decision on the name. The primary Safety Evaluator addresses any comments or concerns in the Safety Evaluator's assessment.

The OND/OGD Regulatory Division is contacted a second time following our analysis of the proposed proprietary name. At this point, DMEPA conveys their decision to accept or reject the name.

Additionally, other review disciplines opinions such as OPQ may be considered depending on the proposed proprietary name.

When provided, DMEPA considers external proprietary name studies conducted by or for the Applicant/Sponsor and incorporates the findings of these studies into the overall risk assessment.

The DMEPA primary Safety Evaluator assigned to evaluate the proposed proprietary name is responsible for considering the collective findings and provides an overall risk assessment of the proposed proprietary name.

Table 4. Highly Similar Name Pair Checklist (i.e., combined Orthographic and Phonetic score is $\geq$ 70%).			
Answer the questions in the checklist below. Affirmative answers to some of these questions suggest that the pattern of orthographic or phonetic differences in the names may render the names less likely to confusion, provided that the pair does not share a common strength or dose.			
Orthographic Checklist		Phonetic Checklist	
Y/N	Do the names begin with different first letters? <i>Note that even when names begin with different first letters, certain letters may be confused with each other when scripted.</i>	Y/N	Do the names have different number of syllables?
Y/N	Are the lengths of the names dissimilar* when scripted? <i>*FDA considers the length of names different if the names differ by two or more letters.</i>	Y/N	Do the names have different syllabic stresses?
Y/N	Considering variations in scripting of some letters (such as z and f), is there a different number or placement of upstroke/downstroke letters present in the names?	Y/N	Do the syllables have different phonologic processes, such as vowel reduction, assimilation, or deletion?
Y/N	Is there different number or placement of cross-stroke or dotted letters present in the names?	Y/N	Across a range of dialects, are the names consistently pronounced differently?
Y/N	Do the infixes of the name appear dissimilar when scripted?		
Y/N	Do the suffixes of the names appear dissimilar when scripted?		

Table 5: Moderately Similar Name Pair Checklist (i.e., combined score is $\geq 55\%$ to $\leq 69\%$).		
Step 1	Review the DOSAGE AND ADMINISTRATION and HOW SUPPLIED/STORAGE AND HANDLING sections of the prescribing information (or for OTC drugs refer to the Drug Facts label) to determine if strengths and doses of the name pair overlap or are very similar. Different strengths and doses for products whose names are moderately similar may decrease the risk of confusion between the moderately similar name pairs. Name pairs that have overlapping or similar strengths or doses have a higher potential for confusion and should be evaluated further (see Step 2). Because the strength or dose could be used to express an order or prescription for a particular drug product, overlap in one or both of these components would be reason for further evaluation. For single strength products, also consider circumstances where the strength may not be expressed. For any i.e., drug products comprised of more than one active ingredient, consider whether the strength or dose may be expressed using only one of the components. To determine whether the strengths or doses are similar to your proposed product, consider the following list of factors that may increase confusion: • Alternative expressions of dose: 5 mL may be listed in the prescribing information, but the dose may be expressed in metric weight (e.g., 500 mg) or in non-metric units (e.g., 1 tsp, 1 tablet/capsule). Similarly, a strength or dose of 1000 mg may be expressed, in practice, as 1 g, or vice versa. • Trailing or deleting zeros: 10 mg is similar in appearance to 100 mg which may potentiate confusion between a name pair with moderate similarity. • Similar sounding doses: 15 mg is similar in sound to 50 mg	
Step 2	Answer the questions in the checklist below. Affirmative answers to some of these questions suggest that the pattern of orthographic or phonetic differences in the names may reduce the likelihood of confusion for moderately similar names with overlapping or similar strengths or doses.	
	Orthographic Checklist (Y/N to each question) • Do the names begin with different first letters? • Note that even when names begin with different first letters, certain letters may be confused with each other when scripted. • Are the lengths of the names dissimilar* when scripted? *FDA considers the length of names different if the names differ by two or more letters. • Considering variations in scripting of some letters (such as z and f), is there a different number or	Phonetic Checklist (Y/N to each question) • Do the names have different number of syllables? • Do the names have different syllabic stresses? • Do the syllables have different phonologic processes, such as vowel reduction, assimilation, or deletion? • Across a range of dialects, are the names consistently pronounced differently?

Table 5: Moderately Similar Name Pair Checklist (i.e., combined score is $\geq 55\%$ to $\leq 69\%$).



	placement of upstroke/downstroke letters present in the names? • Is there different number or placement of cross-stroke or dotted letters present in the names? • Do the infixes of the names appear dissimilar when scripted? • Do the suffixes of the names appear dissimilar when scripted?	
--	---	--

Table 6. Low Similarity Name Pair Checklist (i.e., combined score is $\leq 54\%$).

Names with low similarity are generally acceptable unless there are data to suggest that the name might be vulnerable to confusion (e.g., prescription simulation study suggests that the name is likely to be misinterpreted as a marketed product). In these instances, we would reassign a low similarity name to the moderate similarity category and review according to the moderately similar name pair checklist.

APPENDIX B. PRESCRIPTION SIMULATION SAMPLES AND RESULTS

Figure 1. Baxfendy Study (Conducted on 6/20/2025)

Handwritten Medication Order Prescription	Verbal Prescription
<u>Medication Order:</u> 	Baxfendy 2 mg 1 tablet by mouth once daily Dispense 30
<u>Outpatient Prescription:</u> 	
CPOE Study Sample (displayed as sans-serif, 12-point, bold font) Baxfendy	

FDA Prescription Simulation Responses (Aggregate Report)					
Study Name: Baxfendy					
People Received Study: 160					
People Responded: 79					
Total	18	23	15	23	79
INTERPRETATION	INPATIENT	OUTPATIENT	VOICE	CPOE	TOTAL
BACFENDI	0	0	1	0	1
BASFENDY	0	1	0	0	1
BAXFEDY	0	1	0	0	1
BAXFENDG	0	2	0	0	2
BAXFENDI	0	0	7	0	7
BAXFENDY	3	17	1	23	44
BAXFENDY DRUG	0	1	0	0	1
BAXFENDZ	0	1	0	0	1
BAXFENELY	1	0	0	0	1
BAYFENELY	1	0	0	0	1
BAZFENDI	0	0	1	0	1
BOSEFENDY	2	0	0	0	2
BOXFENDY	11	0	0	0	11
FAXSPENDY	0	0	1	0	1

FAXTENDI	0	0	1	0	1
VAXFENDI	0	0	2	0	2
VAXFENDY	0	0	1	0	1

APPENDIX C. HIGHLY SIMILAR NAMES (e.g., combined POCA score is $\geq 70\%$)

No.	Proposed name: Baxfendy Pronunciation: bax fen' dee Established name: baxdrostat Dosage form: tablets Strengths: 1 mg and 2 mg Dosage: 1 mg or 2 mg by mouth once daily	POCA Score (%)	Orthographic and/or phonetic differences in the names sufficient to prevent confusion Other prevention of failure mode expected to minimize the risk of confusion between these two names.
1.	Baxfendy	100	This name is the subject of this review.

APPENDIX D. MODERATELY SIMILAR NAMES (e.g., combined POCA score is $\geq 55\%$ to $\leq 69\%$) with no overlap or numerical similarity in Strength and/or Dose

No.	Name	POCA Score (%)
1.	Saxenda	68
2.	Hextend	59
3.	Exondys	58
4.	Exondys 51	58
5.	Banadyne	56

APPENDIX E. MODERATELY SIMILAR NAMES (e.g., combined POCA score is $\geq 55\%$ to $\leq 69\%$) with overlap or numerical similarity in Strength and/or Dose

No.	Proposed name: Baxfendy Pronunciation: bax fen' dee Established name: baxdrostat Dosage form: tablets Strengths: 1 mg and 2 mg Dosage: 1 mg or 2 mg by mouth once daily	POCA Score (%)	Prevention of Failure Mode In the conditions outlined below, the following combination of factors, are expected to minimize the risk of confusion between these two names
1.	Dextenza	67	Orthographically, these name pairs begin with differently shaped letters ('B' vs. 'D'). Baxfendy contains an additional upstroke letter 'd' in the suffix, which is absent from Dextenza, giving these name pairs a different shape. Additionally, Dextenza contains the optional downstroke letter 'z', which provides

No.	Proposed name: Baxfendy Pronunciation: bax fen' dee Established name: baxdrostat Dosage form: tablets Strengths: 1 mg and 2 mg Dosage: 1 mg or 2 mg by mouth once daily	POCA Score (%)	Prevention of Failure Mode In the conditions outlined below, the following combination of factors, are expected to minimize the risk of confusion between these two names
			additional visual differentiation between the name pairs if written without the downstroke and Baxfendy contains the upstroke and optional downstroke letter 'f' in the fourth position, which, if scripted with the downstroke, provides additional visual difference. Phonetically, the beginning of the first syllables ('Bax' vs. 'Deks') and the third syllables ('dee' vs. 'zah') sound different. This name pair differ in strength (1 mg and 2 mg vs. 0.4 mg), where strength/dose would need to be specified on an order for Baxfendy, dosage form (tablets vs. ophthalmic intracanalicular insert), route of administration (oral vs. ophthalmic into the lower lacrimal punctum and canaliculus), and frequency (once daily vs. once every 30 days). Thus, in this specific case, the risk of name confusion between this name pair is minimized.
2.	(b) (4) ***	66	See FMEA in Section 2.2.4.
3.	Nexafed	65	Orthographically, these name pairs begin with differently shaped letters ('B' vs. 'N'). Additionally, Baxfendy contains the downstroke letter 'y' at the end of the name, which is absent from Nexafed, giving these name pairs a different shape.

No.	Proposed name: Baxfendy Pronunciation: bax fen' dee Established name: baxdrostat Dosage form: tablets Strengths: 1 mg and 2 mg Dosage: 1 mg or 2 mg by mouth once daily	POCA Score (%)	Prevention of Failure Mode In the conditions outlined below, the following combination of factors, are expected to minimize the risk of confusion between these two names
			This name pair has sufficient phonetic differences. This name pair differ in strength (1 mg and 2 mg vs. 30 mg) where strength/dose would need to be specified on an order for Baxfendy. Additionally, this name pair differ in frequency (once daily vs. every 4 hours to every 6 hours as needed). Thus, in this specific case, the risk of name confusion between this name pair is minimized.
4.	Praxbind	64	This name pair has sufficient orthographic and phonetic differences.
5.	Baclofen	60	This name pair has sufficient orthographic and phonetic differences.
6.	Baxdela	60	Orthographically, Baxfendy contains the downstroke letter 'y' in the last position, while Baxdela contains the rounded letter 'a' in the last position. Additionally, Baxfendy contains the upstroke and optional downstroke letter 'f' in the fourth position, which, if scripted with the downstroke, provides additional visual differences. Furthermore, Baxdela contains the upstroke letter 'l' in the sixth position, while Baxfendy contains the rounded letter 'n' in the same position. This name pair has sufficient phonetic differences. We acknowledge that both Baxfendy and Baxdela begin with the same first three

No.	Proposed name: Baxfendy Pronunciation: bax fen' dee Established name: baxdrostat Dosage form: tablets Strengths: 1 mg and 2 mg Dosage: 1 mg or 2 mg by mouth once daily	POCA Score (%)	Prevention of Failure Mode In the conditions outlined below, the following combination of factors, are expected to minimize the risk of confusion between these two names
			letters “Bax”, which raises potential risk for computerized prescriber order entry (CPOE) selection errors. However, we note that Baxdela is available in two dosage forms (for Injection and tablets) versus Baxfendy which is proposed as one dosage form (tablets). Additionally, there is no overlap in strength (Baxfendy is proposed as 1 mg and 2 mg versus Baxdela which is available as 300 mg/vial and 450 mg tablets), therefore requiring additional selection steps in the CPOE workflow. Additionally, this name pair differ in frequency (once daily vs. every 12 hours). Thus, in this specific case, the risk of name confusion between this name pair is minimized.
7.	(b) (4) ***	58	(b) (4)

No.	Proposed name: Baxfendy Pronunciation: bax fen' dee Established name: baxdrostat Dosage form: tablets Strengths: 1 mg and 2 mg Dosage: 1 mg or 2 mg by mouth once daily	POCA Score (%)	Prevention of Failure Mode In the conditions outlined below, the following combination of factors, are expected to minimize the risk of confusion between these two names
			(b) (4)
8.	Brexafemme	58	This name pair has sufficient orthographic and phonetic differences.
9.	Dabrafenib	58	This name pair has sufficient orthographic and phonetic differences.
10.	Robafen Dm	57	This name pair has sufficient orthographic and phonetic differences.
11.	Banflex	56	This name pair has sufficient orthographic and phonetic differences.
12.	Dixlanta	56	This name pair has sufficient orthographic and phonetic differences.
13.	Fexofenadine	56	This name pair has sufficient orthographic and phonetic differences.

APPENDIX F: LOW SIMILARITY NAMES (e.g., combined POCA score is $\leq 54\%$)

No.	Name	POCA Score (%)
1.	Bazedoxifene	52

No.	Name	POCA Score (%)
2.	Dynafed	51
3.	Barhemsys	44
4.	Baloxavir	38
5.	Vaccine	38

APPENDIX G. Names not likely to be confused or not used in usual practice settings for the reasons described.

No.	Name	POCA Score (%)	Failure preventions
1.	Maxifed-G	68	Name identified in RxNorm database. Product is deactivated and no generic equivalents are available.
2.	(b) (4) ***	68	Proposed proprietary name for IND (b) (4) found to be acceptable on (b) (4), however, IND (b) (4) is inactive as of (b) (4)
3.	Exefen Dm	66	Name identified in RxNorm database. Product is deactivated and no generic equivalents are available.
4.	Exefen-Pd	66	Name identified in RxNorm database. Product is deactivated and no generic equivalents are available.
5.	Nexphen Pd	66	Name identified in RxNorm database. Product is deactivated and no generic equivalents are available.
6.	Paxofen	66	International product.
7.	Dexphen M	64	Name identified in RxNorm database. Product is deactivated and no generic equivalents are available.
8.	Maxiphen Cd	64	Name identified in RxNorm database. Product is deactivated and no generic equivalents are available.
9.	(b) (4) ***	62	Proposed proprietary name for IND 146112 found to be unacceptable due to a conflict with a marketed product (OSE# 2025-1044726069 dated April 24, 2025). Subsequently, the proposed proprietary

No.	Name	POCA Score (%)	Failure preventions
			name Baxfendy was submitted and is the subject of this review.
10.	Dexaphen Sa	60	Name identified in RxNorm database. Product is deactivated and no generic equivalents are available.
11.	(b) (4) ***	60	(b) (4)
12.	(b) (4) ***	58	
13.	Exefen Dmx	58	Name identified in RxNorm database. Unable to find product characteristics in commonly used drug databases.
14.	(b) (4) ***	58	Proposed proprietary name for NDA 211970 found unacceptable by DMEPA (OSE# 2018-28117624). NDA 211970 approved under the proprietary name Vyondys 53.
15.	Oxyblend	57	Veterinary product.
16.	Defend li	56	Veterinary product.
17.	Exefen	56	Name identified in RxNorm database. Product is deactivated and no generic equivalents are available.
18.	Extendryl G	55	Name identified in RxNorm database. Product is deactivated and no generic equivalents are available.
19.	Lexifen	55	Name identified in RxNorm database. Unable to find product characteristics in commonly used drug databases.

APPENDIX H. Names not likely to be confused due to absence of attributes that are known to cause name confusion^k.

No.	Name	POCA Score (%)
1.	Maxifed	66
2.	Daxxify	64
3.	Maxifed Cd	64
4.	(b) (4) ***	62
5.	Dexacen-4	60
6.	Dexased	58
7.	Maxifed-G Cd	58
8.	Maxiphen	58
9.	(b) (4) ***	56
10.	Fexofeenadine	56
11.	Magnebind	56
12.	Magnebind 250/300	56
13.	Magnebind 400/200	56
14.	Magnebind-200	56
15.	Magnebind-300	56
16.	Maxiphen Cdx	56
17.	Draxxin	55
18.	(b) (4) ***	55

^k Shah, M, Merchant, L, Chan, I, and Taylor, K. Characteristics That May Help in the Identification of Potentially Confusing Proprietary Drug Names. Therapeutic Innovation & Regulatory Science, September 2016

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

JODY K KUNDRESKAS
12/04/2025 03:06:01 PM

NICOLE F IVERSON
12/05/2025 11:12:32 AM

HINA S MEHTA
12/05/2025 03:26:49 PM