

MGF 400105  
Bemotrizinol (BEMT)

## **2.7.6 Literature References**

MGF 400105

Bemotrizinol (BEMT)

D'Ruiz C, Plautz JR, Schuetz R, Sanabria C, Hammonds C, Erato C, Klock J, Vollhardt J, Mesaros S. Preliminary clinical pharmacokinetic evaluation of bemotrizinol - A new sunscreen active ingredient being considered for inclusion under FDA's over-the-counter (OTC) sunscreen monograph, Regulatory Toxicology and Pharmacology 2023, Volume 139, 105344, DOI: <https://doi.org/10.1016/j.yrtph.2023.105344>

Department of Health and Human Services, Food and Drug Administration, Center for Drug Evaluation and Research. Guidance for Industry: Nonprescription Sunscreen Drug Products – Safety and Effectiveness Data. November 2016. Available at: <https://www.fda.gov/media/94513/download>

Department of Health and Human Services, Food and Drug Administration, Center for Drug Evaluation and Research. Guidance for Industry: Maximal Usage Trials for Topically Applied Active Ingredients Being Considered for Inclusion in an Over the Counter Monograph: Study Elements and Considerations. May 2019. Available at: <https://www.fda.gov/media/125080/download>

Du Bois D, Du Bois EF. A formula to estimate the approximate surface area if height and weight be known. 1916. Nutrition. 1989;5(5):303-11

FDA 2014. Determination and Feedback Letter from FDA CDER to Ciba Specialty Chemicals Corporation and Morgan Lewis and Bockius LLP re Time and Extent Application (TEA) Bemotrizinol for use in Over-the-Counter OTC Sunscreens. Available at <https://www.regulations.gov/document/FDA-2005-N-0453-0035>

Herzog B, Hueglin D, Borsos E, Stehlin A, Luther H. New UV Absorbers for Cosmetic Sunscreens – A Breakthrough for the Photoprotection of Human Skin. *Chimia*. 2004;58, 554–559. ISSN 0009–4293

Herzog B, Osterwalder U. "Simulation of sunscreen performance" *Pure and Applied Chemistry*, 2015;87, no. 9-10, pp. 937-951. <https://doi.org/10.1515/pac-2015-0401>

Luna-Bastante L, Gatica-Ortega ME, Pastor-Nieto MA, Vergara-de-la-Campa L, Gómez-Dorado BA, Alonso-Naranjo L, Pérez-Hortet C. Allergic contact dermatitis to Tinosorb S, Scutellaria baicalensis, and other emerging allergens in cosmetics. *Contact Dermatitis*. 2020 May;82(5):307-309. doi: 10.1111/cod.13460. Epub 2020 Jan 11. PMID: 31879957

Matta MK, Zusterzeel R, Pilli NR, et al. Effect of sunscreen application under maximal use conditions on plasma concentration of sunscreen active ingredients: a randomized clinical trial. *JAMA*. 2019;321(21):2082-91. doi: 10.1001/jama.2019.5586

Miksa S, Lutz D, Guy C, Delamour E. Sunscreen sun protection factor claim based on in vivo interlaboratory variability. *Int J Cosmet Sci*. 2016;38: 541-549. <https://doi.org/10.1111/ics.12333>

Suzuki K, Futamura K, Sugiyama M, Matsunaga K, Yagami A. Allergic contact dermatitis caused by dimethicodiethylbenzalmalonate (polysilicone-15, Parsol SLX) and bis-ethylhexyloxyphenol methoxyphenyl triazine (Tinosorb S) in sunscreen cream. *Contact*

MGF 400105

Bemotrizinol (BEMT)

Dermatitis. 2022 Jul;87(1):108-110. doi: 10.1111/cod.14112. Epub 2022 Apr 11. PMID: 35306675

Zou W, Ramanathan R, Urban S, Sinclair C, King K, Tinker R, Bansal V. Sunscreen testing: A critical perspective and future roadmap, TrAC Trends in Analytical Chemistry. 2022;157, 116724, ISSN 0165-9936, <https://doi.org/10.1016/j.trac.2022.116724> .